



MODEL F1

- Upright
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.

See our "Specialties Page" for special finish charges — including Teflon Tape.

Items that are MTO (indicated by "x") allow 7-10 work days.

MTO	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
	FU0B	135°F 57°C	Bronze	\$ 14.93
X	FU0C	135°F 57°C	Chrome	\$ 18.21
X	FU0W	135°F 57°C	White	\$ 20.88
	FU1B	155°F 68°C	Bronze	\$ 14.93
	FU1C	155°F 68°C	Chrome	\$ 18.21
X	FU1W	155°F 68°C	White	\$ 20.88
	FU5B	175°F 79°C	Bronze	\$ 14.93
X	FU5C	175°F 79°C	Chrome	\$ 18.21
X	FU5W	175°F 79°C	White	\$ 20.88
	FU2B	200°F 93°C	Bronze	\$ 14.93
X	FU2C	200°F 93°C	Chrome	\$ 18.21
X	FU2W	200°F 93°C	White	\$ 20.88
	FU3B	286°F 141°C	Bronze	\$ 14.93
X	FU3C	286°F 141°C	Chrome	\$ 18.21
X	FU3W	286°F 141°C	White	\$ 20.88
X	FU6B	360°F 182°C	Bronze	\$ 16.80
X	FU6C	360°F 182°C	Chrome	\$ 20.00
X	FU6W	360°F 182°C	White	\$ 22.69
17/32" ORIFICE, 3/4" NPT THREADS (20MM)				
X	FU0LB	135°F 57°C	Bronze	\$ 18.37
X	FU0LC	135°F 57°C	Chrome	\$ 23.04
X	FU0LW	135°F 57°C	White	\$ 26.05
	FU1LB	155°F 68°C	Bronze	\$ 18.37
X	FU1LC	155°F 68°C	Chrome	\$ 23.04
X	FU1LW	155°F 68°C	White	\$ 26.05
X	FU5LB	175°F 79°C	Bronze	\$ 18.37
X	FU5LC	175°F 79°C	Chrome	\$ 23.04
X	FU5LW	175°F 79°C	White	\$ 26.05
	FU2LB	200°F 93°C	Bronze	\$ 18.37
X	FU2LC	200°F 93°C	Chrome	\$ 23.04
X	FU2LW	200°F 93°C	White	\$ 26.05
	FU3LB	286°F 141°C	Bronze	\$ 18.37
X	FU3LC	286°F 141°C	Chrome	\$ 24.99
X	FU3LW	286°F 141°C	White	\$ 26.05
X	FU6LB	360°F 182°C	Bronze	\$ 20.80
X	FU6LC	360°F 182°C	Chrome	\$ 22.46
X	FU6LW	360°F 182°C	White	\$ 27.86

WD Requires Model D Sprinkler Wrench \$ 46.00



MODEL F1

- Upright
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
3/8" ORIFICE, 1/2" NPT THREADS				
X	FU03B	135°F 57°C	Bronze	\$ 21.97
X	FU03C	135°F 57°C	Chrome	\$ 25.89
X	FU03W	135°F 57°C	White	\$ 27.32
X	FU13B	155°F 68°C	Bronze	\$ 21.97
X	FU13C	155°F 68°C	Chrome	\$ 25.89
X	FU13W	155°F 68°C	White	\$ 27.32
X	FU53B	175°F 79°C	Bronze	\$ 21.97
X	FU53C	175°F 79°C	Chrome	\$ 25.89
X	FU53W	175°F 79°C	White	\$ 27.32
X	FU23B	200°F 93°C	Bronze	\$ 21.97
X	FU23C	200°F 93°C	Chrome	\$ 25.89
X	FU23W	200°F 93°C	White	\$ 27.32
X	FU33B	286°F 141°C	Bronze	\$ 21.97
X	FU33C	286°F 141°C	Chrome	\$ 25.89
X	FU33W	286°F 141°C	White	\$ 27.32
X	FU63B	360°F 182°C	Bronze	\$ 23.75
X	FU63C	360°F 182°C	Chrome	\$ 27.68
X	FU63W	360°F 182°C	White	\$ 29.26
7/16" ORIFICE, 1/2" NPT THREADS				
X	FU07B	135°F 57°C	Bronze	\$ 21.97
X	FU07C	135°F 57°C	Chrome	\$ 25.89
X	FU07W	135°F 57°C	White	\$ 27.32
X	FU17B	155°F 68°C	Bronze	\$ 21.97
X	FU17C	155°F 68°C	Chrome	\$ 25.89
X	FU17W	155°F 68°C	White	\$ 27.32
X	FU57B	175°F 79°C	Bronze	\$ 21.97
X	FU57C	175°F 79°C	Chrome	\$ 25.89
X	FU57W	175°F 79°C	White	\$ 27.32
	FU27B	200°F 93°C	Bronze	\$ 21.97
X	FU27C	200°F 93°C	Chrome	\$ 25.89
X	FU27W	200°F 93°C	White	\$ 27.32
X	FU37B	286°F 141°C	Bronze	\$ 21.97
X	FU37C	286°F 141°C	Chrome	\$ 25.89
X	FU37W	286°F 141°C	White	\$ 27.32
X	FU67B	360°F 182°C	Bronze	\$ 23.75
X	FU67C	360°F 182°C	Chrome	\$ 27.68
X	FU67W	360°F 182°C	White	\$ 29.26

WD Requires Model D Sprinkler Wrench \$ 46.00



MODEL F1

- Upright
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.

See our "Specialties Page" for special finish charges — including Teflon Tape.

Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
10MM ORIFICE, 10MM THREADS				
X	FU03BMM	135°F 57°C	Bronze	\$ 19.87
X	FU03CMM	135°F 57°C	Chrome	\$ 23.47
X	FU03WMM	135°F 57°C	White	\$ 24.83
X	FU13BMM	155°F 68°C	Bronze	\$ 19.87
X	FU13CMM	155°F 68°C	Chrome	\$ 23.47
X	FU13WMM	155°F 68°C	White	\$ 24.83
X	FU53BMM	175°F 79°C	White	\$ 19.87
X	FU53CMM	175°F 79°C	Chrome	\$ 23.47
X	FU53WMM	175°F 79°C	White	\$ 24.83
X	FU23BMM	200°F 93°C	Bronze	\$ 19.87
X	FU23CMM	200°F 93°C	Chrome	\$ 23.47
X	FU23WMM	200°F 93°C	White	\$ 24.83
X	FU33BMM	286°F 141°C	Bronze	\$ 19.87
X	FU33CMM	286°F 141°C	Chrome	\$ 23.47
X	FU33WMM	286°F 141°C	White	\$ 24.83
X	FU63BMM	360°F 182°C	Bronze	\$ 23.75
X	FU63CMM	360°F 182°C	Chrome	\$ 25.17
X	FU63WMM	360°F 182°C	White	\$ 26.53
	WD	Requires Model D Sprinkler Wrench		\$ 46.00



MODEL F1-300 UPRIGHT

- Upright
- Glass Bulb Sprinklers
- See Bulletin 155

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM) — 300 PSI				
	FU0B3	135°F 57°C	Bronze	\$ 16.38
X	FU0C3	135°F 57°C	Chrome	\$ 19.85
X	FU0W3	135°F 57°C	White	\$ 22.63
	FU1B3	155°F 68°C	Bronze	\$ 16.38
	FU1C3	155°F 68°C	Chrome	\$ 19.85
X	FU1W3	155°F 68°C	White	\$ 22.63
	FU5B3	175°F 79°C	Bronze	\$ 16.38
X	FU5C3	175°F 79°C	Chrome	\$ 19.85
X	FU5W3	175°F 79°C	White	\$ 22.63
	FU2B3	200°F 93°C	Bronze	\$ 16.38
X	FU2C3	200°F 93°C	Chrome	\$ 19.85
X	FU2W3	200°F 93°C	White	\$ 22.63
	FU3B3	286°F 141°C	Bronze	\$ 16.38
X	FU3C3	286°F 141°C	Chrome	\$ 19.85
X	FU3W3	286°F 141°C	White	\$ 22.63
X	FU6B3	360°F 182°C	Bronze	\$ 18.38
X	FU6C3	360°F 182°C	Chrome	\$ 21.69
X	FU6W3	360°F 182°C	White	\$ 24.46
17/32" ORIFICE, 3/4" NPT THREADS (20MM) — 300 PSI				
X	FU0LB3	135°F 57°C	Bronze	\$ 19.99
X	FU0LC3	135°F 57°C	Chrome	\$ 24.83
X	FU0LW3	135°F 57°C	White	\$ 27.99
	FU1LB3	155°F 68°C	Bronze	\$ 19.99
X	FU1LC3	155°F 68°C	Chrome	\$ 24.83
X	FU1LW3	155°F 68°C	White	\$ 27.99
X	FU5LB3	175°F 79°C	Bronze	\$ 19.99
X	FU5LC3	175°F 79°C	Chrome	\$ 24.83
X	FU5LW3	175°F 79°C	White	\$ 27.99
	FU2LB3	200°F 93°C	Bronze	\$ 19.99
X	FU2LC3	200°F 93°C	Chrome	\$ 24.83
X	FU2LW3	200°F 93°C	White	\$ 27.99
	FU3LB3	286°F 141°C	Bronze	\$ 19.99
X	FU3LC3	286°F 141°C	Chrome	\$ 24.83
X	FU3LW3	286°F 141°C	White	\$ 27.99
X	FU6LB3	360°F 182°C	Bronze	\$ 22.43
X	FU6LC3	360°F 182°C	Chrome	\$ 26.89
X	FU6LW3	360°F 182°C	White	\$ 30.02

WD Requires Model D Sprinkler Wrench \$ 46.00

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.



MODEL F1

- Pendent
- Glass Bulb Sprinklers
- White Poly is Corrosion Resistant Polyester Coated
- See Bulletins 117 & 013

Please refer to the latest sales bulletin for specific approval listings and available finishes.

See our "Specialties Page" for special finishing charges — including Teflon Tape.

Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
	FP0B	135°F 57°C	Bronze	\$ 14.93
	FP0C	135°F 57°C	Chrome	\$ 17.69
X	FP0W	135°F 57°C	White Poly	\$ 20.88
	FP1B	155°F 68°C	Bronze	\$ 14.93
	FP1C	155°F 68°C	Chrome	\$ 17.69
	FP1W	155°F 68°C	White Poly	\$ 20.88
	FP5B	175°F 79°C	Bronze	\$ 14.93
	FP5C	175°F 79°C	Chrome	\$ 17.69
X	FP5W	175°F 79°C	White Poly	\$ 20.88
	FP2B	200°F 93°C	Bronze	\$ 14.93
	FP2C	200°F 93°C	Chrome	\$ 17.69
	FP2W	200°F 93°C	White Poly	\$ 20.88
	FP3B	286°F 141°C	Bronze	\$ 14.93
	FP3C	286°F 141°C	Chrome	\$ 17.69
X	FP3W	286°F 141°C	White Poly	\$ 20.88
	FP6B	360°F 182°C	Bronze	\$ 16.80
X	FP6C	360°F 182°C	Chrome	\$ 19.43
X	FP6W	360°F 182°C	White Poly	\$ 22.69
17/32" ORIFICE, 3/4" NPT THREADS (20MM)				
X	FP0LB	135°F 57°C	Bronze	\$ 18.92
X	FP0LC	135°F 57°C	Chrome	\$ 23.04
X	FP0LW	135°F 57°C	White	\$ 26.05
	FP1LB	155°F 68°C	Bronze	\$ 18.92
	FP1LC	155°F 68°C	Chrome	\$ 23.04
	FP1LW	155°F 68°C	White	\$ 26.05
X	FP5LB	175°F 79°C	Bronze	\$ 18.92
X	FP5LC	175°F 79°C	Chrome	\$ 23.04
X	FP5LW	175°F 79°C	White	\$ 26.05
X	FP2LB	200°F 93°C	Bronze	\$ 18.92
X	FP2LC	200°F 93°C	Chrome	\$ 23.04
X	FP2LW	200°F 93°C	White	\$ 26.05
	FP3LB	286°F 141°C	Bronze	\$ 18.92
X	FP3LC	286°F 141°C	Chrome	\$ 23.04
X	FP3LW	286°F 141°C	White	\$ 26.05
X	FP6LB	360°F 182°C	Bronze	\$ 20.71
X	FP6LC	360°F 182°C	Chrome	\$ 24.99
X	FP6LW	360°F 182°C	White	\$ 27.86

WD Requires Model D Sprinkler Wrench \$ 46.00



MODEL F1

- Pendent
- Glass Bulb Sprinklers
- See Bulletin 117

M T O	Part Number	Temperature	Finish	List Price
3/8" ORIFICE, 1/2" NPT THREADS				
X	FP03B	135°F 57°C	Bronze	\$ 21.97
X	FP03C	135°F 57°C	Chrome	\$ 25.89
X	FP03W	135°F 57°C	White	\$ 27.32
X	FP13B	155°F 68°C	Bronze	\$ 21.97
X	FP13C	155°F 68°C	Chrome	\$ 25.89
X	FP13W	155°F 68°C	White	\$ 27.32
X	FP53B	175°F 79°C	Bronze	\$ 21.97
X	FP53C	175°F 79°C	Chrome	\$ 25.89
X	FP53W	175°F 79°C	White	\$ 27.32
	FP23B	200°F 93°C	Bronze	\$ 21.97
X	FP23C	200°F 93°C	Chrome	\$ 25.89
X	FP23W	200°F 93°C	White	\$ 27.32
X	FP33B	286°F 141°C	Bronze	\$ 21.97
X	FP33C	286°F 141°C	Chrome	\$ 25.89
X	FP33W	286°F 141°C	White	\$ 27.32
X	FP63B	360°F 182°C	Bronze	\$ 23.75
X	FP63C	360°F 182°C	Chrome	\$ 27.68
X	FP63W	360°F 182°C	White	\$ 29.26
7/16" ORIFICE, 1/2" NPT THREADS				
X	FP07B	135°F 57°C	Bronze	\$ 21.97
X	FP07C	135°F 57°C	Chrome	\$ 25.89
X	FP07W	135°F 57°C	White	\$ 27.32
X	FP17B	155°F 68°C	Bronze	\$ 21.97
	FP17C	155°F 68°C	Chrome	\$ 25.89
X	FP17W	155°F 68°C	White	\$ 27.32
X	FP57B	175°F 79°C	Bronze	\$ 21.97
X	FP57C	175°F 79°C	Chrome	\$ 25.89
X	FP57W	175°F 79°C	White	\$ 27.32
X	FP27B	200°F 93°C	Bronze	\$ 21.97
X	FP27C	200°F 93°C	Chrome	\$ 25.89
X	FP27W	200°F 93°C	White	\$ 27.32
X	FP37B	286°F 141°C	Bronze	\$ 21.97
X	FP37C	286°F 141°C	Chrome	\$ 25.89
X	FP37W	286°F 141°C	White	\$ 27.32
X	FP67B	360°F 182°C	Bronze	\$ 23.75
X	FP67C	360°F 182°C	Chrome	\$ 27.68
X	FP67W	360°F 182°C	White	\$ 29.26
G/F1 ESCUTCHEONS				
	GF1B	1/2" (15mm)	Brass	\$ 12.44
	GF1C	1/2" (15mm)	Chrome	\$ 6.16
	GF1W	1/2" (15mm)	White	\$ 6.16
	GF1LB	3/4" (20mm)	Brass	\$ 12.44
	GF1LC	3/4" (20mm)	Chrome	\$ 6.16
	GF1LW	3/4" (20mm)	White	\$ 6.16
X	GF1MB	10mm	Brass	\$ 11.29
	GF1MC	10mm	Chrome	\$ 6.02
X	GF1MW	10mm	White	\$ 6.02

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.



MODEL F1

- Pendent
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
10MM ORIFICE, 10MM THREADS				
X	FP0BMM	135°F 57°C	Bronze	\$ 19.87
X	FP0CMM	135°F 57°C	Chrome	\$ 23.47
X	FP0WMM	135°F 57°C	White	\$ 24.83
X	FP1BMM	155°F 68°C	Bronze	\$ 19.87
X	FP1CMM	155°F 68°C	Chrome	\$ 23.47
X	FP1WMM	155°F 68°C	White	\$ 24.83
X	FP5BMM	175°F 79°C	Bronze	\$ 19.87
X	FP5CMM	175°F 79°C	Chrome	\$ 23.47
X	FP5WMM	175°F 79°C	White	\$ 24.83
X	FP2BMM	200°F 93°C	Bronze	\$ 19.87
X	FP2CMM	200°F 93°C	Chrome	\$ 23.47
X	FP2WMM	200°F 93°C	White	\$ 24.83
X	FP3BMM	286°F 141°C	Bronze	\$ 19.87
X	FP3CMM	286°F 141°C	Chrome	\$ 23.47
X	FP3WMM	286°F 141°C	White	\$ 24.83
X	FP6BMM	360°F 182°C	Bronze	\$ 21.58
X	FP6CMM	360°F 182°C	Chrome	\$ 25.17
X	FP6WMM	360°F 182°C	White	\$ 26.53
G/F1 ESCUTCHEONS				
	GF1B	1/2" (15mm)	Brass	\$ 12.44
	GF1C	1/2" (15mm)	Chrome	\$ 6.16
	GF1W	1/2" (15mm)	White	\$ 6.16
	GF1LB	3/4" (20mm)	Brass	\$ 12.44
	GF1LC	3/4" (20mm)	Chrome	\$ 6.16
	GF1LW	3/4" (20mm)	White	\$ 6.16
X	GF1MB	10mm	Brass	\$ 11.29
	GF1MC	10mm	Chrome	\$ 6.02
X	GF1MW	10mm	White	\$ 6.02

WD	Requires Model D Sprinkler Wrench	\$	46.00
WGFR	For Recessed Use Model GFR1 Wrench	\$	178.00



MODEL F1-300

- Pendant
- Glass Bulb Sprinklers
- See Bulletin 155

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM) — 300 PSI				
	FP0B3	135°F 57°C	Bronze	\$ 16.38
	FP0C3	135°F 57°C	Chrome	\$ 19.26
X	FP0W3	135°F 57°C	White	\$ 21.97
	FP1B3	155°F 68°C	Bronze	\$ 16.38
	FP1C3	155°F 68°C	Chrome	\$ 19.26
	FP1W3	155°F 68°C	White	\$ 21.97
	FP5B3	175°F 79°C	Bronze	\$ 16.38
	FP5C3	175°F 79°C	Chrome	\$ 19.26
X	FP5W3	175°F 79°C	White	\$ 21.94
	FP2B3	200°F 93°C	Bronze	\$ 16.38
	FP2C3	200°F 93°C	Chrome	\$ 19.26
	FP2W3	200°F 93°C	White	\$ 21.97
	FP3B3	286°F 141°C	Bronze	\$ 16.38
	FP3C3	286°F 141°C	Chrome	\$ 19.26
X	FP3W3	286°F 141°C	White	\$ 21.97
	FP6B3	360°F 182°C	Bronze	\$ 18.38
X	FP6C3	360°F 182°C	Chrome	\$ 21.06
X	FP6W3	360°F 182°C	White	\$ 23.76
17/32" ORIFICE, 3/4" NPT THREADS (20MM) — 300 PSI				
X	FP0LB3	135°F 57°C	Bronze	\$ 20.59
X	FP0LC3	135°F 57°C	Chrome	\$ 24.83
X	FP0LW3	135°F 57°C	White	\$ 27.99
	FP1LB3	155°F 68°C	Bronze	\$ 20.59
	FP1LC3	155°F 68°C	Chrome	\$ 24.83
	FP1LW3	155°F 68°C	White	\$ 27.99
X	FP5LB3	175°F 79°C	Bronze	\$ 20.59
X	FP5LC3	175°F 79°C	Chrome	\$ 24.83
X	FP5LW3	175°F 79°C	White	\$ 27.99
X	FP2LB3	200°F 93°C	Bronze	\$ 20.59
X	FP2LC3	200°F 93°C	Chrome	\$ 24.83
X	FP2LW3	200°F 93°C	White	\$ 27.99
	FP3LB3	286°F 141°C	Bronze	\$ 20.59
X	FP3LC3	286°F 141°C	Chrome	\$ 24.83
X	FP3LW3	286°F 141°C	White	\$ 27.99
X	FP6LB3	360°F 182°C	Bronze	\$ 22.43
X	FP6LC3	360°F 182°C	Chrome	\$ 26.89
X	FP6LW3	360°F 182°C	White	\$ 30.02

WD Requires Model D Sprinkler Wrench \$ 46.00



MODEL F1

- Conventional
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
X	FC0B	135°F 57°C	Bronze	\$ 13.92
X	FC0C	135°F 57°C	Chrome	\$ 16.64
X	FC0W	135°F 57°C	White	\$ 19.22
	FC1B	155°F 68°C	Bronze	\$ 13.92
	FC1C	155°F 68°C	Chrome	\$ 16.64
	FC1W	155°F 68°C	White	\$ 19.22
	FC5B	175°F 79°C	Bronze	\$ 13.92
X	FC5C	175°F 79°C	Chrome	\$ 16.64
X	FC5W	175°F 79°C	White	\$ 19.22
	FC2B	200°F 93°C	Bronze	\$ 13.92
X	FC2C	200°F 93°C	Chrome	\$ 16.64
X	FC2W	200°F 93°C	White	\$ 19.22
X	FC3B	286°F 141°C	Bronze	\$ 13.92
X	FC3C	286°F 141°C	Chrome	\$ 16.64
X	FC3W	286°F 141°C	White	\$ 19.22
X	FC6B	360°F 182°C	Bronze	\$ 13.92
X	FC6C	360°F 182°C	Chrome	\$ 16.64
X	FC6W	360°F 182°C	White	\$ 19.22
17/32" ORIFICE, 3/4" NPT THREADS (20MM)				
X	FC0LB	135°F 57°C	Bronze	\$ 17.34
X	FC0LC	135°F 57°C	Chrome	\$ 20.93
X	FC0LW	135°F 57°C	White	\$ 23.64
X	FC1LB	155°F 68°C	Bronze	\$ 17.34
X	FC1LC	155°F 68°C	Chrome	\$ 20.93
X	FC1LW	155°F 68°C	White	\$ 23.64
X	FC5LB	175°F 79°C	Bronze	\$ 17.34
X	FC5LC	175°F 79°C	Chrome	\$ 20.93
X	FC5LW	175°F 79°C	White	\$ 23.64
X	FC2LB	200°F 93°C	Bronze	\$ 17.34
X	FC2LC	200°F 93°C	Chrome	\$ 20.93
X	FC2LW	200°F 93°C	White	\$ 23.64
X	FC3LB	286°F 141°C	Bronze	\$ 17.34
X	FC3LC	286°F 141°C	Chrome	\$ 20.93
X	FC3LW	286°F 141°C	White	\$ 23.64

WD Requires Model D Sprinkler Wrench \$ 46.00



MODEL F1

- Horizontal Sidewall
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
X	FH0B	135°F 57°C	Bronze	\$ 23.22
X	FH0C	135°F 57°C	Chrome	\$ 26.61
X	FH0W	135°F 57°C	White	\$ 28.56
	FH1B	155°F 68°C	Bronze	\$ 23.22
	FH1C	155°F 68°C	Chrome	\$ 26.61
	FH1W	155°F 68°C	White	\$ 28.56
X	FH5B	175°F 79°C	Bronze	\$ 23.22
X	FH5C	175°F 79°C	Chrome	\$ 26.61
X	FH5W	175°F 79°C	White	\$ 28.56
	FH2B	200°F 93°C	Bronze	\$ 23.22
	FH2C	200°F 93°C	Chrome	\$ 26.61
	FH2W	200°F 93°C	White	\$ 28.56
X	FH3B	286°F 141°C	Bronze	\$ 23.22
X	FH3C	286°F 141°C	Chrome	\$ 26.61
X	FH3W	286°F 141°C	White	\$ 28.56
X	FH6B	360°F 182°C	Bronze	\$ 25.20
X	FH6C	360°F 182°C	Chrome	\$ 28.56
X	FH6W	360°F 182°C	White	\$ 30.36
G/F1 ESCUTCHEONS				
	GF1B	1/2" (15mm)	Brass	\$ 12.44
	GF1C	1/2" (15mm)	Chrome	\$ 6.16
	GF1W	1/2" (15mm)	White	\$ 6.16

WD	Requires Model D Sprinkler Wrench	\$ 46.00
WGFR	For Recessed Use Model GFR1 Wrench	\$ 178.00



MODEL F1 VSW

- Vertical Sidewall
- Standard Glass Bulb
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS				
X	FV0B	135°F 57°C	Bronze	\$ 23.22
X	FV0C	135°F 57°C	Chrome	\$ 26.61
X	FV0W	135°F 57°C	White	\$ 28.56
	FV1B	155°F 68°C	Bronze	\$ 23.22
	FV1C	155°F 68°C	Chrome	\$ 26.61
	FV1W	155°F 68°C	White	\$ 28.56
X	FV5B	175°F 79°C	Bronze	\$ 23.22
X	FV5C	175°F 79°C	Chrome	\$ 26.61
X	FV5W	175°F 79°C	White	\$ 28.56
X	FV2B	200°F 93°C	Bronze	\$ 23.22
X	FV2C	200°F 93°C	Chrome	\$ 26.61
X	FV2W	200°F 93°C	White	\$ 28.56
X	FV3B	286°F 141°C	Bronze	\$ 23.22
X	FV3C	286°F 141°C	Chrome	\$ 26.61
X	FV3W	286°F 141°C	White	\$ 28.56
X	FV6B	360°F 182°C	Bronze	\$ 25.20
X	FV6C	360°F 182°C	Chrome	\$ 28.56
X	FV6W	360°F 182°C	White	\$ 30.36

WD Requires Model D Sprinkler Wrench \$ 46.00



MODEL G

- Upright
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
X	GU0B	135°F 57°C	Bronze	\$ 18.86
X	GU0C	135°F 57°C	Chrome	\$ 22.42
X	GU0W	135°F 57°C	White	\$ 25.34
	GU1B	165°F 74°C	Bronze	\$ 18.86
	GU1C	165°F 74°C	Chrome	\$ 22.42
X	GU1W	165°F 74°C	White	\$ 25.34
	GU2B	212°F 100°C	Bronze	\$ 18.86
X	GU2C	212°F 100°C	Chrome	\$ 22.42
X	GU2W	212°F 100°C	White	\$ 25.34
	GU3B	286°F 141°C	Bronze	\$ 18.86
	GU3C	286°F 141°C	Chrome	\$ 22.42
X	GU3W	286°F 141°C	White	\$ 25.34
17/32" ORIFICE, 3/4" NPT THREADS (20MM)				
X	GU0LB	135°F 57°C	Bronze	\$ 22.62
X	GU0LC	135°F 57°C	Chrome	\$ 27.68
	GU1LB	165°F 74°C	Bronze	\$ 22.62
X	GU1LC	165°F 74°C	Chrome	\$ 27.68
	GU2LB	212°F 100°C	Bronze	\$ 22.62
X	GU2LC	212°F 100°C	Chrome	\$ 27.68
	GU3LB	286°F 141°C	Bronze	\$ 22.62
X	GU3LC	286°F 141°C	Chrome	\$ 27.68
17/32" ORIFICE, 1/2" NPT THREADS (20MM)				
X	GU0LHB	135°F 57°C	Bronze	\$ 29.59
X	GU0LHC	135°F 57°C	Chrome	\$ 33.88
	GU1LHB	165°F 74°C	Bronze	\$ 29.59
X	GU1LHC	165°F 74°C	Chrome	\$ 33.88
	GU2LHB	212°F 100°C	Bronze	\$ 29.59
X	GU2LHC	212°F 100°C	Chrome	\$ 33.88
	GU3LHB	286°F 141°C	Bronze	\$ 29.59
X	GU3LHC	286°F 141°C	Chrome	\$ 33.88
	WD	Requires Model D Sprinkler Wrench		\$ 46.00



MODEL G

- Upright
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
3/8" ORIFICE, 1/2" NPT THREADS				
X	GU03B	135°F 57°C	Bronze	\$ 26.52
X	GU03C	135°F 57°C	Chrome	\$ 30.78
	GU13B	165°F 74°C	Bronze	\$ 26.52
X	GU13C	165°F 74°C	Chrome	\$ 30.78
X	GU23B	212°F 100°C	Bronze	\$ 26.52
X	GU23C	212°F 100°C	White	\$ 30.78
X	GU33B	286°F 141°C	Bronze	\$ 26.52
X	GU33C	286°F 141°C	Chrome	\$ 30.78
7/16" ORIFICE, 1/2" NPT THREADS				
X	GU07B	135°F 57°C	Bronze	\$ 26.52
X	GU07C	135°F 57°C	Chrome	\$ 30.78
	GU17B	165°F 74°C	Bronze	\$ 26.52
X	GU17C	165°F 74°C	Chrome	\$ 30.78
	GU27B	212°F 100°C	Bronze	\$ 26.52
X	GU27C	212°F 100°C	Chrome	\$ 30.78
X	GU37B	286°F 141°C	Bronze	\$ 26.52
X	GU37C	286°F 141°C	Chrome	\$ 30.78
10MM ORIFICE, 10MM THREADS				
X	GU0BMM	135°F 57°C	Bronze	\$ 21.59
X	GU0CMM	135°F 57°C	Chrome	\$ 25.46
X	GU1BMM	165°F 74°C	Bronze	\$ 21.59
X	GU1CMM	165°F 74°C	Chrome	\$ 25.46
X	GU2BMM	212°F 100°C	Bronze	\$ 21.59
X	GU2CMM	212°F 100°C	Chrome	\$ 25.46
X	GU3BMM	286°F 141°C	Bronze	\$ 21.59
X	GU3CMM	286°F 141°C	Chrome	\$ 25.46

WD Requires Model D Sprinkler Wrench \$ 46.00



MODEL G

- Pendant
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "X") allow 7-10 work days.

MTO	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
X	GP0B	135°F 57°C	Bronze	\$ 18.86
X	GP0C	135°F 57°C	Chrome	\$ 21.84
X	GP0W	135°F 57°C	White	\$ 25.34
	GP1B	165°F 74°C	Bronze	\$ 18.86
	GP1C	165°F 74°C	Chrome	\$ 21.84
	GP1W	165°F 74°C	White	\$ 25.34
	GP2B	212°F 100°C	Bronze	\$ 18.86
	GP2C	212°F 100°C	Chrome	\$ 21.84
X	GP2W	212°F 100°C	White	\$ 25.34
	GP3B	286°F 141°C	Bronze	\$ 18.86
	GP3C	286°F 141°C	Chrome	\$ 21.84
X	GP3W	286°F 141°C	White	\$ 25.34
17/32" ORIFICE, 3/4" NPT THREADS (20MM)				
X	GP0LB	135°F 57°C	Bronze	\$ 23.22
X	GP0LC	135°F 57°C	Chrome	\$ 27.68
	GP1LB	165°F 74°C	Bronze	\$ 23.22
	GP1LC	165°F 74°C	Chrome	\$ 27.68
	GP2LB	212°F 100°C	Bronze	\$ 23.22
	GP2LC	212°F 100°C	Chrome	\$ 27.68
	GP3LB	286°F 141°C	Bronze	\$ 23.22
	GP3LC	286°F 141°C	Chrome	\$ 27.68
G/F1 ESCUTCHEONS				
	GF1B	1/2" (15mm)	Brass	\$ 12.44
	GF1C	1/2" (15mm)	Chrome	\$ 6.16
	GF1W	1/2" (15mm)	White	\$ 6.16
	GF1LB	3/4" (20mm)	Brass	\$ 12.44
	GF1LC	3/4" (20mm)	Chrome	\$ 6.16
	GF1LW	3/4" (20mm)	White	\$ 6.16
X	GF1MB	10mm	Brass	\$ 11.29
	GF1MC	10mm	Chrome	\$ 6.02
X	GF1MW	10mm	White	\$ 6.02

WD	Requires Model D Sprinkler Wrench	\$ 46.00
WRC	For Recessed Use RC1 Wrench	\$ 178.00



MODEL G

- Pendant
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
17/32" ORIFICE, 1/2" NPT THREADS (20MM)				
X	GP0LHB	135°F 57°C	Bronze	\$ 29.03
X	GP0LHC	135°F 57°C	Chrome	\$ 33.88
X	GP1LHB	165°F 74°C	Bronze	\$ 29.03
X	GP1LHC	165°F 74°C	Chrome	\$ 33.88
X	GP2LHB	212°F 100°C	Bronze	\$ 29.03
X	GP2LHC	212°F 100°C	Chrome	\$ 33.88
X	GP3LHB	286°F 142°C	Bronze	\$ 29.03
X	GP3LHC	286°F 142°C	Chrome	\$ 33.88
3/8" ORIFICE, 1/2" NPT THREADS				
X	GP03B	135°F 57°C	Bronze	\$ 26.52
X	GP03C	135°F 57°C	Chrome	\$ 30.78
	GP13B	165°F 74°C	Bronze	\$ 26.52
	GP13C	165°F 74°C	Chrome	\$ 30.78
X	GP23B	212°F 100°C	Bronze	\$ 26.52
X	GP23C	212°F 100°C	Chrome	\$ 30.78
X	GP33B	286°F 141°C	Bronze	\$ 26.52
X	GP33C	286°F 141°C	Chrome	\$ 30.78
7/16" ORIFICE, 1/2" NPT THREADS				
X	GP07B	135°F 57°C	Bronze	\$ 26.52
X	GP07C	135°F 57°C	Chrome	\$ 30.78
	GP17B	165°F 74°C	Bronze	\$ 26.52
	GP17C	165°F 74°C	Chrome	\$ 30.78
	GP27B	212°F 100°C	Bronze	\$ 26.52
X	GP27C	212°F 100°C	Chrome	\$ 30.78
X	GP37B	286°F 141°C	Bronze	\$ 26.52
X	GP37C	286°F 141°C	Chrome	\$ 30.78
10MM ORIFICE, 10MM THREADS				
X	GP0BMM	135°F 57°C	Bronze	\$ 21.59
X	GP0CMM	135°F 57°C	Chrome	\$ 25.46
X	GP1BMM	165°F 74°C	Bronze	\$ 21.59
X	GP1CMM	165°F 74°C	Chrome	\$ 25.46
X	GP2BMM	212°F 100°C	Bronze	\$ 21.59
X	GP2CMM	212°F 100°C	Chrome	\$ 25.46
X	GP3BMM	286°F 141°C	Bronze	\$ 21.59
X	GP3CMM	286°F 141°C	Chrome	\$ 25.46

WD	Requires Model D Sprinkler Wrench	\$	46.00
WRC	For Recessed, Use Model RC1 Wrench	\$	178.00



MODEL G

- Conventional
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
X	GC0B	135°F 57°C	Bronze	\$ 15.13
X	GC0C	135°F 57°C	Chrome	\$ 18.08
X	GC0W	135°F 57°C	White	\$ 20.86
	GC1B	165°F 74°C	Bronze	\$ 15.13
	GC1C	165°F 74°C	Chrome	\$ 18.08
X	GC1W	165°F 75°C	White	\$ 20.86
	GC2B	212°F 100°C	Bronze	\$ 15.13
X	GC2C	212°F 100°C	Chrome	\$ 18.08
X	GC2W	212°F 100°C	White	\$ 20.86
X	GC3B	286°F 141°C	Bronze	\$ 15.13
X	GC3C	286°F 141°C	Chrome	\$ 18.08
X	GC3W	286°F 141°C	White	\$ 20.86
17/32" ORIFICE, 3/4" NPT THREADS (20MM)				
X	GC0LB	135°F 57°C	Bronze	\$ 18.84
X	GC0LC	135°F 57°C	Chrome	\$ 22.70
X	GC1LB	165°F 74°C	Bronze	\$ 18.84
X	GC1LC	165°F 74°C	Chrome	\$ 22.70
X	GC2LB	212°F 100°C	Bronze	\$ 18.13
X	GC3LB	286°F 141°C	Bronze	\$ 18.13
X	GC3LC	286°F 141°C	Chrome	\$ 21.88
10MM ORIFICE, 10MM THREADS				
X	GC0BMM	135°F 57°C	Bronze	\$ 23.47
X	GC0CMM	135°F 57°C	Chrome	\$ 27.20
X	GC1BMM	165°F 74°C	Bronze	\$ 23.47
X	GC1CMM	165°F 74°C	Chrome	\$ 27.20
X	GC2BMM	212°F 100°C	Bronze	\$ 23.47
X	GC2CMM	212°F 100°C	Chrome	\$ 27.20
X	GC3BMM	286°F 141°C	Bronze	\$ 23.47
X	GC3CMM	286°F 141°C	Chrome	\$ 27.20

WD Requires Model D Sprinkler Wrench \$ 46.00



MODEL G VSW

- Standard Solder Type
- See Bulletin 112

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
X	GV0B	135°F 57°C	Bronze	\$ 28.07
X	GV0C	135°F 57°C	Chrome	\$ 31.75
	GV1B	165°F 74°C	Bronze	\$ 28.07
	GV1C	165°F 74°C	Chrome	\$ 31.75
X	GV2B	212°F 100°C	Bronze	\$ 28.07
X	GV2C	212°F 100°C	Chrome	\$ 31.75
X	GV3B	286°F 141°C	Bronze	\$ 28.07
X	GV3C	286°F 141°C	Chrome	\$ 31.75

WD Requires Model D Sprinkler Wrench \$ 46.00

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.




MODEL G

- Horizontal Sidewall
- Standard Solder Type
- See Bulletin 112

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)				
X	GH0B	135°F 57°C	Bronze	\$ 26.68
X	GH0C	135°F 57°C	Chrome	\$ 30.17
	GH1B	165°F 74°C	Bronze	\$ 26.68
	GH1C	165°F 74°C	Chrome	\$ 30.17
	GH2B	212°F 100°C	Bronze	\$ 26.68
	GH2C	212°F 100°C	Chrome	\$ 30.17
	GH3B	286°F 141°C	Bronze	\$ 26.68
	GH3C	286°F 141°C	Chrome	\$ 30.17
17/32" ORIFICE, 3/4" NPT THREADS (20MM)				
X	GH0LB	135°F 57°C	Bronze	\$ 30.96
X	GH0LC	135°F 57°C	Chrome	\$ 34.27
	GH1LB	165°F 74°C	Bronze	\$ 30.96
	GH1LC	165°F 74°C	Chrome	\$ 34.27
X	GH2LB	212°F 100°C	Bronze	\$ 30.96
X	GH2LC	212°F 100°C	Chrome	\$ 34.27
X	GH3LB	286°F 141°C	Bronze	\$ 30.96
X	GH3LC	286°F 141°C	Chrome	\$ 34.27
17/32" ORIFICE, 1/2" NPT THREADS (20MM)				
X	GH0LHB	135°F 57°C	Bronze	\$ 36.99
X	GH0LHC	135°F 57°C	Chrome	\$ 40.26
X	GH1LHB	165°F 74°C	Bronze	\$ 36.99
X	GH1LHC	165°F 74°C	Chrome	\$ 40.26
X	GH2LHB	212°F 100°C	Bronze	\$ 36.99
X	GH2LHC	212°F 100°C	Chrome	\$ 40.26
X	GH3LHB	286°F 141°C	Bronze	\$ 36.99
X	GH3LHC	286°F 141°C	Chrome	\$ 40.26
G/F1 ESCUTCHEONS				
	GF1B	1/2" (15mm)	Brass	\$ 12.44
	GF1C	1/2" (15mm)	Chrome	\$ 6.16
	GF1W	1/2" (15mm)	White	\$ 6.16
	GF1LB	3/4" (20mm)	Brass	\$ 12.44
	GF1LC	3/4" (20mm)	Chrome	\$ 6.16
	GF1LW	3/4" (20mm)	White	\$ 6.16
X	GF1MB	10mm	Brass	\$ 11.29
	GF1MC	10mm	Chrome	\$ 6.02
X	GF1MW	10mm	White	\$ 6.02

WD	Requires Model D Sprinkler Wrench	\$ 46.00
WGFR	For Recessed Use Model GFR1 Wrench	\$ 178.00



MODEL G

- Horizontal Sidewall
- Standard Solder Type
- See Bulletin 112

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO (indicated by "x") allow 7-10 work days.

M T O	Part Number	Temperature	Finish	List Price
3/8" ORIFICE, 1/2" NPT THREADS				
X	GH03B	135°F 57°C	Bronze	\$ 34.27
X	GH03C	135°F 57°C	Chrome	\$ 37.38
X	GH13B	165°F 74°C	Bronze	\$ 34.27
X	GH13C	165°F 74°C	Chrome	\$ 37.38
X	GH23B	212°F 100°C	Bronze	\$ 34.27
X	GH23C	212°F 100°C	Chrome	\$ 37.38
X	GH33B	286°F 141°C	Bronze	\$ 34.27
X	GH33C	286°F 141°C	Chrome	\$ 37.38
7/16" ORIFICE, 1/2" NPT THREADS				
X	GH07B	135°F 57°C	Bronze	\$ 34.27
X	GH07C	135°F 57°C	Chrome	\$ 37.38
	GH17B	165°F 74°C	Bronze	\$ 34.27
X	GH17C	165°F 74°C	Chrome	\$ 37.38
X	GH27B	212°F 100°C	Bronze	\$ 34.27
	GH27C	212°F 100°C	Chrome	\$ 37.38
X	GH37B	286°F 141°C	Bronze	\$ 34.27
X	GH37C	286°F 141°C	Chrome	\$ 37.38
G/F1 ESCUTCHEONS				
	GF1B	1/2" (15mm)	Brass	\$ 12.44
	GF1C	1/2" (15mm)	Chrome	\$ 6.16
	GF1W	1/2" (15mm)	White	\$ 6.16
	GF1LB	3/4" (20mm)	Brass	\$ 12.44
	GF1LC	3/4" (20mm)	Chrome	\$ 6.16
	GF1LW	3/4" (20mm)	White	\$ 6.16
X	GF1MB	10mm	Brass	\$ 11.29
	GF1MC	10mm	Chrome	\$ 6.02
X	GF1MW	10mm	White	\$ 6.02

WD	Requires Model D Sprinkler Wrench	\$ 46.00
WGFR	For Recessed Use Model GFR1 Wrench	\$ 178.00