



F1 56

- K-Factor = 5.6 (80)
- Glass Bulb
- Thread Size = 1/2"
- See Bulletin 013



F1

- Upright
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
F56U0B	135°F 57°C	Bronze	\$ 17.09
F56U0C	135°F 57°C	Chrome	\$ 20.84
F56U0W	135°F 57°C	White	\$ 23.89
F56U1B	155°F 68°C	Bronze	\$ 17.09
F56U1C	155°F 68°C	Chrome	\$ 20.84
F56U1W	155°F 68°C	White	\$ 23.89
F56U5B	175°F 79°C	Bronze	\$ 17.09
F56U5C	175°F 79°C	Chrome	\$ 20.84
F56U5W	175°F 79°C	White	\$ 23.89
F56U2B	200°F 93°C	Bronze	\$ 17.09
F56U2C	200°F 93°C	Chrome	\$ 20.84
F56U2W	200°F 93°C	White	\$ 23.89
F56U3B	286°F 141°C	Bronze	\$ 17.09
F56U3C	286°F 141°C	Chrome	\$ 20.84
F56U3W	286°F 141°C	White	\$ 23.89
F56U6B	360°F 182°C	Bronze	\$ 19.23
F56U6C	360°F 182°C	Chrome	\$ 22.89
F56U6W	360°F 182°C	White	\$ 25.96
17/32" ORIFICE, 3/4" NPT THREADS (20MM)			
FU0LB	135°F 57°C	Bronze	\$ 21.03
FU0LC	135°F 57°C	Chrome	\$ 26.37
FU0LW	135°F 57°C	White	\$ 29.81
FU1LB	155°F 68°C	Bronze	\$ 21.03
FU1LC	155°F 68°C	Chrome	\$ 26.37
FU1LW	155°F 68°C	White	\$ 29.81
FU5LB	175°F 79°C	Bronze	\$ 21.03
FU5LC	175°F 79°C	Chrome	\$ 26.37
FU5LW	175°F 79°C	White	\$ 29.81
FU2LB	200°F 93°C	Bronze	\$ 21.03
FU2LC	200°F 93°C	Chrome	\$ 26.37
FU2LW	200°F 93°C	White	\$ 29.81
FU3LB	286°F 141°C	Bronze	\$ 21.03
FU3LC	286°F 141°C	Chrome	\$ 26.37
FU3LW	286°F 141°C	White	\$ 29.81
FU6LB	360°F 182°C	Bronze	\$ 21.03
FU6LC	360°F 182°C	Chrome	\$ 26.37
FU6LW	360°F 182°C	White	\$ 29.81

WD Requires Model D Sprinkler Wrench \$ 54.00



F1

- Upright
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
3/8" ORIFICE, 1/2" NPT THREADS			
FU03B	135°F 57°C	Bronze	\$ 25.15
FU03C	135°F 57°C	Chrome	\$ 29.63
FU03W	135°F 57°C	White	\$ 31.27
FU13B	155°F 68°C	Bronze	\$ 25.15
FU13C	155°F 68°C	Chrome	\$ 29.63
FU13W	155°F 68°C	White	\$ 31.27
FU53B	175°F 79°C	Bronze	\$ 25.15
FU53C	175°F 79°C	Chrome	\$ 29.63
FU53W	175°F 79°C	White	\$ 31.27
FU23B	200°F 93°C	Bronze	\$ 25.15
FU23C	200°F 93°C	Chrome	\$ 29.63
FU23W	200°F 93°C	White	\$ 31.27
FU33B	286°F 141°C	Bronze	\$ 25.15
FU33C	286°F 141°C	Chrome	\$ 29.63
FU33W	286°F 141°C	White	\$ 31.27
FU63B	360°F 182°C	Bronze	\$ 27.18
FU63C	360°F 182°C	Chrome	\$ 31.68
FU63W	360°F 182°C	White	\$ 33.48
7/16" ORIFICE, 1/2" NPT THREADS			
FU07B	135°F 57°C	Bronze	\$ 25.15
FU07C	135°F 57°C	Chrome	\$ 29.63
FU07W	135°F 57°C	White	\$ 31.27
FU17B	155°F 68°C	Bronze	\$ 25.15
FU17C	155°F 68°C	Chrome	\$ 29.63
FU17W	155°F 68°C	White	\$ 31.27
FU57B	175°F 79°C	Bronze	\$ 25.15
FU57C	175°F 79°C	Chrome	\$ 29.63
FU57W	175°F 79°C	White	\$ 31.27
FU27B	200°F 93°C	Bronze	\$ 25.15
FU27C	200°F 93°C	Chrome	\$ 29.63
FU27W	200°F 93°C	White	\$ 31.27
FU37B	286°F 141°C	Bronze	\$ 25.15
FU37C	286°F 141°C	Chrome	\$ 29.63
FU37W	286°F 141°C	White	\$ 31.27
FU67B	360°F 182°C	Bronze	\$ 27.18
FU67C	360°F 182°C	Chrome	\$ 31.68
FU67W	360°F 182°C	White	\$ 33.48

WD Requires Model D Sprinkler Wrench \$ 54.00



F1

- Upright
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
10MM ORIFICE, 10MM THREADS			
FU03BMM	135°F 57°C	Bronze	\$ 22.74
FU03CMM	135°F 57°C	Chrome	\$ 26.86
FU03WMM	135°F 57°C	White	\$ 28.42
FU13BMM	155°F 68°C	Bronze	\$ 22.74
FU13CMM	155°F 68°C	Chrome	\$ 26.86
FU13WMM	155°F 68°C	White	\$ 28.42
FU53BMM	175°F 79°C	White	\$ 22.74
FU53CMM	175°F 79°C	Chrome	\$ 26.86
FU53WMM	175°F 79°C	White	\$ 28.42
FU23BMM	200°F 93°C	Bronze	\$ 22.74
FU23CMM	200°F 93°C	Chrome	\$ 26.86
FU23WMM	200°F 93°C	White	\$ 28.42
FU33BMM	286°F 141°C	Bronze	\$ 22.74
FU33CMM	286°F 141°C	Chrome	\$ 26.86
FU33WMM	286°F 141°C	White	\$ 28.42
FU63BMM	360°F 182°C	Bronze	\$ 27.18
FU63CMM	360°F 182°C	Chrome	\$ 28.81
FU63WMM	360°F 182°C	White	\$ 30.37

WD Requires Model D Sprinkler Wrench \$ 54.00



F156-300 UPRIGHT

- K-Factor = 5.6 (80)
- Glass Bulb
- Thread Size = 1/2"
- See Bulletin 025



F1-300 UPRIGHT

- Upright
- Glass Bulb Sprinklers
- See Bulletin 155

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM) — 300 PSI			
F56U0B3	135°F 57°C	Bronze	\$ 18.75
F56U0C3	135°F 57°C	Chrome	\$ 22.72
F56U0W3	135°F 57°C	White	\$ 25.89
F56U1B3	155°F 68°C	Bronze	\$ 18.75
F56U1C3	155°F 68°C	Chrome	\$ 22.72
F56U1W3	155°F 68°C	White	\$ 25.89
F56U5B3	175°F 79°C	Bronze	\$ 18.75
F56U5C3	175°F 79°C	Chrome	\$ 22.72
F56U5W3	175°F 79°C	White	\$ 25.89
F56U2B3	200°F 93°C	Bronze	\$ 18.75
F56U2C3	200°F 93°C	Chrome	\$ 22.72
F56U2W3	200°F 93°C	White	\$ 25.89
F56U3B3	286°F 141°C	Bronze	\$ 18.75
F56U3C3	286°F 141°C	Chrome	\$ 22.72
F56U3W3	286°F 141°C	White	\$ 25.89
17/32" ORIFICE, 3/4" NPT THREADS (20MM) — 300 PSI			
FU0LB3	135°F 57°C	Bronze	\$ 22.88
FU0LC3	135°F 57°C	Chrome	\$ 28.42
FU0LW3	135°F 57°C	White	\$ 32.02
FU1LB3	155°F 68°C	Bronze	\$ 22.88
FU1LC3	155°F 68°C	Chrome	\$ 28.42
FU1LW3	155°F 68°C	White	\$ 32.02
FU5LB3	175°F 79°C	Bronze	\$ 22.88
FU5LC3	175°F 79°C	Chrome	\$ 28.42
FU5LW3	175°F 79°C	White	\$ 32.02
FU2LB3	200°F 93°C	Bronze	\$ 22.88
FU2LC3	200°F 93°C	Chrome	\$ 28.42
FU2LW3	200°F 93°C	White	\$ 32.02
FU3LB3	286°F 141°C	Bronze	\$ 22.88
FU3LC3	286°F 141°C	Chrome	\$ 28.42
FU3LW3	286°F 141°C	White	\$ 32.02
FU6LB3	360°F 182°C	Bronze	\$ 25.66
FU6LC3	360°F 182°C	Chrome	\$ 30.77
FU6LW3	360°F 182°C	White	\$ 34.36

WD Requires Model D Sprinkler Wrench \$ 54.00



F156

- K-Factor = 5.6 (80)
- Glass Bulb
- Thread Size = 1/2"
- See Bulletin 013



F1

- Pendant
- Glass Bulb Sprinklers
- White Poly is Corrosion Resistant Polyester Coated
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
F56P0B	135°F 57°C	Bronze	\$ 17.09
F56P0C	135°F 57°C	Chrome	\$ 20.24
F56P0W	135°F 57°C	White Poly	\$ 23.89
F56P1B	155°F 68°C	Bronze	\$ 17.09
F56P1C	155°F 68°C	Chrome	\$ 20.24
F56P1W	155°F 68°C	White Poly	\$ 23.89
F56P5B	175°F 79°C	Bronze	\$ 17.09
F56P5C	175°F 79°C	Chrome	\$ 20.24
F56P5W	175°F 79°C	White Poly	\$ 23.89
F56P2B	200°F 93°C	Bronze	\$ 17.09
F56P2C	200°F 93°C	Chrome	\$ 20.24
F56P2W	200°F 93°C	White Poly	\$ 23.89
F56P3B	286°F 141°C	Bronze	\$ 17.09
F56P3C	286°F 141°C	Chrome	\$ 20.24
F56P3W	286°F 141°C	White Poly	\$ 23.89
F56P6B	360°F 182°C	Bronze	\$ 19.23
F56P6C	360°F 182°C	Chrome	\$ 22.24
F56P6W	360°F 182°C	White Poly	\$ 25.96
17/32" ORIFICE, 3/4" NPT THREADS (20MM)			
FP0LB	135°F 57°C	Bronze	\$ 21.66
FP0LC	135°F 57°C	Chrome	\$ 26.37
FP0LW	135°F 57°C	White	\$ 29.81
FP1LB	155°F 68°C	Bronze	\$ 21.66
FP1LC	155°F 68°C	Chrome	\$ 26.37
FP1LW	155°F 68°C	White	\$ 29.81
FP5LB	175°F 79°C	Bronze	\$ 21.66
FP5LC	175°F 79°C	Chrome	\$ 26.37
FP5LW	175°F 79°C	White	\$ 29.81
FP2LB	200°F 93°C	Bronze	\$ 21.66
FP2LC	200°F 93°C	Chrome	\$ 26.37
FP2LW	200°F 93°C	White	\$ 29.81
FP3LB	286°F 141°C	Bronze	\$ 21.66
FP3LC	286°F 141°C	Chrome	\$ 26.37
FP3LW	286°F 141°C	White	\$ 29.81
FP6LB	360°F 182°C	Bronze	\$ 21.66
FP6LC	360°F 182°C	Chrome	\$ 26.37
FP6LW	360°F 182°C	White	\$ 29.81

WD Requires Model D Sprinkler Wrench \$ 54.00



F1

- Pendant
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
3/8" ORIFICE, 1/2" NPT THREADS			
FP03B	135°F 57°C	Bronze	\$ 25.15
FP03C	135°F 57°C	Chrome	\$ 29.63
FP03W	135°F 57°C	White	\$ 31.27
FP13B	155°F 68°C	Bronze	\$ 25.15
FP13C	155°F 68°C	Chrome	\$ 29.63
FP13W	155°F 68°C	White	\$ 31.27
FP53B	175°F 79°C	Bronze	\$ 25.15
FP53C	175°F 79°C	Chrome	\$ 29.63
FP53W	175°F 79°C	White	\$ 31.27
FP23B	200°F 93°C	Bronze	\$ 25.15
FP23C	200°F 93°C	Chrome	\$ 29.63
FP23W	200°F 93°C	White	\$ 31.27
FP33B	286°F 141°C	Bronze	\$ 25.15
FP33C	286°F 141°C	Chrome	\$ 29.63
FP33W	286°F 141°C	White	\$ 31.27
FP63B	360°F 182°C	Bronze	\$ 27.18
FP63C	360°F 182°C	Chrome	\$ 31.68
FP63W	360°F 182°C	White	\$ 33.48
7/16" ORIFICE, 1/2" NPT THREADS			
FP07B	135°F 57°C	Bronze	\$ 25.15
FP07C	135°F 57°C	Chrome	\$ 29.63
FP07W	135°F 57°C	White	\$ 31.27
FP17B	155°F 68°C	Bronze	\$ 25.15
FP17C	155°F 68°C	Chrome	\$ 29.63
FP17W	155°F 68°C	White	\$ 31.27
FP57B	175°F 79°C	Bronze	\$ 25.15
FP57C	175°F 79°C	Chrome	\$ 29.63
FP57W	175°F 79°C	White	\$ 31.27
FP27B	200°F 93°C	Bronze	\$ 25.15
FP27C	200°F 93°C	Chrome	\$ 29.63
FP27W	200°F 93°C	White	\$ 31.27
FP37B	286°F 141°C	Bronze	\$ 25.15
FP37C	286°F 141°C	Chrome	\$ 29.63
FP37W	286°F 141°C	White	\$ 31.27
FP67B	360°F 182°C	Bronze	\$ 27.18
FP67C	360°F 182°C	Chrome	\$ 31.68
FP67W	360°F 182°C	White	\$ 33.48
G/F1 ESCUTCHEONS			
GF1B	1/2" (15mm)	Brass	\$ 14.24
GF1C	1/2" (15mm)	Chrome	\$ 7.05
GF1W	1/2" (15mm)	White	\$ 7.05
GF1LB	3/4" (20mm)	Brass	\$ 14.24
GF1LC	3/4" (20mm)	Chrome	\$ 7.05
GF1LW	3/4" (20mm)	White	\$ 7.05
GF1MB	10mm	Brass	\$ 12.92
GF1MC	10mm	Chrome	\$ 6.89
GF1MW	10mm	White	\$ 6.89

WD Requires Model D Sprinkler Wrench \$ 54.00
S-45 Sprinklers



F1

- Pendent
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
10MM ORIFICE, 10MM THREADS			
FPOBMM	135°F 57°C	Bronze	\$ 22.74
FPOCMM	135°F 57°C	Chrome	\$ 26.86
FPOWMM	135°F 57°C	White	\$ 28.42
FP1BMM	155°F 68°C	Bronze	\$ 22.74
FP1CMM	155°F 68°C	Chrome	\$ 26.86
FP1WMM	155°F 68°C	White	\$ 28.42
FP5BMM	175°F 79°C	Bronze	\$ 22.74
FP5CMM	175°F 79°C	Chrome	\$ 26.86
FP5WMM	175°F 79°C	White	\$ 28.42
FP2BMM	200°F 93°C	Bronze	\$ 22.74
FP2CMM	200°F 93°C	Chrome	\$ 26.86
FP2WMM	200°F 93°C	White	\$ 28.42
FP3BMM	286°F 141°C	Bronze	\$ 22.74
FP3CMM	286°F 141°C	Chrome	\$ 26.86
FP3WMM	286°F 141°C	White	\$ 28.42
FP6BMM	360°F 182°C	Bronze	\$ 24.70
FP6CMM	360°F 182°C	Chrome	\$ 28.81
FP6WMM	360°F 182°C	White	\$ 30.37
G/F1 ESCUTCHEONS			
GF1B	1/2" (15mm)	Brass	\$ 14.24
GF1C	1/2" (15mm)	Chrome	\$ 7.05
GF1W	1/2" (15mm)	White	\$ 7.05
GF1LB	3/4" (20mm)	Brass	\$ 14.24
GF1LC	3/4" (20mm)	Chrome	\$ 7.05
GF1LW	3/4" (20mm)	White	\$ 7.05
GF1MB	10mm	Brass	\$ 12.92
GF1MC	10mm	Chrome	\$ 6.89
GF1MW	10mm	White	\$ 6.89

WD	Requires Model D Sprinkler Wrench	\$ 54.00
WGFR	For Recessed Use Model GFR1 Wrench	\$ 207.00



F156-300

- K-Factor = 5.6 (80)
- Glass Bulb
- Thread Size = 1/2"
- See Bulletin 025




F1-300

- Pendant
- Glass Bulb Sprinklers
- See Bulletin 155

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM) — 300 PSI			
F56P0B3	135°F 57°C	Bronze	\$ 18.75
F56P0C3	135°F 57°C	Chrome	\$ 22.04
F56P0W3	135°F 57°C	White	\$ 25.15
F56P1B3	155°F 68°C	Bronze	\$ 18.75
F56P1C3	155°F 68°C	Chrome	\$ 22.04
F56P1W3	155°F 68°C	White	\$ 25.15
F56P5B3	175°F 79°C	Bronze	\$ 18.75
F56P5C3	175°F 79°C	Chrome	\$ 22.04
F56P5W3	175°F 79°C	White	\$ 25.11
F56P2B3	200°F 93°C	Bronze	\$ 18.75
F56P2C3	200°F 93°C	Chrome	\$ 22.04
F56P2W3	200°F 93°C	White	\$ 25.15
F56P3B3	286°F 141°C	Bronze	\$ 18.75
F56P3C3	286°F 141°C	Chrome	\$ 22.04
F56P3W3	286°F 141°C	White	\$ 25.15
F56P3B3	360°F 182°C	Bronze	\$ 18.75
F56P3C3	360°F 182°C	Chrome	\$ 22.04
F56P3W3	360°F 182°C	White	\$ 25.15
17/32" ORIFICE, 3/4" NPT THREADS (20MM) — 300 PSI			
FP0LB3	135°F 57°C	Bronze	\$ 23.57
FP0LC3	135°F 57°C	Chrome	\$ 28.42
FP0LW3	135°F 57°C	White	\$ 32.02
FP1LB3	155°F 68°C	Bronze	\$ 23.57
FP1LC3	155°F 68°C	Chrome	\$ 28.42
FP1LW3	155°F 68°C	White	\$ 32.02
FP5LB3	175°F 79°C	Bronze	\$ 23.57
FP5LC3	175°F 79°C	Chrome	\$ 28.42
FP5LW3	175°F 79°C	White	\$ 32.02
FP2LB3	200°F 93°C	Bronze	\$ 23.57
FP2LC3	200°F 93°C	Chrome	\$ 28.42
FP2LW3	200°F 93°C	White	\$ 32.02
FP3LB3	286°F 141°C	Bronze	\$ 23.57
FP3LC3	286°F 141°C	Chrome	\$ 28.42
FP3LW3	286°F 141°C	White	\$ 32.02
FP6LB3	360°F 182°C	Bronze	\$ 25.66
FP6LC3	360°F 182°C	Chrome	\$ 30.77
FP6LW3	360°F 182°C	White	\$ 34.36

WD Requires Model D Sprinkler Wrench \$ 54.00



F1 56

- K-Factor = 5.6 (80)
- Conventional
- Glass Bulb
- Thread Size = 1/2"
- See Bulletin 013




F1

- Conventional
- Glass Bulb Sprinklers
- See Bulletin 117

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
F56C0B	135°F 57°C	Bronze	\$ 17.09
F56C0C	135°F 57°C	Chrome	\$ 20.24
F56C0W	135°F 57°C	White	\$ 23.89
F56C1B	155°F 68°C	Bronze	\$ 17.09
F56C1C	155°F 68°C	Chrome	\$ 20.24
F56C1W	155°F 68°C	White	\$ 23.89
F56C5B	175°F 79°C	Bronze	\$ 17.09
F56C5C	175°F 79°C	Chrome	\$ 20.24
F56C5W	175°F 79°C	White	\$ 23.89
F56C2B	200°F 93°C	Bronze	\$ 17.09
F56C2C	200°F 93°C	Chrome	\$ 20.24
F56C2W	200°F 93°C	White	\$ 23.89
F56C3B	286°F 141°C	Bronze	\$ 17.09
F56C3C	286°F 141°C	Chrome	\$ 20.24
F56C3W	286°F 141°C	White	\$ 23.89
F56C6B	360°F 182°C	Bronze	\$ 17.09
F56C6C	360°F 182°C	Chrome	\$ 20.24
F56C6W	360°F 182°C	White	\$ 23.89
17/32" ORIFICE, 3/4" NPT THREADS (20MM)			
FC0LB	135°F 57°C	Bronze	\$ 21.66
FC0LC	135°F 57°C	Chrome	\$ 26.37
FC0LW	135°F 57°C	White	\$ 29.81
FC1LB	155°F 68°C	Bronze	\$ 21.66
FC1LC	155°F 68°C	Chrome	\$ 26.37
FC1LW	155°F 68°C	White	\$ 29.81
FC5LB	175°F 79°C	Bronze	\$ 21.66
FC5LC	175°F 79°C	Chrome	\$ 26.37
FC5LW	175°F 79°C	White	\$ 29.81
FC2LB	200°F 93°C	Bronze	\$ 21.66
FC2LC	200°F 93°C	Chrome	\$ 26.37
FC2LW	200°F 93°C	White	\$ 29.81
FC3LB	286°F 141°C	Bronze	\$ 21.66
FC3LC	286°F 141°C	Chrome	\$ 26.37
FC3LW	286°F 141°C	White	\$ 29.81

WD Requires Model D Sprinkler Wrench \$ 54.00



F1 56

- K-Factor = 5.6 (80)
- Horizontal Sidewall
- Glass Bulb
- Thread Size = 1/2"
- See Bulletin 013

Please refer to the latest sales bulletin for specific approval listings and available finishes.

See our "Specialties Page" for special finish charges — including Teflon Tape.

Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
F56H0B	135°F 57°C	Bronze	\$ 26.57
F56H0C	135°F 57°C	Chrome	\$ 30.45
F56H0W	135°F 57°C	White	\$ 32.69
F56H1B	155°F 68°C	Bronze	\$ 26.57
F56H1C	155°F 68°C	Chrome	\$ 30.45
F56H1W	155°F 68°C	White	\$ 32.69
F56H5B	175°F 79°C	Bronze	\$ 26.57
F56H5C	175°F 79°C	Chrome	\$ 30.45
F56H5W	175°F 79°C	White	\$ 32.69
F56H2B	200°F 93°C	Bronze	\$ 26.57
F56H2C	200°F 93°C	Chrome	\$ 30.45
F56H2W	200°F 93°C	White	\$ 32.69
F56H3B	286°F 141°C	Bronze	\$ 26.57
F56H3C	286°F 141°C	Chrome	\$ 30.45
F56H3W	286°F 141°C	White	\$ 32.69
F56H6B	360°F 182°C	Bronze	\$ 26.57
F56H6C	360°F 182°C	Chrome	\$ 30.45
F56H6W	360°F 182°C	White	\$ 32.69
G/F1 ESCUTCHEONS			
GF1B	1/2" (15mm)	Brass	\$ 14.24
GF1C	1/2" (15mm)	Chrome	\$ 7.05
GF1W	1/2" (15mm)	White	\$ 7.05

WD	Requires Model D Sprinkler Wrench	\$ 54.00
WGFR	For Recessed Use Model GFR1 Wrench	\$ 207.00



F1 56

- K-Factor = 5.6 (80)
- Vertical Sidewall
- Glass Bulb
- Thread Size = 1/2"
- See Bulletin 013

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS			
F56V0B	135°F 57°C	Bronze	\$ 26.57
F56V0C	135°F 57°C	Chrome	\$ 30.45
F56V0W	135°F 57°C	White	\$ 32.69
F56V1B	155°F 68°C	Bronze	\$ 26.57
F56V1C	155°F 68°C	Chrome	\$ 30.45
F56V1W	155°F 68°C	White	\$ 32.69
F56V5B	175°F 79°C	Bronze	\$ 26.57
F56V5C	175°F 79°C	Chrome	\$ 30.45
F56V5W	175°F 79°C	White	\$ 32.69
F56V2B	200°F 93°C	Bronze	\$ 26.57
F56V2C	200°F 93°C	Chrome	\$ 30.45
F56V2W	200°F 93°C	White	\$ 32.69
F56V3B	286°F 141°C	Bronze	\$ 26.57
F56V3C	286°F 141°C	Chrome	\$ 30.45
F56V3W	286°F 141°C	White	\$ 32.69
F56V6B	360°F 182°C	Bronze	\$ 28.84
F56V6C	360°F 182°C	Chrome	\$ 30.45
F56V6W	360°F 182°C	White	\$ 32.69

WD Requires Model D Sprinkler Wrench \$ 54.00



G

- Upright
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
GU0B	135°F 57°C	Bronze	\$ 21.58
GU0C	135°F 57°C	Chrome	\$ 25.66
GU0W	135°F 57°C	White	\$ 29.00
GU1B	165°F 74°C	Bronze	\$ 21.58
GU1C	165°F 74°C	Chrome	\$ 25.66
GU1W	165°F 74°C	White	\$ 29.00
GU2B	212°F 100°C	Bronze	\$ 21.58
GU2C	212°F 100°C	Chrome	\$ 25.66
GU2W	212°F 100°C	White	\$ 29.00
GU3B	286°F 141°C	Bronze	\$ 21.58
GU3C	286°F 141°C	Chrome	\$ 25.66
GU3W	286°F 141°C	White	\$ 29.00
17/32" ORIFICE, 3/4" NPT THREADS (20MM)			
GU0LB	135°F 57°C	Bronze	\$ 25.89
GU0LC	135°F 57°C	Chrome	\$ 31.68
GU1LB	165°F 74°C	Bronze	\$ 25.89
GU1LC	165°F 74°C	Chrome	\$ 31.68
GU2LB	212°F 100°C	Bronze	\$ 25.89
GU2LC	212°F 100°C	Chrome	\$ 31.68
GU3LB	286°F 141°C	Bronze	\$ 25.89
GU3LC	286°F 141°C	Chrome	\$ 31.68
17/32" ORIFICE, 1/2" NPT THREADS (20MM)			
GU0LHB	135°F 57°C	Bronze	\$ 33.87
GU0LHC	135°F 57°C	Chrome	\$ 38.77
GU1LHB	165°F 74°C	Bronze	\$ 33.87
GU1LHC	165°F 74°C	Chrome	\$ 38.77
GU2LHB	212°F 100°C	Bronze	\$ 33.87
GU2LHC	212°F 100°C	Chrome	\$ 38.77
GU3LHB	286°F 141°C	Bronze	\$ 33.87
GU3LHC	286°F 141°C	Chrome	\$ 38.77

WD Requires Model D Sprinkler Wrench \$ 54.00



G

- Upright
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
3/8" ORIFICE, 1/2" NPT THREADS			
GU03B	135°F 57°C	Bronze	\$ 30.36
GU03C	135°F 57°C	Chrome	\$ 35.23
GU13B	165°F 74°C	Bronze	\$ 30.36
GU13C	165°F 74°C	Chrome	\$ 35.23
GU23B	212°F 100°C	Bronze	\$ 30.36
GU23C	212°F 100°C	White	\$ 35.23
GU33B	286°F 141°C	Bronze	\$ 30.36
GU33C	286°F 141°C	Chrome	\$ 35.23
7/16" ORIFICE, 1/2" NPT THREADS			
GU07B	135°F 57°C	Bronze	\$ 30.36
GU07C	135°F 57°C	Chrome	\$ 35.23
GU17B	165°F 74°C	Bronze	\$ 30.36
GU17C	165°F 74°C	Chrome	\$ 35.23
GU27B	212°F 100°C	Bronze	\$ 30.36
GU27C	212°F 100°C	Chrome	\$ 35.23
GU37B	286°F 141°C	Bronze	\$ 30.36
GU37C	286°F 141°C	Chrome	\$ 35.23
10MM ORIFICE, 10MM THREADS			
GU0BMM	135°F 57°C	Bronze	\$ 24.71
GU0CMM	135°F 57°C	Chrome	\$ 29.14
GU1BMM	165°F 74°C	Bronze	\$ 24.71
GU1CMM	165°F 74°C	Chrome	\$ 29.14
GU2BMM	212°F 100°C	Bronze	\$ 24.71
GU2CMM	212°F 100°C	Chrome	\$ 29.14
GU3BMM	286°F 141°C	Bronze	\$ 24.71
GU3CMM	286°F 141°C	Chrome	\$ 29.14

WD Requires Model D Sprinkler Wrench \$ 54.00



G

- Pendent
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
GP0B	135°F 57°C	Bronze	\$ 21.58
GP0C	135°F 57°C	Chrome	\$ 24.99
GP0W	135°F 57°C	White	\$ 29.00
GP1B	165°F 74°C	Bronze	\$ 21.58
GP1C	165°F 74°C	Chrome	\$ 24.99
GP1W	165°F 74°C	White	\$ 29.00
GP2B	212°F 100°C	Bronze	\$ 21.58
GP2C	212°F 100°C	Chrome	\$ 24.99
GP2W	212°F 100°C	White	\$ 29.00
GP3B	286°F 141°C	Bronze	\$ 21.58
GP3C	286°F 141°C	Chrome	\$ 24.99
GP3W	286°F 141°C	White	\$ 29.00
17/32" ORIFICE, 3/4" NPT THREADS (20MM)			
GP0LB	135°F 57°C	Bronze	\$ 26.57
GP0LC	135°F 57°C	Chrome	\$ 31.68
GP1LB	165°F 74°C	Bronze	\$ 26.57
GP1LC	165°F 74°C	Chrome	\$ 31.68
GP2LB	212°F 100°C	Bronze	\$ 26.57
GP2LC	212°F 100°C	Chrome	\$ 31.68
GP3LB	286°F 141°C	Bronze	\$ 26.57
GP3LC	286°F 141°C	Chrome	\$ 31.68
G/F1 ESCUTCHEONS			
GF1B	1/2" (15mm)	Brass	\$ 14.24
GF1C	1/2" (15mm)	Chrome	\$ 7.05
GF1W	1/2" (15mm)	White	\$ 7.05
GF1LB	3/4" (20mm)	Brass	\$ 14.24
GF1LC	3/4" (20mm)	Chrome	\$ 7.05
GF1LW	3/4" (20mm)	White	\$ 7.05
GF1MB	10mm	Brass	\$ 12.92
GF1MC	10mm	Chrome	\$ 6.89
GF1MW	10mm	White	\$ 6.89

WD	Requires Model D Sprinkler Wrench	\$ 54.00
WRC	For Recessed Use RC1 Wrench	\$ 207.00



G

- Pendant
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
17/32" ORIFICE, 1/2" NPT THREADS (20MM)			
GP0LHB	135°F 57°C	Bronze	\$ 33.22
GP0LHC	135°F 57°C	Chrome	\$ 38.77
GP1LHB	165°F 74°C	Bronze	\$ 33.22
GP1LHC	165°F 74°C	Chrome	\$ 38.77
GP2LHB	212°F 100°C	Bronze	\$ 33.22
GP2LHC	212°F 100°C	Chrome	\$ 38.77
GP3LHB	286°F 142°C	Bronze	\$ 33.22
GP3LHC	286°F 142°C	Chrome	\$ 38.77
3/8" ORIFICE, 1/2" NPT THREADS			
GP03B	135°F 57°C	Bronze	\$ 30.36
GP03C	135°F 57°C	Chrome	\$ 35.23
GP13B	165°F 74°C	Bronze	\$ 30.36
GP13C	165°F 74°C	Chrome	\$ 35.23
GP23B	212°F 100°C	Bronze	\$ 30.36
GP23C	212°F 100°C	Chrome	\$ 35.23
GP33B	286°F 141°C	Bronze	\$ 30.36
GP33C	286°F 141°C	Chrome	\$ 35.23
7/16" ORIFICE, 1/2" NPT THREADS			
GP07B	135°F 57°C	Bronze	\$ 30.36
GP07C	135°F 57°C	Chrome	\$ 35.23
GP17B	165°F 74°C	Bronze	\$ 30.36
GP17C	165°F 74°C	Chrome	\$ 35.23
GP27B	212°F 100°C	Bronze	\$ 30.36
GP27C	212°F 100°C	Chrome	\$ 35.23
GP37B	286°F 141°C	Bronze	\$ 30.36
GP37C	286°F 141°C	Chrome	\$ 35.23
10MM ORIFICE, 10MM THREADS			
GPOBMM	135°F 57°C	Bronze	\$ 24.71
GP0CMM	135°F 57°C	Chrome	\$ 29.14
GP1BMM	165°F 74°C	Bronze	\$ 24.71
GP1CMM	165°F 74°C	Chrome	\$ 29.14
GP2BMM	212°F 100°C	Bronze	\$ 24.71
GP2CMM	212°F 100°C	Chrome	\$ 29.14
GP3BMM	286°F 141°C	Bronze	\$ 24.71
GP3CMM	286°F 141°C	Chrome	\$ 29.14

WD	Requires Model D Sprinkler Wrench	\$	54.00
WRC	For Recessed, Use Model RC1 Wrench	\$	207.00



G

- Conventional
- Standard Solder Type
- See Bulletin 110

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
GC0B	135°F 57°C	Bronze	\$ 17.32
GC0C	135°F 57°C	Chrome	\$ 20.69
GC0W	135°F 57°C	White	\$ 23.87
GC1B	165°F 74°C	Bronze	\$ 17.32
GC1C	165°F 74°C	Chrome	\$ 20.69
GC1W	165°F 75°C	White	\$ 23.87
GC2B	212°F 100°C	Bronze	\$ 17.32
GC2C	212°F 100°C	Chrome	\$ 20.69
GC2W	212°F 100°C	White	\$ 23.87
GC3B	286°F 141°C	Bronze	\$ 17.32
GC3C	286°F 141°C	Chrome	\$ 20.69
GC3W	286°F 141°C	White	\$ 23.87
17/32" ORIFICE, 3/4" NPT THREADS (20MM)			
GC0LB	135°F 57°C	Bronze	\$ 21.56
GC0LC	135°F 57°C	Chrome	\$ 25.99
GC1LB	165°F 74°C	Bronze	\$ 21.56
GC1LC	165°F 74°C	Chrome	\$ 25.99
GC2LB	212°F 100°C	Bronze	\$ 21.56
GC3LB	286°F 141°C	Bronze	\$ 21.56
GC3LC	286°F 141°C	Chrome	\$ 25.99
10MM ORIFICE, 10MM THREADS			
GC0BMM	135°F 57°C	Bronze	\$ 26.86
GC0CMM	135°F 57°C	Chrome	\$ 31.13
GC1BMM	165°F 74°C	Bronze	\$ 26.86
GC1CMM	165°F 74°C	Chrome	\$ 31.13
GC2BMM	212°F 100°C	Bronze	\$ 26.86
GC2CMM	212°F 100°C	Chrome	\$ 31.13
GC3BMM	286°F 141°C	Bronze	\$ 26.86
GC3CMM	286°F 141°C	Chrome	\$ 31.13

WD Requires Model D Sprinkler Wrench \$ 54.00



Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
GV0B	135°F 57°C	Bronze	\$ 32.12
GV0C	135°F 57°C	Chrome	\$ 36.34
GV1B	165°F 74°C	Bronze	\$ 32.12
GV1C	165°F 74°C	Chrome	\$ 36.34
GV2B	212°F 100°C	Bronze	\$ 32.12
GV2C	212°F 100°C	Chrome	\$ 36.34
GV3B	286°F 141°C	Bronze	\$ 32.12
GV3C	286°F 141°C	Chrome	\$ 36.34

G VSW

- Standard Solder Type
- See Bulletin 112

WD Requires Model D Sprinkler Wrench \$ 54.00

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.




G

- Horizontal Sidewall
- Standard Solder Type
- See Bulletin 112

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
GH0B	135°F 57°C	Bronze	\$ 30.53
GH0C	135°F 57°C	Chrome	\$ 34.53
GH1B	165°F 74°C	Bronze	\$ 30.53
GH1C	165°F 74°C	Chrome	\$ 34.53
GH2B	212°F 100°C	Bronze	\$ 30.53
GH2C	212°F 100°C	Chrome	\$ 34.53
GH3B	286°F 141°C	Bronze	\$ 30.53
GH3C	286°F 141°C	Chrome	\$ 34.53
17/32" ORIFICE, 3/4" NPT THREADS (20MM)			
GH0LB	135°F 57°C	Bronze	\$ 35.44
GH0LC	135°F 57°C	Chrome	\$ 39.22
GH1LB	165°F 74°C	Bronze	\$ 35.44
GH1LC	165°F 74°C	Chrome	\$ 39.22
GH2LB	212°F 100°C	Bronze	\$ 35.44
GH2LC	212°F 100°C	Chrome	\$ 39.22
GH3LB	286°F 141°C	Bronze	\$ 35.44
GH3LC	286°F 141°C	Chrome	\$ 39.22
17/32" ORIFICE, 1/2" NPT THREADS (20MM)			
GH0LHB	135°F 57°C	Bronze	\$ 42.34
GH0LHC	135°F 57°C	Chrome	\$ 46.07
GH1LHB	165°F 74°C	Bronze	\$ 42.34
GH1LHC	165°F 74°C	Chrome	\$ 46.07
GH2LHB	212°F 100°C	Bronze	\$ 42.34
GH2LHC	212°F 100°C	Chrome	\$ 46.07
GH3LHB	286°F 141°C	Bronze	\$ 42.34
GH3LHC	286°F 141°C	Chrome	\$ 46.07
G/F1 ESCUTCHEONS			
GF1B	1/2" (15mm)	Brass	\$ 14.24
GF1C	1/2" (15mm)	Chrome	\$ 7.05
GF1W	1/2" (15mm)	White	\$ 7.05
GF1LB	3/4" (20mm)	Brass	\$ 14.24
GF1LC	3/4" (20mm)	Chrome	\$ 7.05
GF1LW	3/4" (20mm)	White	\$ 7.05
GF1MB	10mm	Brass	\$ 12.92
GF1MC	10mm	Chrome	\$ 6.89
GF1MW	10mm	White	\$ 6.89

WD	Requires Model D Sprinkler Wrench	\$ 54.00
WGFR	For Recessed Use Model GFR1 Wrench	\$ 207.00



G

- Horizontal Sidewall
- Standard Solder Type
- See Bulletin 112

Please refer to the latest sales bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
3/8" ORIFICE, 1/2" NPT THREADS			
GH03B	135°F 57°C	Bronze	\$ 39.22
GH03C	135°F 57°C	Chrome	\$ 42.78
GH13B	165°F 74°C	Bronze	\$ 39.22
GH13C	165°F 74°C	Chrome	\$ 42.78
GH23B	212°F 100°C	Bronze	\$ 39.22
GH23C	212°F 100°C	Chrome	\$ 42.78
GH33B	286°F 141°C	Bronze	\$ 39.22
GH33C	286°F 141°C	Chrome	\$ 42.78
7/16" ORIFICE, 1/2" NPT THREADS			
GH07B	135°F 57°C	Bronze	\$ 39.22
GH07C	135°F 57°C	Chrome	\$ 42.78
GH17B	165°F 74°C	Bronze	\$ 39.22
GH17C	165°F 74°C	Chrome	\$ 42.78
GH27B	212°F 100°C	Bronze	\$ 39.22
GH27C	212°F 100°C	Chrome	\$ 42.78
GH37B	286°F 141°C	Bronze	\$ 39.22
GH37C	286°F 141°C	Chrome	\$ 42.78
G/F1 ESCUTCHEONS			
GF1B	1/2" (15mm)	Brass	\$ 14.24
GF1C	1/2" (15mm)	Chrome	\$ 7.05
GF1W	1/2" (15mm)	White	\$ 7.05
GF1LB	3/4" (20mm)	Brass	\$ 14.24
GF1LC	3/4" (20mm)	Chrome	\$ 7.05
GF1LW	3/4" (20mm)	White	\$ 7.05
GF1MB	10mm	Brass	\$ 12.92
GF1MC	10mm	Chrome	\$ 6.89
GF1MW	10mm	White	\$ 6.89

WD	Requires Model D Sprinkler Wrench	\$ 54.00
WGFR	For Recessed Use Model GFR1 Wrench	\$ 207.00