



F1FR 56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1425**
- See Bulletin 014



F1FR80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6322**
- See Bulletin 063

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1425					
BA131132S9	F1FR56U0BN	135°F	57°C	Brass	C\$ 88.40
BA132132S9	F1FR56U0CN	135°F	57°C	Chrome	C\$ 97.40
BA138732S9	F1FR56U0WN	135°F	57°C	Poly White	C\$ 105.05
BA151132S9	F1FR56U1BN	155°F	68°C	Brass	C\$ 88.40
BA152132S9	F1FR56U1CN	155°F	68°C	Chrome	C\$ 97.40
BA158732S9	F1FR56U1WN	155°F	68°C	Poly White	C\$ 105.05
BA171132S9	F1FR56U5BN	175°F	79°C	Brass	C\$ 88.40
BA172132S9	F1FR56U5CN	175°F	79°C	Chrome	C\$ 97.40
BA178732S9	F1FR56U5WN	175°F	79°C	Poly White	C\$ 105.05
BA201132S9	F1FR56U2BN	200°F	93°C	Brass	C\$ 88.40
BA202132S9	F1FR56U2CN	200°F	93°C	Chrome	C\$ 97.40
BA208732S9	F1FR56U2WN	200°F	93°C	White	C\$ 105.05
BA281132S9	F1FR56U3BN	286°F	141°C	Brass	C\$ 88.40
BA282132S9	F1FR56U3CN	286°F	141°C	Chrome	C\$ 97.40
BA288732S9	F1FR56U3WN	286°F	141°C	White	C\$ 105.05
MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6322					
B1131134S8	F1FRU0LBN	135°F	57°C	Brass	C\$ 107.51
B1132134S8	F1FRU0LCN	135°F	57°C	Chrome	C\$ 121.29
B1138734S8	F1FRU0LWN	135°F	57°C	Poly White	C\$ 124.08
B1151134S8	F1FRU1LBN	155°F	68°C	Brass	C\$ 107.51
B1152134S8	F1FRU1LCN	155°F	68°C	Chrome	C\$ 121.29
B1158734S8	F1FRU1LWN	155°F	68°C	Poly White	C\$ 124.08
B1171134S8	F1FRU5LBN	175°F	79°C	Brass	C\$ 107.51
B1172134S8	F1FRU5LCN	175°F	79°C	Chrome	C\$ 121.29
B1178734S8	F1FRU5LWN	175°F	79°C	Poly White	C\$ 124.08
B1201134S8	F1FRU2LBN	200°F	93°C	Brass	C\$ 107.51
B1202134S8	F1FRU2LCN	200°F	93°C	Chrome	C\$ 121.29
B1208734S8	F1FRU2LWN	200°F	93°C	White	C\$ 124.08
B1281134S8	F1FRU3LBN	286°F	141°C	Brass	C\$ 107.51
B1282134S8	F1FRU3LCN	286°F	141°C	Chrome	C\$ 121.29
B1288734S8	F1FRU3LWN	286°F	141°C	White	C\$ 124.08

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
------------	-----	-----------------------------------	------------



F1FR 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1421**
- See Bulletin 014



F1FR 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1423**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) RA1421					
BA151124S9	F1FR28U1BN	155°F	68°C	Brass	C\$ 114.40
BA152124S9	F1FR28U1CN	155°F	68°C	Chrome	C\$ 123.40
BA158724S9	F1FR28U1WN	155°F	68°C	Poly White	C\$ 127.45
BA171124S9	F1FR28U5N	175°F	79°C	Brass	C\$ 114.40
BA172124S9	F1FR28U5CN	175°F	79°C	Chrome	C\$ 123.40
BA178724S9	F1FR28U5WN	175°F	79°C	Poly White	C\$ 125.14
BA201124S9	F1FR28U2BN	200°F	93°C	Brass	C\$ 114.40
BA202124S9	F1FR28U2CN	200°F	93°C	Chrome	C\$ 123.40
BA208724S9	F1FR28U2WN	200°F	93°C	Poly White	C\$ 127.45
BA281124S9	F1FR28U3BN	286°F	141°C	Brass	C\$ 114.40
BA282124S9	F1FR28U3CN	286°F	141°C	Chrome	C\$ 123.40
BA288724S9	F1FR28U3WN	286°F	141°C	White	C\$ 127.45
MODEL F1FR UPRIGHT K 4.2 (60) THREAD 1/2" (15MM) RA1423					
BA131128S9	F1FR42U0BN	135°F	57°C	Brass	C\$ 114.40
BA132128S9	F1FR42U0CN	135°F	57°C	Chrome	C\$ 123.40
BA138728S9	F1FR42U0WN	135°F	57°C	Poly White	C\$ 127.45
BA151128S9	F1FR42U1BN	155°F	68°C	Brass	C\$ 114.40
BA152128S9	F1FR42U1CN	155°F	68°C	Chrome	C\$ 123.40
BA158728S9	F1FR42U1WN	155°F	68°C	Poly White	C\$ 127.45
BA171128S9	F1FR42U5BN	175°F	79°C	Brass	C\$ 114.40
BA172128S9	F1FR42U5CN	175°F	79°C	Chrome	C\$ 123.40
BA178728S9	F1FR42U5WN	175°F	79°C	Poly White	C\$ 127.45
BA201128S9	F1FR42U2BN	200°F	93°C	Brass	C\$ 114.40
BA202128S9	F1FR42U2CN	200°F	93°C	Chrome	C\$ 123.40
BA208728S9	F1FR42U2WN	200°F	93°C	Poly White	C\$ 127.45
BA281128S9	F1FR42U3BN	286°F	141°C	Brass	C\$ 114.40
BA282128S9	F1FR42U3CN	286°F	141°C	Chrome	C\$ 123.40
BA288728S9	F1FR42U3WN	286°F	141°C	Poly White	C\$ 127.45

6880050100

WW2

Wrench, W2, Pendant, Upright, HSW

C\$ 195.92



F1FR56-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2625**
- See Bulletin 026



F1FR80-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA7822**
- See Bulletin 078

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2625					
BF131132S9	F1FR56U0B3N	155°F	68°C	Brass	C\$ 92.91
BF132132S9	F1FR56U0C3N	135°F	57°C	Chrome	C\$ 102.26
BF138732S9	F1FR56U0W3N	135°F	57°C	Poly White	C\$ 108.26
BF151132S9	F1FR56U1B3N	155°F	68°C	Brass	C\$ 92.91
BF152132S9	F1FR56U1C3N	155°F	68°C	Chrome	C\$ 102.26
BF158732S9	F1FR56U1W3N	155°F	68°C	Poly White	C\$ 110.25
BF171132S9	F1FR56U5B3N	175°F	79°C	Brass	C\$ 92.91
BF172132S9	F1FR56U5C3N	175°F	79°C	Chrome	C\$ 102.26
BF178732S9	F1FR56U5W3N	175°F	79°C	Poly White	C\$ 110.25
BF201132S9	F1FR56U2B3N	200°F	93°C	Brass	C\$ 92.91
BF202132S9	F1FR56U2C3N	200°F	93°C	Chrome	C\$ 102.26
BF208732S9	F1FR56U2W3N	200°F	93°C	Poly White	C\$ 110.25
BF281132S9	F1FR56U3B3N	286°F	141°C	Brass	C\$ 92.91
BF282132S9	F1FR56U3C3N	286°F	141°C	Chrome	C\$ 102.26
BF288732S9	F1FR56U3W3N	286°F	141°C	Poly White	C\$ 110.25
MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5622					
BF131134S8	F1FRU0LB3N	135°F	57°C	Brass	C\$ 112.71
BF132134S8	F1FRU0LC3N	135°F	57°C	Chrome	C\$ 127.71
BF138734S8	F1FRU0LW3N	135°F	57°C	White	C\$ 127.71
BF151134S8	F1FRU1LB3N	155°F	68°C	Brass	C\$ 112.71
BF152134S8	F1FRU1LC3N	155°F	68°C	Chrome	C\$ 127.71
BF158734S8	F1FRU1LW3N	155°F	68°C	White	C\$ 127.71
BF171134S8	F1FRU5LB3N	175°F	79°C	Brass	C\$ 112.71
BF172134S8	F1FRU5LC3N	175°F	79°C	Chrome	C\$ 127.71
BF178734S8	F1FRU5LW3N	175°F	79°C	White	C\$ 127.71
BF201134S8	F1FRU2LB3N	200°F	93°C	Brass	C\$ 112.71
BF202134S8	F1FRU2LC3N	200°F	93°C	Chrome	C\$ 127.71
BF281134S8	F1FRU3LB3N	286°F	141°C	Brass	C\$ 112.71
BF282134S8	F1FRU3LC3N	286°F	141°C	Chrome	C\$ 127.71
BF288734S8	F1FRU3LW3N	286°F	141°C	White	C\$ 127.71
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92



F1FR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 074



F1FR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN R6312**
- See Bulletin 063

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414					
B2131132S9	F1FR56P0BN	135°F	57°C	Brass	C\$ 88.40
B2132132S9	F1FR56P0CN	135°F	57°C	Chrome	C\$ 94.60
B2138732S9	F1FR56P0WN	135°F	57°C	White	C\$ 102.19
B2151132S9	F1FR56P1BN	155°F	68°C	Brass	C\$ 88.40
B2152132S9	F1FR56P1CN	155°F	68°C	Chrome	C\$ 94.60
B2158732S9	F1FR56P1WN	155°F	68°C	Poly White	C\$ 102.19
B2171132S9	F1FR56P5BN	175°F	79°C	Brass	C\$ 88.40
B2172132S9	F1FR56P5CN	175°F	79°C	Chrome	C\$ 94.60
B2178732S9	F1FR56P5WN	175°F	79°C	White	C\$ 102.19
B2201132S9	F1FR56P2BN	200°F	93°C	Brass	C\$ 88.40
B2202132S9	F1FR56P2CN	200°F	93°C	Chrome	C\$ 94.60
B2208732S9	F1FR56P2WN	200°F	93°C	White	C\$ 102.19
B2281132S9	F1FR56P3BN	286°F	141°C	Brass	C\$ 88.40
B2282132S9	F1FR56P3CN	286°F	141°C	Chrome	C\$ 94.60
B2288732S9	F1FR56P3WN	286°F	141°C	White	C\$ 102.19
MODEL F1FR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) R6312					
B2131134S8	F1FRP0LBN	135°F	57°C	Brass	C\$ 110.74
B2132134S8	F1FRP0LCN	135°F	57°C	Chrome	C\$ 121.29
B2138734S8	F1FRP0LWN	135°F	57°C	White	C\$ 122.93
B2151134S8	F1FRP1LBN	155°F	68°C	Brass	C\$ 110.74
B2152134S8	F1FRP1LCN	155°F	68°C	Chrome	C\$ 121.29
B2158734S8	F1FRP1LWN	155°F	68°C	White	C\$ 122.93
B2171134S8	F1FRP5LBN	175°F	79°C	Brass	C\$ 110.74
B2172134S8	F1FRP5LCN	175°F	79°C	Chrome	C\$ 121.29
B2178734S8	F1FRP5LWN	175°F	79°C	White	C\$ 122.93
B2201134S8	F1FRP2LBN	200°F	93°C	Brass	C\$ 110.74
B2202134S8	F1FRP2LCN	200°F	93°C	Chrome	C\$ 121.29
B2208734S8	F1FRP2LWN	200°F	93°C	White	C\$ 122.93
B2281134S8	F1FRP3LBN	286°F	141°C	Brass	C\$ 110.74
B2282134S8	F1FRP3LCN	286°F	141°C	Chrome	C\$ 121.29
B2288734S8	F1FRP3LWN	286°F	141°C	White	C\$ 122.93
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100100	WW1	Wrench, W1, Recessed, Concealed			C\$ 581.40
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	1/2" (15mm)		Chrome	C\$ 37.39
6801417200	FPW	1/2" (15mm)		White	C\$ 37.39
6801402100	FPLC	3/4" (20mm)		Chrome	C\$ 37.39
6801407200	FPLW	3/4" (20mm)		White	C\$ 37.39



F1FR 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1411**
- See Bulletin 014



F1FR 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR28 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1411					
BB151124S9	F1FR28P1BN	155°F	68°C	Brass	C\$ 114.40
BB152124S9	F1FR28P1CN	155°F	68°C	Chrome	C\$ 123.40
BB158724S9	F1FR28P1WN	155°F	68°C	Poly White	C\$ 127.45
BB171124S9	F1FR28P5BN	175°F	79°C	Brass	C\$ 116.53
BB172124S9	F1FR28P5CN	175°F	79°C	Chrome	C\$ 123.40
BB178724S9	F1FR28P5WN	175°F	79°C	Poly White	C\$ 127.45
BB201124S9	F1FR28P2BN	200°F	93°C	Brass	C\$ 114.40
BB202124S9	F1FR28P2CN	200°F	93°C	Chrome	C\$ 123.40
BB208724S9	F1FR28P2WN	200°F	93°C	Poly White	C\$ 127.45
BB281124S9	F1FR28P3BN	286°F	141°C	Brass	C\$ 114.40
BB282124S9	F1FR28P3CN	286°F	141°C	Chrome	C\$ 124.57
BB288724S9	F1FR28P3WN	286°F	141°C	Poly White	C\$ 127.45
MODEL F1FR42 PENDENT K 4.2 (60) THREADS 1/2"(15MM) RA1413					
BB131128S9	F1FR42P0BN	135°F	57°C	Brass	C\$ 114.40
BB132128S9	F1FR42P0CN	135°F	57°C	Chrome	C\$ 123.40
BB138728S9	F1FR42P0WN	135°F	57°C	Poly White	C\$ 127.45
BB151128S9	F1FR42P1BN	155°F	68°C	Brass	C\$ 114.40
BB152128S9	F1FR42P1CN	155°F	68°C	Chrome	C\$ 123.40
BB158728S9	F1FR42P1WN	155°F	68°C	Poly White	C\$ 127.45
BB171128S9	F1FR42P5BN	175°F	79°C	Brass	C\$ 114.40
BB172128S9	F1FR42P5CN	175°F	79°C	Chrome	C\$ 123.40
BB178728S9	F1FR42P5WN	175°F	79°C	Poly White	C\$ 127.45
BB201128S9	F1FR42P2BN	200°F	93°C	Brass	C\$ 114.40
BB202128S9	F1FR42P2CN	200°F	93°C	Chrome	C\$ 123.40
BB208728S9	F1FR42P2WN	200°F	93°C	Poly White	C\$ 127.45
BB281128S9	F1FR42P3BN	286°F	141°C	Brass	C\$ 114.40
BB282128S9	F1FR42P3CN	286°F	141°C	Chrome	C\$ 123.40
BB288728S9	F1FR42P3WN	286°F	141°C	Poly White	C\$ 127.45
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
MODEL FP RECESSED PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 37.39
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 37.39
6880050100	WW2	°F	°C		C\$ 195.92
6880100100	WW1	°F	°C		C\$ 581.40



F1FR56-300 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI



F1FR80-300 PENDENT

- K-Factor = 8.0 (115)
- **SIN RA7812**
- See Bulletin 078
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2614					
BG131132S9	F1FR56P0B3N	135°F	57°C	Brass	C\$ 92.93
BG132132S9	F1FR56P0C3N	135°F	57°C	Chrome	C\$ 99.30
BG138732S9	F1FR56P0W3N	135°F	57°C	Poly White	C\$ 107.05
BG151132S9	F1FR56P1B3N	155°F	68°C	Brass	C\$ 92.93
BG152132S9	F1FR56P1C3N	155°F	68°C	Chrome	C\$ 99.30
BG158732S9	F1FR56P1W3N	155°F	68°C	White	C\$ 107.05
BG171132S9	F1FR56P5B3N	175°F	79°C	Brass	C\$ 92.91
BG172132S9	F1FR56P5C3N	175°F	79°C	Chrome	C\$ 99.30
BG178732S9	F1FR56P5W3N	175°F	79°C	Poly White	C\$ 107.05
BG201132S9	F1FR56P2B3N	200°F	93°C	Brass	C\$ 92.93
BG202132S9	F1FR56P2C3N	200°F	93°C	Chrome	C\$ 99.30
BG208732S9	F1FR56P2W3N	200°F	93°C	Poly White	C\$ 107.05
BG281132S9	F1FR56P3B3N	286°F	141°C	Brass	C\$ 92.93
BG282132S9	F1FR56P3C3N	286°F	141°C	Chrome	C\$ 99.30
BG288732S9	F1FR56P3W3N	286°F	141°C	Poly White	C\$ 107.05
MODEL F1FR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5612					
BG131134S8	F1FRP0LB3N	135°F	57°C	Brass	C\$ 116.03
BG132134S8	F1FRP0LC3N	135°F	57°C	Chrome	C\$ 127.71
BG138734S8	F1FRP0LW3N	135°F	57°C	White	C\$ 127.71
BG151134S8	F1FRP1LB3N	155°F	68°C	Brass	C\$ 116.03
BG152134S8	F1FRP1LC3N	155°F	68°C	Chrome	C\$ 127.71
BG158734S8	F1FRP1LW3N	155°F	68°C	White	C\$ 127.71
BG171134S8	F1FRP5LB3N	175°F	79°C	Brass	C\$ 116.03
BG172134S8	F1FRP5LC3N	175°F	79°C	Chrome	C\$ 127.71
BG178734S8	F1FRP5LW3N	175°F	79°C	White	C\$ 127.71
BG201134S8	F1FRP2LB3N	200°F	93°C	Brass	C\$ 127.71
BG202134S8	F1FRP2LC3N	200°F	93°C	Chrome	C\$ 127.71
BG208734S8	F1FRP2LW3N	200°F	93°C	White	C\$ 127.71
BG281134S8	F1FRP3LB3N	286°F	141°C	Brass	C\$ 116.03
BG282134S8	F1FRP3LC3N	286°F	141°C	Chrome	C\$ 127.71
BG288734S8	F1FRP3LW3N	286°F	141°C	White	C\$ 127.71
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100100	WW1	Wrench, W1, Recessed, Concealed	C\$ 581.40



F1FR 56 HSW

- K-Factor = 5.6 (80)
- **SIN RA1435**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1435					
BD131132S9	F1FR56H0BN	135°F	57°C	Brass	C\$ 101.87
BD132132S9	F1FR56H0CN	135°F	57°C	Chrome	C\$ 109.09
BD138732S9	F1FR56H0WN	135°F	57°C	Poly White	C\$ 122.70
BD151132S9	F1FR56H1BN	155°F	68°C	Brass	C\$ 101.87
BD152132S9	F1FR56H1CN	155°F	68°C	Chrome	C\$ 109.09
BD158732S9	F1FR56H1WN	155°F	68°C	Poly White	C\$ 122.70
BD171132S9	F1FR56H5BN	175°F	79°C	Brass	C\$ 101.87
BD172132S9	F1FR56H5CN	175°F	79°C	Chrome	C\$ 109.09
BD178732S9	F1FR56H5WN	175°F	79°C	Poly White	C\$ 122.70
BD201132S9	F1FR56H2BN	200°F	93°C	Brass	C\$ 101.87
BD202132S9	F1FR56H2CN	200°F	93°C	Chrome	C\$ 109.09
BD208732S9	F1FR56H2WN	200°F	93°C	Poly White	C\$ 122.70
BD281132S9	F1FR56H3BN	286°F	141°C	Brass	C\$ 101.87
BD282132S9	F1FR56H3CN	286°F	141°C	Chrome	C\$ 109.09
BD288732S9	F1FR56H3WN	286°F	141°C	Poly White	C\$ 122.70
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100100	WW1	Wrench, W1, Recessed, Concealed			C\$ 581.40



F1FR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 077



F1FR56-300 REC HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 077



SWC56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 077

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA2634					
BD131131S9	F1FR56H0B3N	135°F	57°C	Brass	C\$ 105.95
BD132131S9	F1FR56H0C3N	135°F	57°C	Chrome	C\$ 113.29
BD138731S9	F1FR56H0W3N	135°F	57°C	White	C\$ 127.23
BD151131S9	F1FR56H1B3N	155°F	68°C	Brass	C\$ 105.95
BD152131S9	F1FR56H1C3N	155°F	68°C	Chrome	C\$ 113.29
BD158731S9	F1FR56H1W3N	155°F	68°C	White	C\$ 127.23
BD171131S9	F1FR56H5B3N	175°F	79°C	Brass	C\$ 105.95
BD172131S9	F1FR56H5C3N	175°F	79°C	Chrome	C\$ 113.29
BD178731S9	F1FR56H5W3N	175°F	79°C	White	C\$ 127.23
BD201131S9	F1FR56H2B3N	200°F	93°C	Brass	C\$ 105.95
BD202131S9	F1FR56H2C3N	200°F	93°C	Chrome	C\$ 113.29
BD208731S9	F1FR56H2W3N	200°F	93°C	White	C\$ 127.23
BD281131S9	F1FR56H3B3N	286°F	141°C	Brass	C\$ 105.95
BD282131S9	F1FR56H3C3N	286°F	141°C	Chrome	C\$ 113.29
BD288731S9	F1FR56H3W3N	286°F	141°C	Poly White	C\$ 127.23
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	(15mm)		Chrome	C\$ 37.39
6801417200	FPW	(15mm)		White	C\$ 37.39
MODEL SWC56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2634					
BS131732S9	SWC560N	135°F	57°C	W/O	C\$ 107.51
BS151732S9	SWC561N	155°F	68°C	W/O	C\$ 107.51
MODEL SWC CONCEALED COVERPLATES					
6887131318	CHWNS	135°F	57°C	White	C\$ 62.00
6887131390	CHSPNS	135°F	57°C	Specialty	C\$ 92.96

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100100	WW1	Wrench, W1, Recessed, Concealed	C\$ 581.40



F1FR56 VSW

- K-Factor = 5.6 (80)
- **SIN RA1485**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" RA1485					
BE131132S9	F1FR56V0BN	135°F	57°C	Brass	C\$ 116.48
BE132132S9	F1FR56V0CN	135°F	57°C	Chrome	C\$ 125.86
BE138732S9	F1FR56V0WN	135°F	57°C	White	C\$ 132.34
BE151132S9	F1FR56V1BN	155°F	68°C	Brass	C\$ 116.48
BE152132S9	F1FR56V1CN	155°F	68°C	Chrome	C\$ 125.86
BE158732S9	F1FR56V1WN	155°F	68°C	White	C\$ 132.34
BE171132S9	F1FR56V5BN	175°F	79°C	Brass	C\$ 116.48
BE172132S9	F1FR56V5CN	175°F	79°C	Chrome	C\$ 125.86
BE178732S9	F1FR56V5WN	175°F	79°C	White	C\$ 132.34
BE201132S9	F1FR56V2BN	200°F	93°C	Brass	C\$ 116.48
BE202132S9	F1FR56V2CN	200°F	93°C	Chrome	C\$ 125.86
BE208732S9	F1FR56V2WN	200°F	93°C	White	C\$ 132.34
BE281132S9	F1FR56V3BN	286°F	141°C	Brass	C\$ 116.48
BE282132S9	F1FR56V3CN	286°F	141°C	Chrome	C\$ 125.86
BE288732S9	F1FR56V3WN	286°F	141°C	White	C\$ 132.34
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92



F1FR 56 CONVENTIONAL

- K-Factor = 5.6 (80)
- **SIN RA1475**
- See Bulletin 014



F1FR LO CONVENTIONAL

- K-Factor = 8.0 (115)
- **SIN R3672**
- See Bulletin 136

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 CONVENTIONAL K5.6 (80) THREADS 1/2" (15MM) RA1475					
BC131132S9	F1FR56C0BN	135°F	57°C	Brass	C\$ 88.40
BC132132S9	F1FR56C0CN	135°F	57°C	Chrome	C\$ 94.60
BC138732S9	F1FRC0WN	135°F	57°C	Poly White	C\$ 102.19
BC151132S9	F1FR56C1BN	155°F	68°C	Brass	C\$ 88.40
BC152132S9	F1FR56C1CN	155°F	68°C	Chrome	C\$ 94.60
BC158732S9	F1FR56C1WN	155°F	68°C	Poly White	C\$ 102.19
BC171132S9	F1FR56C5BN	175°F	79°C	Brass	C\$ 88.40
BC172132S9	F1FR56C5CN	175°F	79°C	Chrome	C\$ 94.60
BC178732S9	F1FR56C5WN	175°F	79°C	Poly White	C\$ 102.19
BC201132S9	F1FR56C2BN	200°F	93°C	Brass	C\$ 88.40
BC202132S9	F1FR56C2CN	200°F	93°C	Chrome	C\$ 94.60
BC208732S9	F1FR56C2WN	200°F	93°C	Poly White	C\$ 102.19
BC281132S9	F1FR56C3BN	286°F	141°C	Brass	C\$ 88.40
BC282132S9	F1FR56C3CN	286°F	141°C	Chrome	C\$ 94.60
BC288732S9	F1FR56C3WN	286°F	141°C	Poly White	C\$ 102.19
MODEL F1FR CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) RA3672					
B313113498	F1FRC0LB	135°F	57°C	Brass	C\$ 110.74
B313213498	F1FRC0LC	135°F	57°C	Chrome	C\$ 121.29
B313873498	F1FRC0LW	135°F	57°C	White	C\$ 122.93
B315113498	F1FRC1LB	155°F	68°C	Brass	C\$ 110.74
B315213498	F1FRC1LC	155°F	68°C	Chrome	C\$ 121.29
B315873498	F1FRC1LW	155°F	68°C	White	C\$ 122.93
B317113498	F1FRC5LB	175°F	79°C	Brass	C\$ 110.74
B317213498	F1FRC5LC	175°F	79°C	Chrome	C\$ 121.29
B317873498	F1FRC5LW	175°F	79°C	White	C\$ 122.93
B320113498	F1FRC2LB	200°F	93°C	Brass	C\$ 110.74
B320213498	F1FRC2LC	200°F	93°C	Chrome	C\$ 121.29
B320873498	F1FRC2LW	200°F	93°C	White	C\$ 122.93
B328113498	F1FRC3LB	286°F	141°C	Brass	C\$ 110.74
B328213498	F1FRC3LC	286°F	141°C	Chrome	C\$ 121.29
B328873498	F1FRC3LW	286°F	141°C	White	C\$ 122.93

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW C\$ 195.92



F1FR-56SS UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA6524**
- See Bulletin 065



F1FR-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6522**
- See Bulletin 065



F1FR-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6514**
- See Bulletin 065



F1FR-80SS PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6512**
- See Bulletin 065

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6524					
BA131032R9	F1FR56U0SS	135°F	57°C	Stainless Steel	C\$ 1,075.52
BA151032R9	F1FR56U1SS	155°F	68°C	Stainless Steel	C\$ 1,075.52
BA171032R9	F1FR56U5SS	175°F	79°C	Stainless Steel	C\$ 1,075.52
		°F	°C		C\$ Call
BA281032R9	F1FR56U3SS	286°F	141°C	Stainless Steel	C\$ 1,075.52
MODEL F1FR80-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6522					
B113103498	F1FRU0LSS	135°F	57°C	Stainless Steel	C\$ 1,132.14
B115103498	F1FRU1LSS	155°F	68°C	Stainless Steel	C\$ 1,132.14
B117103498	F1FRU5LSS	175°F	79°C	Stainless Steel	C\$ 1,132.14
B120103498	F1FRU2LSS	200°F	93°C	Stainless Steel	C\$ 1,132.14
B128103498	F1FRU3LSS	286°F	141°C	Stainless Steel	C\$ 1,132.14

6880050100 WW2 Requires Model W2 Sprinkler Wrench C\$ 195.92

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6514					
		°F	°C		C\$ Call
B215103299	F1FR56P1SS	155°F	68°C	Stainless Steel	C\$ 1,075.52
B217103299	F1FR56P5SS	175°F	79°C	Stainless Steel	C\$ 1,075.52
B220103299	F1FR56P2SS	200°F	93°C	Stainless Steel	C\$ 1,075.52
B228103299	F1FR56P3SS	286°F	141°C	Stainless Steel	C\$ 1,075.52
MODEL F1FR80-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6512					
B213103498	F1FRP0LSS	135°F	57°C	Stainless Steel	C\$ 1,132.14
B215103498	F1FRP1LSS	155°F	68°C	Stainless Steel	C\$ 1,132.14
B217103498	F1FRP5LSS	175°F	79°C	Stainless Steel	C\$ 1,132.14
B220103498	F1FRP2LSS	200°F	93°C	Stainless Steel	C\$ 1,132.14
B228103498	F1FRP3LSS	286°F	141°C	Stainless Steel	C\$ 1,132.14
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	C\$ 114.14
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	C\$ 114.14
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800840010	GF2SS	1/2" (15mm)		Stainless Steel	C\$ 114.14
6800880110	GF2LSS	3/4" (20mm)		Stainless Steel	C\$ 114.14
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	C\$ 171.23
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	C\$ 171.23
MODEL B ONE PIECE ESCUTCHEONS					
6800121002	BSS	1/2" (15mm)		Stainless Steel	C\$ 68.52
6800091002	BLSS	3/4" (20mm)		Stainless Steel	C\$ 68.52

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW C\$ 195.92
6880100120 WW4 Wrench, W4, Recessed, Concealed C\$ 581.40



F1FR42 LL PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



F1FR56 LL PENDENT

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014



F1FR56 LL CCP

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR42-LL PENDENT K4.2 (60) ? THREADS ? RA1413					
BB201128P9	FR42P2BLL	200°F	93°C	Brass Low Lead	C\$168.78
BB202128P9	FR42P2CLL	200°F	93°C	Chrome Low Lead	C\$174.04
BB208728P9	FR42P2WLL	200°F	93°C	Poly White Low Lead	C\$194.78
MODEL F1FR56-LL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414					
B2201132P9	FR56P2BLL	200°F	93°C	Brass Low Lead	C\$168.78
B2202132P9	FR56P2CLL	200°F	93°C	Chrome Low Lead	C\$174.04
B2208732P9	FR56P2WLL	200°F	93°C	Poly White Low Lead	C\$194.78
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 37.39
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 37.39

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 581.40

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-LL CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414					
BV201732P9	F1FR56C2LL	200°F	93°C	Brass Low Lead	C\$ 176.88
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161621	CCP1C76	165°F	74°C	Chrome	C\$ 155.36
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 60.55
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$ 101.68

6880100000	WRC	Requires Model RC1 Sprinkler Wrench			C\$ 581.40
------------	-----	-------------------------------------	--	--	------------



KFR56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA3624**
- See Bulletin 036



KFR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3624					
MA161132R9	KFR56U1B	165°F	74°C	Brass	C\$ 88.40
MA162132R9	KFR56U1C	165°F	74°C	Chrome	C\$ 97.40
MA168732R9	KFR56U1W	165°F	74°C	Poly White	C\$105.05
MA211132R9	KFR56U2B	212°F	100°C	Brass	C\$ 88.40
MA212132R9	KFR56U2C	212°F	100°C	Chrome	C\$ 97.40
MA218732R9	KFR56U2W	212°F	100°C	Poly White	C\$105.05
MODEL KFR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3614					
M2161132R9	KFR56P1B	165°F	74°C	Brass	C\$ 88.40
M2162132R9	KFR56P1C	165°F	74°C	Chrome	C\$ 94.60
M2168732R9	KFR56P1W	165°F	74°C	Poly White	C\$102.19
M2211132R9	KFR56P2B	212°F	100°C	Brass	C\$ 88.40
M2212132R9	KFR56P2C	212°F	100°C	Chrome	C\$ 94.60
M2218732R9	KFR56P2W	212°F	100°C	Poly White	C\$102.19
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 37.39
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 37.39
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			C\$ 195.92
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			C\$ 581.40
6880108100	W14	Wrench. W14. With Guard Installed			C\$ 276.00



KFR56-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA3924**
- See Bulletin 039
- 300 PSI



KFR56-300 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA3914**
- See Bulletin 039
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR56-300 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3924					
MF161132R9	KFR56U1B3	165°F	74°C	Brass	C\$ 92.91
MF162132R9	KFR56U1C3	165°F	74°C	Chrome	C\$102.26
MF168732R9	KFR56U1W3	165°F	74°C	Poly White	C\$110.25
MF211132R9	KFR56U2B3	212°F	100°C	Brass	C\$ 92.91
MF212132R9	KFR56U2C3	212°F	100°C	Chrome	C\$102.26
MF218732R9	KFR56U2W3	212°F	100°C	Poly White	C\$110.25
MODEL KFR56-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3914					
MG161132R9	KFR56P1B3	165°F	74°C	Brass	C\$ 92.93
MG162132R9	KFR56P1C3	165°F	74°C	Chrome	C\$ 99.30
MG168732R9	KFR56P1W3	165°F	74°C	Poly White	C\$107.05
MG211132R9	KFRP562B3	212°F	100°C	Brass	C\$ 92.93
MG212132R9	KFR56P2C3	212°F	100°C	Chrome	C\$ 99.30
MG218732R9	KFR56P2W3	212°F	100°C	Poly White	C\$107.05
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 37.39
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 37.39

6880050100	WW2	WRENCH, W2 (PENDENT, UPRIGHT, HSW)	C\$ 195.92
6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)	C\$ 581.40
6880108100	W14	Wrench, W14, With Guard Installed	C\$ 276.00



KFR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA3934**
- See Bulletin 039

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3934					
MD161131R9	KFR56H1B3	165°F	74°C	Brass	C\$105.95
MD162131R9	KFR56H1C3	165°F	74°C	Chrome	C\$113.29
MD168731R9	KFRH1W3	165°F	74°C	Poly White	C\$127.23
MD211131R9	KFR56H2B3	212°F	100°C	Brass	C\$105.95
MD212131R9	KFR56H2C3	212°F	100°C	Chrome	C\$113.29
MD218731R9	KFR56H2W3	212°F	100°C	Poly White	C\$127.23
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 37.39
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 37.39
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			C\$ 195.92
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			C\$ 581.40
6880108100	W14	°F	°C		C\$276.00



MODEL CCP

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR56-300 CCP K5.6 (80) THREADS 1/2" (15MM) RA3914					
MP161732R9	KFR56C13	165°F	74°C	Brass	C\$ 75.16
MP211732R9	KFR56C23	212°F	100°C	Brass	C\$ 75.16
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$155.36
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 60.55
6887161390	CCP0SP76	135°F	57°C	Specialty	C\$101.68
6887161621	CCP1C76	165°F	74°C	Chrome	C\$155.36
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 60.55
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$101.68
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			C\$ 581.40
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			C\$ 195.92



KFR56 HSW

- K-Factor = 5.6 (80)
- **SIN RA3634**
- See Bulletin 036



KFR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3634					
MD161132R9	KFR56H1B	165°F	74°C	Brass	C\$101.87
MD162132R9	KFR56H1C	165°F	74°C	Chrome	C\$109.09
MD168732R9	KFR56H1W	165°F	74°C	Poly White	C\$122.70
MD211132R9	KFR56H2B	212°F	100°C	Brass	C\$101.87
MD212132R9	KFR56H2C	212°F	100°C	Chrome	C\$109.09
MD218732R9	KFR56H2W	212°F	100°C	Poly White	C\$122.70
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 37.39
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 37.39

6880050100	WW2	WRENCH, W2 (PENDENT, UPRIGHT, HSW)			C\$ 195.92
6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)			C\$ 581.40
6880108100	W14	Wrench, W14, With Guard Installed			C\$ 276.00

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR56 CCP K5.6 (80) THREADS 1/2" (15MM) RA3614					
MM161732R9	KFR56C1	165°F	74°C	Brass	C\$ 71.27
MM211732R9	KFR56C2	212°F	100°C	Brass	C\$ 71.27
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$155.36
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 60.55
6887161390	CCP0SP76	135°F	57°C	Specialty	C\$101.68
6887161621	CCP1C76	165°F	74°C	Chrome	C\$155.36
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 60.55
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$101.68

6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)			C\$ 581.40
------------	-----	---	--	--	------------



KFR80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA5422**
- See Bulletin 054



KFR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN RA5412**
- See Bulletin 054

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA5422					
MA16113498	KFR80U1B	165°F	74°C	Brass	C\$ 107.51
MA16213498	KFR80U1C	165°F	74°C	Chrome	C\$ 121.29
MA16873498	KFR80U1W	165°F	74°C	Poly White	C\$ 124.08
MA21113498	KFR80U2B	212°F	100°C	Brass	C\$ 107.51
MA21213498	KFR80U2C	212°F	100°C	Chrome	C\$ 121.29
MA21873498	KFR80U2W	212°F	100°C	Poly White	C\$ 124.08
MODEL KFR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) RA5412					
M216113498	KFR80P1B	165°F	74°C	Brass	C\$ 110.74
M216213498	KFR80P1C	165°F	74°C	Chrome	C\$ 121.29
M216873498	KFR80P1W	165°F	74°C	Poly White	C\$ 122.93
M221113498	KFR80P2B	212°F	100°C	Brass	C\$ 110.74
M221213498	KFR80P2C	212°F	100°C	Chrome	C\$ 121.29
M221873498	KFR80P2W	212°F	100°C	Poly White	C\$ 122.93
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100100	WW1	Recessed Use Model GFR2 Sprinkler Wrench			C\$ 581.40
6880108100	W14	Wrench, W14, With Guard Installed			C\$ 276.00
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801402100	FPLC	3/4" (20mm)		Chrome	C\$ 37.39
6801407200	FPLW	3/4" (20mm)		White	C\$ 37.39



GFR UPRIGHT

- K5.6 = SIN R3125
- K8.0 = SIN R3127
- K2.8 = SIN R3121
- K4.2 = SIN R3123
- K4.2/10mm = SIN R3124
- See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R3125					
0116113299	GFRUB	165°F	74°C	Brass	C\$ 127.35
0116213299	GFRUC	165°F	74°C	Chrome	C\$ 139.82
0121113299	GFRU2B	212°F	100°C	Brass	C\$ 127.35
0121213299	GFRU2C	212°F	100°C	Chrome	C\$ 139.82
MODEL GFR UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3127					
0116113498	GFRULB	165°F	74°C	Brass	C\$ 158.48
0116213498	GFRULC	165°F	74°C	Chrome	C\$ 178.84
MODEL GFR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R3121					
0116112499	GFRU3B	165°F	74°C	Brass	C\$ 159.01
0116212499	GFRU3C	165°F	74°C	Chrome	C\$ 184.32
MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R3123					
0116112899	GFRU7B	165°F	74°C	Brass	C\$ 159.01
0116212899	GFRU7C	165°F	74°C	Chrome	C\$ 184.32
MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (10MM) R3124					
0116212496	GFRUCMM	165°F	74°C	Chrome	C\$ 155.52
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92

* Please note that all of the GFR's are offered in 212°F



GFR PENDENT

- K5.6 = SIN R3115
- K8.0 = SIN R3117
- K2.8 = SIN R3111
- K4.2 = SIN R3113
- See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR PENDENT K5.6 (80) THREADS 1/2" (15MM) R3115					
0216113299	GFRPB	165°F	74°C	Brass	C\$ 127.35
0216213299	GFRPC	165°F	74°C	Chrome	C\$ 139.82
0221113299	GFRP2B	212°F	100°C	Brass	C\$ 127.35
0221213299	GFRP2C	212°F	100°C	Chrome	C\$ 139.82
MODEL GFR PENDENT K8.0 (115) THREADS 3/4" (20MM) R3117					
0216113498	GFRPLB	165°F	74°C	Brass	C\$ 158.48
0216213498	GFRPLC	165°F	74°C	Chrome	C\$ 178.84
MODEL GFR PENDENT K2.8 (40) THREADS 1/2" (10MM) R3111					
0216112499	GFRP3B	165°F	74°C	Brass	C\$ 157.13
0216212499	GFRP3C	165°F	74°C	Chrome	C\$ 177.38
MODEL GFR PENDENT K4.2 (60) THREADS 1/2" (10MM) R3113					
0216112899	GFRP7B	165°F	74°C	Brass	C\$ 157.13
0216212899	GFRP7C	165°F	74°C	Chrome	C\$ 177.38
10MM THREADS					
0216112496	GFRPBMM	165°F	74°C	Brass	C\$ 138.23
0216212496	GFRPCMM	165°F	74°C	Chrome	C\$ 155.52



GFR HSW

- K5.6 = SIN R3135
- K8.0 = SIN R3137
- K2.8 = SIN R3131
- K4.2 = SIN R3133
- See Bulletin 131

* Also available in 212°F

MODEL GFR HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R3135					
0416113299	GFRHB	165°F	74°C	Brass	C\$ 139.82
0416213299	GFRHC	165°F	74°C	Chrome	C\$ 152.21
0421113299	GFRH2B	212°F	100°C	Brass	C\$ 139.82
0421213299	GFRH2C	212°F	100°C	Chrome	C\$ 152.21
MODEL GFR HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R3137					
0416113498	GFRHLB	165°F	74°C	Brass	C\$ 144.90
0416213498	GFRHLC	165°F	74°C	Chrome	C\$ 163.30
0421113498	GFRH2LB	212°F	100°C	Brass	C\$ 144.90
0421213498	GFRH2LC	212°F	100°C	Chrome	C\$ 144.90
MODEL GFR HORIZONTAL K2.8 (40) THREADS 1/2" (10MM) R3131					
0416112499	GFRH3B	165°F	74°C	Brass	C\$ 165.17
0416212499	GFRH3C	165°F	74°C	Chrome	C\$ 177.38
MODEL GFR HORIZONTAL K4.2 (60) THREADS 1/2" (10MM) R3133					
0416112899	GFRH7B	165°F	74°C	Brass	C\$ 165.17
0416212899	GFRH7C	165°F	74°C	Chrome	C\$ 177.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40



G5-80

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

G5-56

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

G5-42

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

G5-28

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034
- Sprinklers and Covers packaged and sold separately

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412					
1916173498	G5801B	165°F	74°C	W/O	C\$126.32
1921173498	G5802B	212°F	100°C	W/O	C\$126.32
MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417					
1916173497	G5801BFM	165°F	74°C	W/O	C\$133.26
1921173497	G5802BFM	212°F	100°C	W/O	C\$133.26
MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417					
1916173494	G5801MFM	165°F	74°C	W/O	C\$133.26
1921173494	G5802MFM	212°F	100°C	W/O	C\$133.26
MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415					
1916173299	G51B	165°F	74°C	W/O	C\$101.87
1921173299	G52B	212°F	100°C	W/O	C\$101.87
MODEL G5-42 CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA3413					
1916172899	G5421B	165°F	74°C	W/O	C\$126.32
1921172899	G5422B	212°F	100°C	W/O	C\$126.32
MODEL G5-28 CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411					
1916172499	G5281B	165°F	74°C	W/O	C\$126.32
1921172499	G5282B	212°F	100°C	W/O	C\$126.32
MODEL G5 COVERPLATES					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.58
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 93.53
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 89.19
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 89.31
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$113.22
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$113.22
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$113.22
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 65.58
6887271621	CG51C	165°F	74°C	Chrome	C\$ 71.96
6887271672	CG51W	165°F	74°C	White	C\$ 65.58
6887271611	CG51B	165°F	74°C	Finished Bronze	C\$ 93.53
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 89.19
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 92.77
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 89.31
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$113.22
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$113.22
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$113.22
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 65.58

6880170020	WFC	WRENCH,FC,CONCEALED	C\$ 584.51
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	C\$ 584.51

Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



G6-56 HSW QR

- K-Factor = 5.6 (80)
- **SIN RA5035**
- See Bulletin 050

Part Number	Short Code	Temperature		Finish	List Price
MODEL G6-56 HSW CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5035					
2116173299	G6H1B	165°F	74°C	W/O	C\$ 204.36
MODEL G6 COVERPLATES					
6887211311	CG60B	135°F	57°C	Finished Bronze	C\$ 94.90
6887211321	CG60C	135°F	57°C	Chrome	C\$ 65.58
6887211372	CG60W	135°F	57°C	White	C\$ 65.58
6887211390	CG60SP	135°F	57°C	Specialty	C\$ 98.95
6880101010	WG6	Requires Model G6 Sprinkler Wrench			C\$ 579.13

Notes:

Sprinkler and coverplates sold and packaged separately



G5-80 QR "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

G5-56 QR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

G5-42 QR "Sealing" Concealed

- K-Factor = 4.2(60)
- **SIN RA3413**
- See Bulletin 034

G5-28 QR "Sealing" Concealed

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412					
1916173498	G5801B	165°F	74°C	W/O	C\$ 126.32
1921173498	G5802B	212°F	100°C	W/O	C\$ 126.32
MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415					
1916173299	G51B	165°F	74°C	W/O	C\$ 101.87
1921173299	G52B	212°F	100°C	W/O	C\$ 101.87
MODEL G5-42 CONCEALED K4.2 (60) THREADS 7/16" (10MM) RA3413					
1916172899	G5421B	165°F	74°C	W/O	C\$ 126.32
1921172899	G5422B	212°F	100°C	W/O	C\$ 126.32
MODEL G5-28 CONCEALED K2.8 (40) THREADS 3/8" (10MM) RA3411					
1916172499	G5281B	165°F	74°C	W/O	C\$ 126.32
1921172499	G5282B	212°F	100°C	W/O	C\$ 126.32
MODEL G5 SEALING CONCEALED COVERPLATE					
6887201372	CG5S0W	135°F	57°C	White	C\$ 167.74
6887201672	CG5S1W	165°F	74°C	White	C\$ 167.74
6887201310	CG5S0SS	135°F	57°C	Stainless Steel	C\$ 181.17
6887201610	CG5S1SS	165°F	74°C	Stainless Steel	C\$ 181.17
6880170020	WFC	Requires Model FC Wrench			C\$ 584.51

Notes:

Sprinkler and coverplates sold separately



G5-56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014 300 PSI					
2016173299	G51B3	165°F	74°C	W/O	C\$ 107.66
MODEL G5 SEALING CONCEALED COVERPLATE REQUIRED					
6887201372	CG5S0W	135°F	57°C	White	C\$ 167.74
6887201672	CG5S1W	165°F	74°C	White	C\$ 167.74
6887201310	CG5S0SS	135°F	57°C	Stainless Steel	C\$ 181.17
6887201610	CG5S1SS	165°F	74°C	Stainless Steel	C\$ 181.17

6880170020	WFC	Requires Model FC Wrench	C\$ 584.51
------------	-----	--------------------------	------------



G5-56 300 QR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034
- **300 PSI**



G5-56 300 Concealer

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-56 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014					
2016173299	G51B3	165°F	74°C	W/O	C\$ 107.66
MODEL G5 COVERPLATES					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.58
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 93.53
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 89.19
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 89.31
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 113.22
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 113.22
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 113.22
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 65.58
6887271621	CG51C	165°F	74°C	Chrome	C\$ 71.96
6887271672	CG51W	165°F	74°C	White	C\$ 65.58
6887271611	CG51B	165°F	74°C	Finished Bronze	C\$ 93.53
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 89.19
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 92.77
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 89.31
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$ 113.22
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$ 113.22
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$ 113.22
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 65.58
6880170020	WFC	Requires Model FC Wrench			C\$ 584.51



F1FR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

F1FR56-300/CCP

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414					
BV131732S9	F1FR56C0N	135°F	57°C	Brass	C\$ 71.27
BV151732S9	F1FR56C1N	155°F	68°C	Brass	C\$ 71.27
BV171732S9	F1FR56C5N	175°F	79°C	Brass	C\$ 71.27
BV201732S9	F1FR56C2N	200°F	93°C	Brass	C\$ 71.27
MODEL F1FR56-300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2614					
BP131732S9	F1FR56C03N	135°F	57°C	Brass	C\$ 75.16
BP151732S9	F1FR56C13N	155°F	68°C	Brass	C\$ 75.16
BP171732S9	F1FR56C53N	175°F	79°C	Brass	C\$ 75.16
BP201732S9	F1FR56C23N	200°F	93°C	Brass	C\$ 75.16
MODEL CCP COVERPLATES (1/2" ADJ)					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$ 155.36
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 60.55
6887161390	CCP0SP76	135°F	57°C	Specialty	C\$ 101.68
6887161621	CCP1C76	165°F	74°C	Chrome	C\$ 155.36
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 60.55
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$ 101.68
6880100100	WW1	Wrench, W1, Recessed, Concealed			C\$ 581.40

Notes:

Sprinklers and coverplates sold and packaged separately



XL Commercial

- K-Factor = 5.6 (80)
- Pendent = SIN R4514
- HSW = SIN R4534
- See Bulletin 145

Part Number	Short Code	Temperature		Finish	List Price
MODEL XL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA4514					
1212213299	XLQRPC	165°F	74°C	Chrome	C\$279.05
1212723299	XLQRPW	165°F	74°C	White	C\$279.05
MODEL XL HORIZONTAL K5.6 (80) THREADS 1'2" (15MM) RA4534					
1352213299	XLQRHC	165°F	74°C	Chrome	C\$346.43
1352723299	XLQRHW	165°F	74°C	White	C\$346.43
REQUIRED ESCUTCHEONS FOR MODEL XL FLAT					
6801210000	ZXFPC			Chrome	C\$ 54.21
6801220000	ZXFPW			White	C\$ 54.21
REQUIRED ESCUTCHEONS FOR MODEL XL HSW					
6801120000	ZXCHC			Chrome	C\$ 54.21
6801140000	ZXCHW			White	C\$ 54.21

6880160000	WZXP	Requires Model ZX (Pendent) Sprinkler Wrench	C\$ 579.13
6880160010	WZXH	Requires Model ZX (Horizontal) Sprinkler Wrench	C\$ 579.13