



JL-14 ESFR

- K-Factor = 14 (200)
- **SIN RA1812**
- See Bulletin 018

Part Number	Short Code	Temperature	Finish	List Price
MODEL JL-14 ESFR K14.0 (200) THREADS 3/4" (20MM) RA1812				
DB16114298	JL141B	165°F	74°C	Brass \$ 149.97
DB21114298	JL142B	212°F	100°C	Brass \$ 149.97

6880090000 WJ1 Requires Model J1 Sprinkler Wrench \$ 179.42

MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS				
88709003	S3SHIELD	MODEL S-3 SHIELD,3.75,3/4-14NPS, GALV	GALV	\$ 18.13



JL-17 ESFR

- K-Factor = 16.8 (240)
- **SIN RA1914**
- See Bulletin 019

Part Number	Short Code	Temperature	Finish	List Price
MODEL JL-17 ESFR K16.8 (240) THREADS 3/4" (20MM) RA1914				
DB16114998	JL171B	165°F	74°C	Brass \$ 81.48
DB21114998	JL172B	212°F	100°C	Brass \$ 81.48

6880090000 WJ1 Requires Model J1 Sprinkler Wrench \$ 179.42

MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS				
88709003	S3SHIELD	MODEL S-3 SHIELD,3.75,3/4-14NPS, GALV	GALV	\$ 18.13



P22 ESFR

- K Factor 22.0
- **SIN # R601**
- See Bulletin 069

Part Number	Short Code	Temperature	Finish	List Price
MODEL P22, ESFR, PENDENT, K22, THREADS 1" (25MM) THREADED				
DB16115491	P221	165°F74°C	Brass	\$ 204.07
DB21115491	P222	212°F100°C	Brass	\$ 204.07
MODEL P22, ESFR, PENDENT, K22, BSPT THREADS 1" INTERNATIONAL ONLY				
DB16115493	P221M	165°F74°C	Brass	\$ 204.07
DB21115493	P222M	212°F100°C	Brass	\$ 204.07
MODEL D14 GUARD KIT				
6802622514	GD14	D14,GUARD KIT,ZINC,SP,FM P22/P25	Zinc	\$ 47.39



P25 ESFR

- K Factor 25.2
- **SIN # R602**
- See Bulletin 070

Part Number	Short Code	Temperature		Finish	List Price
MODEL P25, ESFR PENDENT, K25, THREADS 1" (25MM) THREADED					
DB16115971	P251N	165°F	74°C	Brass	\$ 204.07
DB21115971	P252N	212°F	100°C	Brass	\$ 204.07
MODEL P25, ESFR, PENDENT, K25, BSPT THREADS 1" INTERNATIONAL ONLY					
DB16115993	P251M	165°F	74°C	Brass	\$ 204.07
DB21115993	P252M	212°F	100°C	Brass	\$ 204.07
MODEL D14 GUARD KIT					
6802622514	GD14	D14, GUARD KIT, ZINC, SP, FM P22/P25		Zinc	\$ 47.39
6880108300	W16	WRENCH, W16			\$ 179.42
6880050105	WW5	°F	°C		\$ 179.42
P25, ESFR, P-I/GUARD					
					\$ Call



N28T3

- K Factor 28.0
- Sin # R604
- Bulletin 082



N28T6

- K Factor 28.0
- Sin # R603
- Bulletin 082

Part Number	Short Code	Temperature		Finish	List Price
MODEL N28T3,PENDENT, 212, K28, NPT THREADS, 1" (25MM) R604					
DB21116691	N28T3	212°F	100°C	Brass	\$ 457.07
MODEL N28T3,PENDENT,212,K28, BSPT THREADS,1" (25MM) R604					
DB21116693	N28T3M	212°F	100°C	Brass	\$ 457.07
MODEL N28T6,PENDENT,212,K28,NPT THREADS,1" (25MM) R603					
DB21116591	N28T6	212°F	100°C	Brass	\$ 205.80
MODEL N28T6,PENDENT,212,K28,BSPT THREADS,1" (25MM) R603					
DB21116593	N28T6M	212°F	100°C	Brass	\$ 205.80
6880050105	WW5	WRENCH.W5.HL-22.N25.N252.TNL280.P22/25			\$ 179.42



GXLO UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R2921 = Upright**
- See Bulletin 129



GXLO PENDENT

- K-Factor = 11.2 (160)
- **SIN R2916=Pendent**
- See Bulletin 129



GXLO INTERMEDIATE

- K-Factor = 11.2 (160)
- **SIN R2921 = Upright**
- See Bulletin 129

Part Number	Short Code	Temperature		Finish	List Price
MODEL GXLO UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R2921					
1716114098	GUX1LB	165°F	74°C	Brass	\$ 82.23
1716214098	GUX1LC	165°F	74°C	Chrome	\$ 119.28
1721114098	GUX2LB	212°F	100°C	Brass	\$ 82.23
1721214098	GUX2LC	212°F	100°C	Chrome	\$ 119.28
1728114098	GUX3LB	286°F	141°C	Brass	\$ 82.23
1728214098	GUX3LC	286°F	141°C	Chrome	\$ 119.28
MODEL GXLO UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R2921					
1716114095	GUX1LBM	165°F	74°C	Brass	\$ 82.23
1721114095	GUX2LBM	212°F	100°C	Brass	\$ 82.23
1728114095	GUX3LBM	286°F	141°C	Brass	\$ 82.23
MODEL GXLO UPRIGHT K11.2 (160) THREADS 1/2" (15MM) R2921 RETROFIT					
5116113799	GUX1B	165°F	74°C	Brass	\$ 127.09
5116213799	GUX1C	165°F	74°C	Chrome	\$ 132.52
5121113799	GUX2B	212°F	100°C	Brass	\$ 127.09
5121213799	GUX2C	212°F	100°C	Chrome	\$ 132.52
5128113799	GUX3B	286°F	141°C	Brass	\$ 127.09
5128213799	GUX3C	286°F	141°C	Chrome	\$ 132.52
MODEL GXLO PENDENT K11.2 (160) THREADS 3/4" (20MM) R2916					
5216114198	GPX1LB	165°F	74°C	Brass	\$ 82.23
5221114198	GPX2LB	212°F	100°C	Brass	\$ 82.23
5228114198	GPX3LB	286°F	141°C	Brass	\$ 82.23
MODEL GXLO PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R2916					
5216114195	GPX1LBM	165°F	74°C	Brass	\$ 82.23
5221114195	GPX2LBM	212°F	100°C	Brass	\$ 82.23
5228114195	GPX3LBM	286°F	141°C	Brass	\$ 82.23
MODEL GXLO INTERMEDIATE UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R2921					
1716114298	GUXI1LB	165°F	74°C	Brass	\$ 146.65
1721114298	GUXI2LB	212°F	100°C	Brass	\$ 146.65
1728114298	GUXI3LB	286°F	141°C	Brass	\$ 146.65
MODEL GXLO INTERMEDIATE UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R2921					
1716114295	GUXI1LBM	165°F	74°C	Brass	\$ 146.65
1721114295	GUXI2LBM	212°F	100°C	Brass	\$ 146.65
1728114295	GUXI3LBM	286°F	141°C	Brass	\$ 146.65
6880070000	WH	Requires Model H Sprinkler Wrench			\$ 179.42
MODEL S2 SHIELD					
88709002	S2SHIELD	MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV		GALV	\$ 18.13

Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model JV wrench is required.



J168

- K-Factor = 16.8 (240)
- **SIN RA1124**
- See Bulletin 011

Part Number	Short Code		Temperature		Finish	List Price
MODEL J168 UPRIGHT K16.8 (240) THREADS 3/4" (20MM) RA1124						
L3A2114998	J1681	Area Density	165°F	74°C	Brass	\$ 84.29
L3A4114998	J1682	Area Density	212°F	100°C	Brass	\$ 84.29
L3A5114998	J1683	Area Density	286°F	141°C	Brass	\$ 84.29

6880090000

WJ1

Requires Model J1 Sprinkler Wrench \$ 179.42



N252 EC

- K-Factor = 25.2 (360)
- **SIN RA0842**
- See Bulletins 008 & 908

Part Number	Short Code	Temperature		Finish	List Price
MODEL N252 EC PENDENT K25.2 (360) THREADS 1" (25MM) RA0842					
DB16116491	EC251B	165°F	74°C	Brass	\$ 198.24
DB16216491	EC251C	165°F	74°C	Chrome	\$ 204.06
DB16876491	EC251W	165°F	74°C	Poly White	\$ 204.06
DB21116491	EC252B	212°F	100°C	Brass	\$ 198.24
DB21216491	EC252C	212°F	100°C	Chrome	\$ 204.06
DB21876491	EC252W	212°F	100°C	Poly White	\$ 204.06
MODEL FP RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801422100	FPCK	1" (25mm)		Chrome	\$ 28.79
6801427200	FPWK	1" (25mm)		White	\$ 28.79

6880170030

WN

For recessed Use Model N Wrench

\$ 445.93


6880050105

WW5

WRENCH,W5,HL-22,N25,N252,TNL280,P22/25

\$ 179.42

MODEL 25 SPRINKLER GUARD					
6802641425	G25	25, GUARD, SP, 1, FM, ZINC		Zinc	\$ 47.39



LB11 HSW

- K-Factor =11.2
- **SIN R505**
- See Bulletins 083

Part Number	Short Code		Temperature	Finish	List Price
MODEL LB11 HORIZONTAL SIDEWALL K11.2 (160) NPT THREADS,3/4" (20MM) R505					
L421114198	LB112		212°F100°C	Brass	\$ 588.50
MODEL LB11 HORIZONTAL SIDEWALL K11.2 (160) BSPT THREADS,3/4 (20MM) R505					
L421114195	LB112M		212°F100°C	Brass	\$ 588.50
6880090000	WJ1		WRENCH,J1,SPKR J112,J14,J17,ZINC.		\$ 179.42



GL 112 UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R3226 = Upright**
- See Bulletin 132



GL 112 PENDENT

- K-Factor = 11.2 (160)
- **SIN R3216**
- See Bulletin 132



GL 112 INTERMEDIATE UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R3226**
- See Bulletin 132



G VELO PEND

- K-Factor = 14.0 (200)
- **SIN R4613**
- See Bulletin 146

Part Number	Short Code	Temperature		Finish	List Price
MODEL GL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R3226					
0116114098	GL112U1B	165°F	74°C	Brass	\$ 93.59
0121114098	GL112U2B	212°F	100°C	Brass	\$ 93.59
MODEL GL112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226					
0116114095	GL112U1BM	165°F	74°C	Brass	\$ 93.59
0121114095	GL112U2BM	212°F	100°C	Brass	\$ 93.59
MODEL GL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R3216					
0216114098	GL112P1B	165°F	74°C	Brass	\$ 93.59
0221114098	GL112P2B	212°F	100°C	Brass	\$ 93.59
MODEL GL112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R3216					
0216114095	GL112P1BM	165°F	74°C	Brass	\$ 93.59
0221114095	GL112P2BM	212°F	100°C	Brass	\$ 93.59
MODEL GL112 INTERMEDIATE UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R3226					
0116114298	GL112UI1B	165°F	74°C	Brass	\$ 146.65
0121114298	GL112UI2B	212°F	100°C	Brass	\$ 146.65
MODEL GL112 INTERMEDIATE UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226					
0116114295	GL112UI1BM	165°F	74°C	Brass	\$ 146.65
0121114295	GL112UI2BM	212°F	100°C	Brass	\$ 146.65
MODEL S-2 WATER SHIELD					
88709002	S2SHIELD	MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV		GALV	\$ 18.13


6880070000 WH WRENCH,H,XLO/GL112,BLUE \$ 179.42

Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model JV wrench is required.

Part Number	Short Code	Temperature		Finish	List Price
MODEL G VELO PENDENT K14.0 (200) THREADS 3/4" (20MM) R4613					
5216114398	GPV1B	165°F	74°C	Brass	\$ 87.10
5216214398	GPV1C	165°F	74°C	Chrome	\$ 121.53
5221114398	GPV2B	212°F	100°C	Brass	\$ 87.10
5221214398	GPV2C	212°F	100°C	Chrome	\$ 121.53
5228114398	GPV3B	286°F	141°C	Brass	\$ 87.10
5228214398	GPV3C	286°F	141°C	Chrome	\$ 121.53

6880070000 WH Requires Model H Sprinkler Wrench \$ 179.42




GSR112 Upright

- K-Factor = 11.2
- **SIN R608 = Upright**
- See Bulletin 080



GSR112 Pendent

- K-Factor = 11.2 (160)
- **SIN R607**
- See Bulletin 80



GSR112 Intermediate Upright


- K-Factor = 11.2 (160)
- **SIN R608**
- See Bulletin 80

Part Number	Short Code	Temperature		Finish	List Price
MODEL GSR112 UPRIGHT K11.2 (160) NPT THREADS 3/4" (20MM) R608					
1A15114298		155°F	68°C	Brass	\$ 93.59
1A20114298		200°F	93°C	Brass	\$ 93.59
MODEL GSR112 PENDENT K11.2 (160) NPT THREADS 3/4" (20MM) R607					
1B15114298		155°F	68°C	Brass	\$ 93.59
1B20114298		200°F	93°C	Brass	\$ 93.59
MODEL GSR112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R608					
1A15114295		155°F	68°C	Brass	\$ 93.59
1A20114295		200°F	93°C	Brass	\$ 93.59
MODEL GSR112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R607					
1B15114295		155°F	68°C	Brass	\$ 93.59
1B20114295		200°F	93°C	Brass	\$ 93.59
MODEL GSR112 INTERMEDIATE UPRIGHT K11.2 NPT THREADS 3/4" (20MM) R608					
1A15114498		155°F	68°C	Brass	\$ 146.65
1A20114498		200°F	93°C	Brass	\$ 146.65
MODEL GSR112 INTERMEDIATE UPRIGHT K11.2 BSPT THREADS 3/4" (20MM) R608					
1A15114495		155°F	68°C	Brass	\$ 146.65
1A20114495		200°F	93°C	Brass	\$ 146.65
MODEL S-2 WATER SHIELD					
88709002	S2SHIELD	MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV		GALV	\$ 18.13

6880070000	WH	WRENCH, H, XLO/GL112, BLUE	\$ 179.42
6880108200	W15	WRENCH, W15 (USE WITH GUARD)	\$ 212.52

Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
 2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
 3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model W15 wrench is required.
- ***We also have ENT and Chrome finish available upon request



GQR112 Upright

- K-Factor = 11.2
- **SIN R606 = Upright**
- See Bulletin 081



GQR112 Pendent

- K-Factor = 11.2 (160)
- **SIN R605**
- See Bulletin 81



GQR112 Intermediate Upright

- K-Factor = 11.2 (160)
- **SIN R606**
- See Bulletin 81

Part Number	Short Code	Temperature		Finish	List Price
MODEL GQR112 UPRIGHT K11.2 (160) NPT THREADS 3/4" (20MM) R606					
1C15114298		155°F	68°C	Brass	\$ 93.59
1C20114298		200°F	93°C	Brass	\$ 93.59
1C28114298		286°F	141°C	Brass	\$ 93.59
MODEL GQR112 PENDENT K11.2 (160) NPT THREADS 3/4" (20MM) R605					
1D15114298		155°F	68°C	Brass	\$ 93.59
1D20114298		200°F	93°C	Brass	\$ 93.59
1D28114298		286°F	141°C	Brass	\$ 93.59
MODEL GQR112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R606					
1C15114295		155°F	68°C	Brass	\$ 93.59
1C20114295		200°F	93°C	Brass	\$ 93.59
1C28114295		286°F	141°C	Brass	\$ 93.59
MODEL GQR112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R605					
1D15114295		155°F	68°C	Brass	\$ 93.59
1D20114295		200°F	93°C	Brass	\$ 93.59
1D28114295		286°F	141°C	Brass	\$ 93.59
MODEL GQR112 INTERMEDIATE UPRIGHT K11.2 NPT THREADS 3/4" (20MM) R606					
1C15114498		155°F	68°C	Brass	\$ 146.65
1C20114498		200°F	93°C	Brass	\$ 146.65
1C28114498		286°F	141°C	Brass	\$ 146.65
MODEL GQR112 INTERMEDIATE UPRIGHT K11.2 BSPT THREADS 3/4" (20MM) R606					
1C15114495		155°F	68°C	Brass	\$ 146.65
1C20114495		200°F	93°C	Brass	\$ 146.65
1C28114495		286°F	141°C	Brass	\$ 146.65
MODEL S-2 WATER SHIELD					
88709002	S2SHIELD	MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV		GALV	\$ 18.13
6880070000	WH	WRENCH,H,XLO/GL112,BLUE			\$ 179.42
6880108200	W15	WRENCH,W15 (USE WITH GUARD)			\$ 212.52

Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
 2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
 3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model W15 wrench is required.
- ***We also have ENT and Chrome finish available upon request



F1FR56 INTERMEDIATE

- K-Factor = 5.6 (80)
- Upright = SIN RA3195
- Pendent = SIN RA1414
- See Bulletin 031



F1FR INTERMEDIATE

- K-Factor = 8.0 (115)
- Upright = SIN RA6322
- Pendent = SIN RA6312
- See Bulletin 063

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3195					
BA131142R9	F1FR56UI0B	135°F	57°C	Brass	\$ 112.01
BA151142S9	F1FR56UI1BN	155°F	68°C	Brass	\$ 112.01
BA171142R9	F1FR56UI5B	175°F	79°C	Brass	\$ 112.01
BA201142R9	F1FR56UI2B	200°F	93°C	Brass	\$ 112.01
		°F	°C		\$ Call
MODEL F1FR INTERMEDIATE K8.0 (115) THREADS 3/4" (20MM) R7092					
BA15114298	F1FRUI1LB	155°F	68°C	Brass	\$ 116.68

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414					
B213114299	F1FR56PI0B	135°F	57°C	Brass	\$ 112.01
B2151142S9	F1FR56PI1BN	155°F	68°C	Brass	\$ 112.01
B217114299	F1FR56PI5B	175°F	79°C	Brass	\$ 112.01
B220114299	F1FR56PI2B	200°F	93°C	Brass	\$ 112.01
B228114299	F1FR56PI3B	286°F	141°C	Brass	\$ 112.01
MODEL F1FR INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R3612					
BB13114298	F1FRPI0LB	135°F	57°C	Brass	\$ 116.68
BB15114298	F1FRPI1LB	155°F	68°C	Brass	\$ 116.68
BB17114298	F1FRPI5LB	175°F	79°C	Brass	\$ 116.68
BB20114298	F1FRPI2LB	200°F	93°C	Brass	\$ 116.68
BB28114298	F1FRPI3LB	286°F	141°C	Brass	\$ 116.68

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 150.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	\$ 447.68



F156 INTERMEDIATE

- K-Factor = 5.6 (80)
- Upright = SIN RA RA1325
- Pendent = SIN RA1314
- See Bulletin 071

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3125					
		°F	°C		\$ Call
AA151142S9	F56UI1BN	155°F	68°C	Brass	\$ 59.85
AA171142S9	F56UI5BN	175°F	79°C	Brass	\$ 59.85
AA201142S9	F56UI2BN	200°F	93°C	Brass	\$ 59.85
AA281142R9	F56UI3B	286°F	141°C	Brass	\$ 59.85
		°F	°C		\$ Call
MODEL F156 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314					
A213114299	F56PI0B	135°F	57°C	Brass	\$ 59.85
A215114299	F56PI1B	155°F	68°C	Brass	\$ 59.85
A217114299	F56PI5B	175°F	79°C	Brass	\$ 59.85
A220114299	F56PI2B	200°F	93°C	Brass	\$ 59.85
A228114299	F56PI3B	286°F	141°C	Brass	\$ 59.85
		°F	°C		\$ Call



F1 INTERMEDIATE

- K-Factor = 8.0 (115)
- Upright = SIN RA6222
- Pendent = SIN RA6212
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R7022					
AA28114298	FUI3LB	286°F	141°C	Brass	\$ 66.40
MODEL F1 INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712					
AB13114298	FPI0LB	135°F	57°C	Brass	\$ 66.40
AB15114298	FPI1LB	155°F	68°C	Brass	\$ 66.40
AB17114298	FPI5LB	175°F	79°C	Brass	\$ 66.40
AB20114298		200°F	93°C	Brass	\$ 66.40
AB28114298	FPI3LB	286°F	141°C	Brass	\$ 66.40
AB36114298	FPI6LB	360°F	182°C	Brass	\$ 71.28

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 150.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	\$ 447.68



KFR56 UPRIGHT INTERMEDIATE LEVEL

- K-Factor = 5.6 (80)
- **SIN RA3624**
- See Bulletin 042

KFR80 UPRIGHT INTERMEDIATE LEVEL

- K Factor = 8.0 (115)
- **SIN RA5422**
- See Bulletin 054

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3624					
MA16114299	KFR56UI1B	165°F	74°C	Brass	\$ 112.01
MA21114299	KFR56UI2B	212°F	100°C	Brass	\$ 110.97

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW \$ 150.86

MODEL KFR80 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA5422					
M1161142S8	KFR80UI1B	165°F	74°C	Brass	\$ 116.68





KFR56 PENDENT INTERMEDIATE LEVEL

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 042

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3614					
M216114299	KFR56PI1B	165°F	74°C	Brass	\$ 110.97
M221114299	KFR56PI2B	212°F	100°C	Brass	\$ 110.97

6880100120 WW4 Wrench, W4, Recessed, Concealed \$ 447.68



D3 & D5 GUARDS

- F1FR56 Int. Level Spk W/ Guard and Shield Assembled
- Thread Size = 1/2"
- See Bulletins 031 & 208

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM)-D3					
BA1A1142R9	F1FR56U0BD3	135°F	57°C	Brass	\$ 92.23
		°F	°C		\$ Call
		°F	°C		\$ Call
		°F	°C		\$ Call
MODEL F1FR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM)-D5					
B21A114299	F1FR56P0BD5	135°F	57°C	Brass	\$ 92.23
B22A114299	F1FR56P1BD5	155°F	68°C	Bronze	\$ 92.23
B24A114299	F1FR56P5BD5	175°F	79°C	Brass	\$ 92.23
B25A114299	F1FR56P2BD5	200°F	93°C	Brass	\$ 92.23
MODEL F1FR LO INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM)-D5					
BB1A114298	F1FRP0LBD5	135°F	57°C	Bronze	\$ 103.84
BB2A114298	F1FRP1LBD5	155°F	68°C	Bronze	\$ 103.84
BB4A114298	F1FRP5LBD5	175°F	79°C	Bronze	\$ 103.84
BB5A114298	F1FRP2LBD5	200°F	93°C	Bronze	\$ 103.84

Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



D1 SPK & GUARD ASSEMBLY

- For F1FR56 Sprinklers
- Thread Size = 1/2"
- See Bulletins 031 & 208
- For F1FR - See Bulletin 170

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM)					
BA1A1132R9	F1FR56U0BD1	135°F	57°C	Bronze	\$ 85.79
		°F	°C		\$ Call
BA4A1132R9	F1FR56U5BD1	175°F	79°C	Brass	\$ 85.79
		°F	°C		\$ Call
		°F	°C		\$ Call
MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM)					
B21A113299	F1FR56P0BD1	135°F	57°C	Brass	\$ 85.79
B22A113299	F1FR56P1BD1	155°F	68°C	Bronze	\$ 85.79
B24A113299	F1FR56P5BD1	175°F	79°C	Brass	\$ 85.79
B25A113299	F1FR56P2BD1	200°F	93°C	Brass	\$ 85.79
B28A113299	F1FR56P3BD1	286°F	141°C	Brass	\$ 85.79
MODEL F1FR UPRIGHT K8.0 (115) THREADS 3/4" (20MM)					
BA1A113498	F1FRU0LBD1	135°F	57°C	Bronze	\$ 96.91
BA2A113498	F1FRU1LBD1	155°F	68°C	Bronze	\$ 96.91
BA4A113498	F1FRU5LBD1	175°F	79°C	Brass	\$ 96.91
BA5A113498	F1FRU2LBD1	200°F	93°C	Bronze	\$ 96.91
BA8A113498	F1FRU3LBD1	286°F	141°C	Bronze	\$ 96.91
MODEL F1FR PENDENT K8.0 (115) THREADS 3/4" (20MM)					
BB1A113498	F1FRP0LBD1	135°F	57°C	Bronze	\$ 96.91
BB2A113498	F1FRP1LBD1	155°F	68°C	Bronze	\$ 96.91
BB4A113498	F1FRP5LBD1	175°F	79°C	Bronze	\$ 96.91
BB5A113498	F1FRP2LBD1	200°F	93°C	Bronze	\$ 96.91
BB8A113498	F1FRP3LBD1	286°F	141°C	Bronze	\$ 96.91
GUARDS ONLY					
6802251400	GC1	C-1 Universal		Zinc	\$ 15.26
6802201400	GC2	C-2 Dry Pendent		Zinc	\$ 21.16
6802251410	GD1	D-1 Universal		Zinc	\$ 20.94
GUARDS AND SHIELDS					
6802501410	GD3	D-3 (Upright)		Zinc	\$ 24.76
6802631412	GD51	D-5 (1/2" or 15mm)		Zinc	\$ 47.55
6802631434	GD53	D-5 (3/4" or 20mm)		Zinc	\$ 47.55
6802621412	GD41	D-4 (1/2" or 15mm)		Zinc	\$ 53.28
6802621434	GD43	D-4 (3/4" or 20mm)		Zinc	\$ 53.28
6802501400	GC3	C-3 (SU INT)		Zinc	\$ 31.24
6802611412	GC51	C-5 (1/2" or 15mm)		Zinc	\$ 43.66
6802611434	GC53	C-5 (3/4" or 20mm)		Zinc	\$ 43.66

Notes:

Sprinklers with D1 guards attached



- GFR
INTERMEDIATE**
- K5.6 = SIN R3195
 - K8.0 = SIN R3197
 - See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R3195					
0116114299	GFRUI1B	165°F	74°C	Brass	\$ 149.41
0116214299	GFRUI1C	165°F	74°C	Chrome	\$ 166.06
MODEL GFR INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3197					
0116114498	GFRUI1LB	165°F	74°C	Brass	\$ 163.71
0116214498	GFRUI1LC	165°F	74°C	Chrome	\$ 170.36



- GFR
INTERMEDIATE**
- K5.6 = SIN R3115
 - K8.0 = SIN R3117
 - See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R3115					
0216114299	GFRPI1B	165°F	74°C	Brass	\$ 149.41
0216214299	GFRPI1C	165°F	74°C	Chrome	\$ 166.06
MODEL GFR INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R3117					
0216114498	GFRPI1LB	165°F	74°C	Brass	\$ 163.71
0216214498	GFRPI1LC	165°F	74°C	Chrome	\$ 170.36

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 150.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	\$ 447.68

Notes:
GFR Uprights have factory installed shields



G INTERMEDIATE LEVEL

- K5.6 = SIN R1425
- K8.0 = SIN R1427
- See Bulletin 114

Part Number	Short Code	Temperature		Finish	List Price
MODEL G INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1425					
5113114299	GUI0B	135°F	57°C	Brass	\$ 80.27
5116114299	GUI1B	165°F	74°C	Brass	\$ 80.27
5121114299	GUI2B	212°F	100°C	Brass	\$ 80.27
5128114299	GUI3B	286°F	141°C	Brass	\$ 80.27
MODEL G INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1427					
5113114498	GUI0LB	135°F	57°C	Brass	\$ 88.42
5116114498	GUI1LB	165°F	74°C	Brass	\$ 88.42
5121114498	GUI2LB	212°F	100°C	Brass	\$ 88.42
5128114498	GUI3LB	286°F	141°C	Brass	\$ 88.42




G INTERMEDIATE LEVEL

- K5.6 = SIN R1015
- K8.0 = SIN R1017
- See Bulletin 114

Part Number	Short Code	Temperature		Finish	List Price
MODEL G INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015					
5213114299	GPI0B	135°F	57°C	Brass	\$ 80.27
5216114299	GPI1B	165°F	74°C	Brass	\$ 80.27
5221114299	GPI2B	212°F	100°C	Brass	\$ 80.27
5228114299	GPI3B	286°F	141°C	Brass	\$ 80.27
MODEL G INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017					
5213114498	GPI0LB	135°F	57°C	Brass	\$ 86.78
5221114498	GPI2LB	212°F	100°C	Brass	\$ 88.42
5228114498	GPI3LB	286°F	141°C	Brass	\$ 88.42

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 150.86
6880100000	WRC	Requires Model RC1 Sprinkler Wrench (pendent)	\$ 447.68



D3 & D5 GUARDS



- F156 Int. Level Spk W/ Guard & Shield Assembled
- Thread Size = 1/2"
- See Bulletins 031 & 208

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3125					
AA1A1142R9	F56U0BD3	135°F	57°C	Brass	\$ 62.03
		°F	°C		\$ Call
AA4A1142R9	F56U5BD3	175°F	79°C	Brass	\$ 62.03
		°F	°C		\$ Call
		°F	°C		\$ Call
AA9A1142R9	F56U6BD3	360°F	182°C	Brass	\$ 66.40
MODEL F1 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R7022					
AA1A114298	FU0LBD3	135°F	57°C	Brass	\$ 69.13
AA2A114298	FU1LBD3	155°F	68°C	Brass	\$ 69.13
AA4A114298	FU5LBD3	175°F	79°C	Brass	\$ 69.13
AA5A114298	FU2LBD3	200°F	93°C	Brass	\$ 69.13
AA8A114298	FU3LBD3	286°F	141°C	Brass	\$ 69.13
AA9A114298	FU6LBD3	360°F	182°C	Brass	\$ 73.46
MODEL F156 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314					
A21A114299	F56P0BD5	135°F	57°C	Brass	\$ 62.03
		°F	°C		\$ Call
		°F	°C		\$ Call
MODEL F1 INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712					
AB1A114298	FP0LBD5	135°F	57°C	Bronze	\$ 69.13
AB2A114298	FP1LBD5	155°F	68°C	Bronze	\$ 69.13
AB4A114298	FP5LBD5	175°F	79°C	Bronze	\$ 69.13
AB5A114298	FP2LBD5	200°F	93°C	Bronze	\$ 69.13
		°F	°C		\$ Call
AB9A114298	FP6LBD5	360°F	182°C	Bronze	\$ 69.92

Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



D3 & D5 GUARDS

- G Int. Level Sprinkler & Guard Assembly
- UL, cUL & NYC MEA Approved! (C Guards FM Approved)
- See Bulletin 208

Part Number	Short Code	Temperature		Finish	List Price
MODEL G INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1425					
511A114299	GU0BD3	135°F	57°C	Brass	\$ 77.22
513A114299	GU1BD3	165°F	74°C	Brass	\$ 77.22
516A114299	GU2BD3	212°F	100°C	Brass	\$ 77.22
518A114299	GU3BD3	286°F	141°C	Brass	\$ 77.22
MODEL G INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1427					
511A114498	GU0LBD3	135°F	57°C	Brass	\$ 85.15
513A114498	GU1LBD3	165°F	74°C	Brass	\$ 85.15
516A114498	GU2LBD3	212°F	100°C	Brass	\$ 85.15
518A114498	GU3LBD3	286°F	141°C	Brass	\$ 85.15
MODEL G INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015					
521A114299	GP0BD5	135°F	57°C	Brass	\$ 77.22
523A114299	GP1BD5	165°F	74°C	Bronze	\$ 77.22
526A114299	GP2BD5	212°F	100°C	Bronze	\$ 77.22
528A114299	GP3BD5	286°F	141°C	Bronze	\$ 77.22
MODEL G INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017					
521A114498	GP0LBD5	135°F	57°C	Bronze	\$ 85.15
523A114498	GP1LBD5	165°F	74°C	Bronze	\$ 85.15
526A114498	GP2LBD5	212°F	100°C	Bronze	\$ 85.15
528A114498	GP3LBD5	286°F	141°C	Bronze	\$ 85.15

Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



D1 SPK & GUARD ASSEMBLY

- For F156 & F1 LO Sprinklers
- Thread Size = 1/2" & 3/4"
- See Bulletins 031 & 208

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM)					
AA1A1132R9	F56U0BD1	135°F	57°C	Brass	\$ 62.59
AA2A1132R9	F56U1BD1	155°F	68°C	Bronze	\$ 62.59
		°F	°C		\$ Call
		°F	°C		\$ Call
AA8A1132R9	F56U3BD1	286°F	141°C	Brass	\$ 62.59
MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM)					
AB1A1132R9	F56P0BD1	135°F	57°C	Brass	\$ 62.59
AB2A1132R9	F56P1BD1	155°F	68°C	Brass	\$ 62.59
AB4A1132R9	F56P5BD1	175°F	79°C	Brass	\$ 62.59
AB5A1132R9	F56P2BD1	200°F	93°C	Brass	\$ 62.59
AB8A1132R9	F56P3BD1	286°F	141°C	Brass	\$ 62.59
MODEL F1 UPRIGHT K8.0 (115) THREADS 3/4" (20MM)					
AA1A113498	FU0LBD1	135°F	57°C	Bronze	\$ 69.43
AA2A113498	FU1LBD1	155°F	68°C	Bronze	\$ 69.43
AA4A113498	FU5LBD1	175°F	79°C	Bronze	\$ 69.43
AA5A113498	FU2LBD1	200°F	93°C	Bronze	\$ 69.43
AA8A113498	FU3LBD1	286°F	141°C	Bronze	\$ 69.43
MODEL F1 PENDENT K8.0 (115) THREADS 3/4" (20MM)					
AB1A113498	FP0LBD1	135°F	57°C	Bronze	\$ 69.43
AB2A113498	FP1LBD1	155°F	68°C	Bronze	\$ 69.43
AB4A113498	FP5LBD1	175°F	79°C	Bronze	\$ 69.43
AB5A113498	FP2LBD1	200°F	93°C	Bronze	\$ 69.43
AB8A113498	FP3LBD1	286°F	141°C	Brass	\$ 69.43
GUARDS ONLY					
6802251400	GC1	C-1 Universal		Zinc	\$ 15.26
6802201400	GC2	C-2 Dry Pendent		Zinc	\$ 21.16
6802251410	GD1	D-1 Universal		Zinc	\$ 20.94
GUARDS AND SHIELDS					
6802501410	GD3	D-3 (Upright)		Zinc	\$ 24.76
6802631412	GD51	D-5 (1/2" or 15mm)		Zinc	\$ 47.55
6802631434	GD53	D-5 (3/4" or 20mm)		Zinc	\$ 47.55
6802621412	GD41	D-4 (1/2" or 15mm)		Zinc	\$ 53.28
6802621434	GD43	D-4 (3/4" or 20mm)		Zinc	\$ 53.28
6802501400	GC3	C-3 (SU INT)		Zinc	\$ 31.24
6802611412	GC51	C-5 (1/2" or 15mm)		Zinc	\$ 43.66
6802611434	GC53	C-5 (3/4" or 20mm)		Zinc	\$ 43.66

Notes:

Sprinklers Factory installed with D1 Guards



D1 SPK & GUARD ASSEMBLY

- For Model G Sprinklers
- UL, cUL & NYC MEA Approved! (C Guards FM Approved)
- See Bulletin 208

Part Number	Short Code	Temperature		Finish	List Price
MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025					
511A113299	GU0BD1	135°F	57°C	Brass	\$ 80.27
513A113299	GU1BD1	165°F	74°C	Brass	\$ 80.27
516A113299	GU2BD1	212°F	100°C	Bronze	\$ 80.27
518A113299	GU3BD1	286°F	141°C	Brass	\$ 80.27
MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015					
521A113299	GP0BD1	135°F	57°C	Brass	\$ 80.27
523A113299	GP1BD1	165°F	74°C	Brass	\$ 80.27
526A113299	GP2BD1	212°F	100°C	Brass	\$ 80.27
528A113299	GP3BD1	286°F	141°C	Brass	\$ 80.27
MODEL G UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1027					
511A113498	GU0LBD1	135°F	57°C	Bronze	\$ 88.42
513A113498	GU1LBD1	165°F	74°C	Bronze	\$ 88.42
516A113498	GU2LBD1	212°F	100°C	Bronze	\$ 88.42
518A113498	GU3LBD1	286°F	141°C	Bronze	\$ 88.42
MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017					
521A113498	GP0LBD1	135°F	57°C	Bronze	\$ 88.42
523A113498	GP1LBD1	165°F	74°C	Bronze	\$ 88.42
526A113498	GP2LBD1	212°F	100°C	Bronze	\$ 73.25
528A113498	GP3LBD1	286°F	141°C	Brass	\$ 73.25
GUARDS ONLY					
6802251400	GC1	C-1 Universal		Zinc	\$ 15.26
6802201400	GC2	C-2 Dry Pendent		Zinc	\$ 21.16
6802251410	GD1	D-1 Universal		Zinc	\$ 20.94
GUARDS AND SHIELDS					
6802501410	GD3	D-3 (Upright)		Zinc	\$ 24.76
6802631412	GD51	D-5 (1/2" or 15mm)		Zinc	\$ 47.55
6802631434	GD53	D-5 (3/4" or 20mm)		Zinc	\$ 47.55
6802621412	GD41	D-4 (1/2" or 15mm)		Zinc	\$ 53.28
6802621434	GD43	D-4 (3/4" or 20mm)		Zinc	\$ 53.28
6802501400	GC3	C-3 (SU INT)		Zinc	\$ 31.24
6802611412	GC51	C-5 (1/2" or 15mm)		Zinc	\$ 43.66
6802611434	GC53	C-5 (3/4" or 20mm)		Zinc	\$ 43.66

Sprinklers factory installed with D1 guards