



F1-56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1325**
- See Bulletin 071



F1-80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6222**
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1-56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325					
AA131132S9	F56U0BN	135°F	57°C	Brass	A\$ 50.12
AA132132S9	F56U0CN	135°F	57°C	Chrome	A\$ 61.10
AA138732S9	F56U0WN	135°F	57°C	White	A\$ 70.63
AA151132S9	F56U1BN	155°F	68°C	Brass	A\$ 50.12
AA152132S9	F56U1CN	155°F	68°C	Chrome	A\$ 61.10
AA158732S9	F56U1WN	155°F	68°C	Poly White	A\$ 70.63
AA171132S9	F56U5BN	175°F	79°C	Brass	A\$ 50.12
AA172132S9	F56U5CN	175°F	79°C	Chrome	A\$ 61.10
AA178732S9	F56U5WN	175°F	79°C	White	A\$ 70.63
AA201132S9	F56U2BN	200°F	93°C	Brass	A\$ 50.12
AA202132S9	F56U2CN	200°F	93°C	Chrome	A\$ 61.10
AA208732S9	F56U2WN	200°F	93°C	Poly White	A\$ 70.63
AA281132S9	F56U3BN	286°F	141°C	Brass	A\$ 50.12
AA282132S9	F56U3CN	286°F	141°C	Chrome	A\$ 61.10
AA288732S9	F56U3WN	286°F	141°C	Poly White	A\$ 70.63
AA361132S9	F56U6BN	360°F	182°C	Brass	A\$ 56.36
AA362132S9	F56U6CN	360°F	182°C	Chrome	A\$ 67.07
AA368732S9	F56U6WN	360°F	182°C	White	A\$ 76.78
MODEL F1-80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6222					
A1131134S8	FU0LBN	135°F	57°C	Brass	A\$ 61.65
A1132134S8	FU0LCN	135°F	57°C	Chrome	A\$ 76.57
A1138734S8	FU0LWN	135°F	57°C	Poly White	A\$ 91.48
A1151134S8	FU1LBN	155°F	68°C	Brass	A\$ 61.65
A1152134S8	FU1LCN	155°F	68°C	Chrome	A\$ 76.57
A1158734S8	FU1LWN	155°F	68°C	Poly White	A\$ 91.48
A1171134S8	FU5LBN	175°F	79°C	Brass	A\$ 61.65
A1172134S8	FU5LCN	175°F	79°C	Chrome	A\$ 76.57
A1178734S8	FU5LWN	175°F	79°C	Poly White	A\$ 91.48
A1201134S8	FU2LBN	200°F	93°C	Brass	A\$ 61.65
A1202134S8	FU2LCN	200°F	93°C	Chrome	A\$ 76.57
A1208734S8	FU2LWN	200°F	93°C	Poly White	A\$ 91.48
A1281134S8	FU3LBN	286°F	141°C	Brass	A\$ 61.65
A1282134S8	FU3LCN	286°F	141°C	Chrome	A\$ 76.57
A1288734S8	FU3LWN	286°F	141°C	Poly White	A\$ 91.48
A1361134S8	FU6LBN	360°F	182°C	Brass	A\$ 61.65
A1362134S8	FU6LCN	360°F	182°C	Chrome	A\$ 76.57
A1368734S8	FU6LWN	360°F	182°C	White	A\$ 91.48

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW A\$ 212.47



F1 56 UPRIGHT

- K-Factor = 80 (5.6)
- **SIN RA1325**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325					
AA131132R9	F56U0B	135°F	57°C	Brass	A\$ Call
AA132132R9	F56U0C	135°F	57°C	Chrome	A\$ Call
AA138732R9	F56U0W	135°F	57°C	Poly White	A\$ 70.63
AA151132R9	F56U1B	155°F	68°C	Brass	A\$ Call
AA152132R9	F56U1C	155°F	68°C	Chrome	A\$ Call
AA158732R9	F56U1W	155°F	68°C	Poly White	A\$ 70.63
AA171132R9	F56U5B	175°F	79°C	Brass	A\$ Call
AA172132R9	F56U5C	175°F	79°C	Chrome	A\$ Call
		°F	°C		A\$ Call
AA201132R9	F56U2B	200°F	93°C	Brass	A\$ Call
AA202132R9	F56U2C	200°F	93°C	Chrome	A\$ Call
AA208732R9	F56U2W	200°F	93°C	White	A\$ Call
AA281132R9	F56U3B	286°F	141°C	Brass	A\$ Call
AA282132R9	F56U3C	286°F	141°C	Chrome	A\$ 61.10
AA288732R9	F56U3W	286°F	141°C	Poly White	A\$ Call
AA361132R9	F56U6B	360°F	182°C	Brass	A\$ Call
AA362132R9	F56U6C	360°F	182°C	Chrome	A\$ Call
		°F	°C		A\$ Call
MODEL F156 UPRIGHT K5.6 (80) BSPT THREADS 1/2" (15MM) RA1325					
AA131132R2	F56U0BM	135°F	57°C	Brass	A\$ 50.12
		°F	°C		A\$ Call
AA138732R2	F56U0WM	135°F	57°C	Poly White	A\$ 70.63
AA151132R2	F56U1BM	155°F	68°C	Brass	A\$ 50.12
AA152132R2	F56U1CM	155°F	68°C	Chrome	A\$ 61.10
AA158732R2	F56U1WM	155°F	68°C	Poly White	A\$ 70.63
AA171132R2	F56U5BM	175°F	79°C	Brass	A\$ 50.12
AA172132R2	F56U5CM	175°F	79°C	Chrome	A\$ 61.10
AA178732R2	F56U5WM	175°F	79°C	White	A\$ 70.63
AA201132R2	F56U2BM	200°F	93°C	Brass	A\$ 50.12
AA202132R2	F56U2CM	200°F	93°C	Chrome	A\$ 61.10
AA208732R2	F56U2WM	200°F	93°C	Poly White	A\$ 70.63
AA281132R2	F56U3BM	286°F	141°C	Brass	A\$ 50.12
AA282132R2	F56U3CM	286°F	141°C	Chrome	A\$ 61.10
AA288732R2	F56U3WM	286°F	141°C	Poly White	A\$ 70.63
AA361132R2	F56U6BM	360°F	182°C	Brass	A\$ 56.36
AA362132R2	F56U6CM	360°F	182°C	Chrome	A\$ 67.07
		°F	°C		A\$ Call

6880050100 WW2 Requires Model W2 Sprinkler Wrench A\$ 212.47



F1 LO UPRIGHT

- Upright
- **SIN R1722**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1722					
A113113498	FU0LB	135°F	57°C	Brass	A\$ 61.65
A113213498	FU0LC	135°F	57°C	Chrome	A\$ 76.57
A113873498	FU0LW	135°F	57°C	White	A\$ 91.48
A115113498	FU1LB	155°F	68°C	Brass	A\$ 61.65
A115213498	FU1LC	155°F	68°C	Chrome	A\$ 76.57
A115873498	FU1LW	155°F	68°C	White	A\$ 91.48
A117113498	FU5LB	175°F	79°C	Brass	A\$ 61.65
A117213498	FU5LC	175°F	79°C	Chrome	A\$ 76.57
A117873498	FU5LW	175°F	79°C	Poly White	A\$ 91.48
A120113498	FU2LB	200°F	93°C	Brass	A\$ 61.65
A120213498	FU2LC	200°F	93°C	Chrome	A\$ 76.57
A120873498	FU2LW	200°F	93°C	Poly White	A\$ 91.48
A128113498		286°F	141°C	Brass	A\$ 61.65
A128213498	FU3LC	286°F	141°C	Chrome	A\$ 76.57
A128873498	FU3LW	286°F	141°C	White	A\$ 91.48
A136113498	FU6LB	360°F	182°C	Brass	A\$ 61.65
A136213498	FU6LC	360°F	182°C	Chrome	A\$ 76.57
A136873498	FU6LW	360°F	182°C	White	A\$ 91.48
MODEL F1 LO UPRIGHT K8.0 (115) BSPT THREADS 3/4" (20MM) R1722					
A113113495	FU0LBM	135°F	57°C	Brass	A\$ 61.65
A113213495	FU0LCM	135°F	57°C	Chrome	A\$ 76.57
A113873495	FU0LWM	135°F	57°C	White	A\$ 91.48
A115113495	FU1LBM	155°F	68°C	Brass	A\$ 61.65
A115213495	FU1LCM	155°F	68°C	Chrome	A\$ 76.57
A115873495	FU1LWM	155°F	68°C	Poly White	A\$ 91.48
A117113495	FU5LBM	175°F	79°C	Brass	A\$ 61.65
A117213495	FU5LCM	175°F	79°C	Chrome	A\$ 76.57
A117873495	FU5LWM	175°F	79°C	White	A\$ 91.48
A120113495	FU2LBM	200°F	93°C	Brass	A\$ 61.65
A120213495	FU2LCM	200°F	93°C	Chrome	A\$ 76.57
A120873495	FU2LWM	200°F	93°C	White	A\$ 91.48
A128113495	FU3LBM	286°F	141°C	Brass	A\$ 61.65
A128213495	FU3LCM	286°F	141°C	Chrome	A\$ 76.57
A128873495	FU3LWM	286°F	141°C	Poly White	A\$ 91.48
A136113495	FU6LBM	360°F	182°C	Brass	A\$ 61.65
A136213495	FU6LCM	360°F	182°C	Chrome	A\$ 76.57
A136873495	FU6LWM	360°F	182°C	White	A\$ 91.48

6880050100 WW2 Requires Model W2 Sprinkler Wrench A\$ 212.47



F1 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1321**
- See Bulletin 066



F1 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1323**
- See Bulletin 067

Part Number	Short Code	Temperature		Finish	List Price
MODEL F128 UPRIGHT K 2.8 (40) THREADS 1/2" (15MM) RA1321					
AA151124S9	F28U1BN	155°F	68°C	Brass	A\$ 75.81
AA152124R9	F28U1C	155°F	68°C	Chrome	A\$ Call
AA158724R9	F28U1W	155°F	68°C	Poly White	A\$ Call
AA171124S9	F28U5BN	175°F	79°C	Brass	A\$ 75.81
AA172124R9	F28U5C	175°F	79°C	Chrome	A\$ 89.27
AA178724R9	F28U5W	175°F	79°C	Poly White	A\$ 95.93
AA201124S9	F28U2BN	200°F	93°C	Brass	A\$ 75.81
AA202124R9	F28U2C	200°F	93°C	Chrome	A\$ Call
AA208724R9	F28U2W	200°F	93°C	White	A\$ Call
AA281124S9	F28U3BN	286°F	141°C	Brass	A\$ 75.81
AA282124R9	F28U3C	286°F	141°C	Chrome	A\$ 89.27
AA288724R9	F28U3W	286°F	141°C	Poly White	A\$ 95.93
MODEL F142 UPRIGHT K4.2 (60) THREADS 1/2" (15MM) RA1323					
AA131128R9	F42U0B	135°F	57°C	Brass	A\$ Call
AA132128R9	F42U0C	135°F	57°C	Chrome	A\$ Call
AA138728R9	F42U0W	135°F	57°C	White	A\$ 95.93
AA151128R9	F42U1B	155°F	68°C	Brass	A\$ Call
AA152128R9	F42U1C	155°F	68°C	Chrome	A\$ Call
AA158728R9	F42U1W	155°F	68°C	Poly White	A\$ Call
AA171128R9	F42U5B	175°F	79°C	Brass	A\$ Call
AA172128R9	F42U5C	175°F	79°C	Chrome	A\$ Call
AA178728R9	F42U5W	175°F	79°C	White	A\$ 95.93
AA201128R9	F42U2B	200°F	93°C	Brass	A\$ Call
AA202128R9	F42U2C	200°F	93°C	Chrome	A\$ Call
AA208728R9	F42U2W	200°F	93°C	White	A\$ 95.93
AA288728R9	F42U3BN	286°F	141°C	White	A\$ 75.81
AA282128R9	F42U3C	286°F	141°C	Chrome	A\$ Call
AA288728R9	F42U3W	286°F	141°C	White	A\$ 95.93
AA362128R9	F42U6C	360°F	182°C	Chrome	A\$ 95.42
AA368728R9	F42U6W	360°F	182°C	White	A\$ 102.74

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW A\$ 212.47



F1-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6414**
- See Bulletin 064
- Stainless Steel



F1-80SS PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6412**
- See Bulletin 064
- Stainless Steel

F1-56SS UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA6424**
- See Bulletin 064
- Stainless Steel

F1-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6422**
- See Bulletin 064
- Stainless Steel

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6414					
A213103299	F56P0SS	135°F	57°C	Stainless Steel	A\$ 1,105.05
A215103299	F56P1SS	155°F	68°C	Stainless Steel	A\$ Call
A217103299	F56P5SS	175°F	79°C	Stainless Steel	A\$ 1,105.05
A220103299	F56P2SS	200°F	93°C	Stainless Steel	A\$ 1,105.05
A228103299	F56P3SS	286°F	141°C	Stainless Steel	A\$ 1,105.05
A236103299	F56P6SS	360°F	182°C	Stainless Steel	A\$ 1,105.05
A250103299	F56P7SS	500°F	260°C	Stainless Steel	A\$ 1,105.05
MODEL F180-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6412					
A213103498	FP0LSS	135°F	57°C	Stainless Steel	A\$ 1,166.41
A215103498	FP1LSS	155°F	68°C	Stainless Steel	A\$ 1,166.41
A217103498	FP5LSS	175°F	79°C	Stainless Steel	A\$ 1,166.41
A220103498	FP2LSS	200°F	93°C	Stainless Steel	A\$ 1,166.41
A228103498	FP3LSS	286°F	141°C	Stainless Steel	A\$ 1,166.41
A236103498	FP6LSS	360°F	182°C	Stainless Steel	A\$ 1,166.41
MODEL F156-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6424					
AA131032R9	F56U0SS	135°F	57°C	Stainless Steel	A\$ 1,105.05
AA151032R9	F56U1SS	155°F	68°C	Stainless Steel	A\$ 1,105.05
AA171032R9	F56U5SS	175°F	79°C	Stainless Steel	A\$ 1,105.05
AA201032R9	F56U2SS	200°F	93°C	Stainless Steel	A\$ 1,105.05
AA281032R9	F56U3SS	286°F	141°C	Stainless Steel	A\$ 1,105.05
AA361032R9	F56U6SS	360°F	182°C	Stainless Steel	A\$ 1,105.05
AA501032R9	F56U7SS	500°F	260°C	Stainless Steel	A\$ 1,105.05
MODEL F180-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6422					
A113103498	FU0LSS	135°F	57°C	Stainless Steel	A\$ 1,166.41
A115103498	FU1LSS	155°F	68°C	Stainless Steel	A\$ 1,166.41
A117103498	FU5LSS	175°F	79°C	Stainless Steel	A\$ 1,166.41
A120103498	FU2LSS	200°F	93°C	Stainless Steel	A\$ 1,166.41
A128103498	FU3LSS	286°F	141°C	Stainless Steel	A\$ 1,166.41
A136103498	FU6LSS	360°F	182°C	Stainless Steel	A\$ 1,166.41
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	A\$ 123.79
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	A\$ 123.79
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	A\$ 185.71
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	A\$ 185.71
MODEL B ONE PIECE ESCUTCHEONS					
6800121002	BSS	1/2" (15mm)		Stainless Steel	A\$ 74.31
6800091002	BLSS	3/4" (20mm)		Stainless Steel	A\$ 74.31

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed		A\$ 630.53



F156-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2525**
- See Bulletin 025
- 300 PSI



F180-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA7622**
- See Bulletin 076
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA2525 300PSI					
AF131132R9	F56U0B3	135°F	57°C	Brass	A\$ 54.98
AF132132R9	F56U0C3	135°F	57°C	Chrome	A\$ 66.60
AF138732R9	F56U0W3	135°F	57°C	White	A\$ 75.88
AF151132S9	F56U1B3N	155°F	68°C	Brass	A\$ 54.98
AF152132S9	F56U1C3N	155°F	68°C	Chrome	A\$ 66.60
AF158732S9	F56U1W3N	155°F	68°C	Poly White	A\$ 76.57
AF171132S9	F56U5B3N	175°F	79°C	Brass	A\$ 54.98
AF172132R9	F56U5C3	175°F	79°C	Chrome	A\$ Call
AF178732R9	F56U5W3	175°F	79°C	Poly White	A\$ 76.57
AF201132S9	F56U2B3N	200°F	93°C	Brass	A\$ 54.98
AF202132S9	F56U2C3N	200°F	93°C	Chrome	A\$ 66.60
		°F	°C		A\$ Call
AF281132S9	F56U3B3N	286°F	141°C	Brass	A\$ 54.98
AF282132S9	F56U3C3N	286°F	141°C	Chrome	A\$ 66.60
AF288732S9	F56U3W3N	286°F	141°C	Poly White	A\$ 76.57
MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA7622 300PSI					
AF13113498	FU0LB3	135°F	57°C	Brass	A\$ 67.05
AF13213498	FU0LC3	135°F	57°C	Chrome	A\$ 82.58
AF13873498	FU0LW3	135°F	57°C	White	A\$ 92.14
AF151134S8	FU1LB3N	155°F	68°C	Brass	A\$ 66.43
AF152134S8	FU1LC3N	155°F	68°C	Brass	A\$ 82.58
AF15873498	FU1LW3	155°F	68°C	Poly White	A\$ 94.71
AF171134S8	FU5LB3N	175°F	79°C	Brass	A\$ 66.43
AF17213498	FU5LC3	175°F	79°C	Chrome	A\$ 82.58
AF17873498	FU5LW3	175°F	79°C	White	A\$ 92.14
AF201134S8	FU2LB3N	200°F	93°C	Brass	A\$ 66.43
AF20213498	FU2LC3	200°F	93°C	Chrome	A\$ 82.58
AF20873498	FU2LW3	200°F	93°C	Poly White	A\$ 94.71
AF281134S8	FU3LB3N	286°F	141°C	Brass	A\$ 66.43
AF28213498	FU3LC3	286°F	141°C	Chrome	A\$ 82.58
AF28873498	FU3LW3	286°F	141°C	White	A\$ 92.14
AF36113498	FU6LB3	360°F	182°C	Brass	A\$ 75.23
AF36213498	FU6LC3	360°F	182°C	Chrome	A\$ 89.38
AF36873498	FU6LW3	360°F	182°C	White	A\$ 99.77

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW A\$ 212.47



F156

- K-Factor = 80 (5.6)
- **SIN RA1314**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314					
A213113299	F56P0B	135°F	57°C	Brass	A\$ 50.12
A213213299	F56P0C	135°F	57°C	Chrome	A\$ Call
A213873299	F56P0W	135°F	57°C	White	A\$ Call
A215113299	F56P1B	155°F	68°C	Brass	A\$ Call
A215213299	F56P1C	155°F	68°C	Chrome	A\$ Call
A215873299	F56P1W	155°F	68°C	Poly White	A\$ 70.63
A217113299	F56P5B	175°F	79°C	Brass	A\$ 50.12
A217213299	F56P5C	175°F	79°C	Chrome	A\$ 59.34
A217873299	F56P5W	175°F	79°C	Poly White	A\$ 70.63
A220113299	F56P2B	200°F	93°C	Brass	A\$ 50.12
A220213299	F56P2C	200°F	93°C	Chrome	A\$ 59.34
A220873299	F56P2W	200°F	93°C	White	A\$ 70.63
A228113299	F56P3B	286°F	141°C	Brass	A\$ 50.12
A228213299	F56P3C	286°F	141°C	Chrome	A\$ 59.34
A228873299	F56P3W	286°F	141°C	Poly White	A\$ 70.63
A236113299	F56P6B	360°F	182°C	Brass	A\$ 56.36
A236213299	F56P6C	360°F	182°C	Chrome	A\$ 65.21
		°F	°C		A\$ Call
MODEL F156 PENDENT K5.6 (80) BSPT THREADS 1/2" (15MM) RA1314					
A213113292	F56P0BM	135°F	57°C	Brass	A\$ 50.12
A213213292	F56P0CM	135°F	57°C	Chrome	A\$ 59.34
A213873292	F56P0WM	135°F	57°C	Poly White	A\$ 70.63
A215113292	F56P1BM	155°F	68°C	Brass	A\$ 50.12
A215213292	F56P1CM	155°F	68°C	Chrome	A\$ 59.34
A215873292	F56P1WM	155°F	68°C	Poly White	A\$ 70.63
A217113292	F56P5BM	175°F	79°C	Brass	A\$ 50.12
A217213292	F56P5CM	175°F	79°C	Chrome	A\$ 59.34
A217873292	F56P5WM	175°F	79°C	Poly White	A\$ 70.63
A220113292	F56P2BM	200°F	93°C	Brass	A\$ 50.12
A220213292	F56P2CM	200°F	93°C	Chrome	A\$ 59.34
A220873292	F56P2WM	200°F	93°C	Poly White	A\$ 70.63
A228113292	F56P3BM	286°F	141°C	Brass	A\$ 50.12
A228213292	F56P3CM	286°F	141°C	Chrome	A\$ 59.34
A228873292	F56P3WM	360°F	182°C	White	A\$ 70.63
A236113292	F56P3BM	360°F	182°C	Brass	A\$ 56.36
A236213292	F56P6CM	360°F	182°C	Chrome	A\$ 65.21
A236873292	F56P6WM	360°F	182°C	White	A\$ 76.78

6880050100 WW2 Requires Model W2 Sprinkler Wrench A\$ 212.47



F1 LO

- K-Factor = 115 (8.0)
- **SIN R1712**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1 LO PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712					
A213113498	FP0LB	135°F	57°C	Brass	A\$ 63.47
A213213498	FP0LC	135°F	57°C	Chrome	A\$ 76.57
A213873498	FP0LW	135°F	57°C	White	A\$ 91.48
A215113498	FP1LB	155°F	68°C	Brass	A\$ 63.47
A215213498	FP1LC	155°F	68°C	Chrome	A\$ 76.57
A215873498	FP1LW	155°F	68°C	White	A\$ 91.48
A217113498	FP5LB	175°F	79°C	Brass	A\$ 63.47
A217213498	FP5LC	175°F	79°C	Chrome	A\$ 76.57
A217873498	FP5LW	175°F	79°C	White	A\$ 91.48
A220113498	FP2LB	200°F	93°C	Brass	A\$ 63.47
A220213498	FP2LC	200°F	93°C	Chrome	A\$ 76.57
A220873498	FP2LW	200°F	93°C	Poly White	A\$ 91.48
A228113498	FP3LB	286°F	141°C	Brass	A\$ 63.47
A228213498	FP3LC	286°F	141°C	Chrome	A\$ 76.57
A228873498	FP3LW	286°F	141°C	White	A\$ 91.48
A236113498	FP6LB	360°F	182°C	Brass	A\$ 63.47
A236213498	FP6LC	360°F	182°C	Chrome	A\$ 76.57
A236873498	FP6LW	360°F	182°C	White	A\$ 91.48
MODEL F1 LO PENDENT K8.0 (115) BSPT THREADS 3/4" (20MM) R1712					
A213113495	FP0LBM	135°F	57°C	Brass	A\$ 63.47
A213213495	FP0LCM	135°F	57°C	Chrome	A\$ 76.57
A213873495	FP0LWM	135°F	57°C	White	A\$ 91.48
A215113495	FP1LBM	155°F	68°C	Brass	A\$ 63.47
A215213495	FP1LCM	155°F	68°C	Chrome	A\$ 76.57
A215873495	FP1LWM	155°F	68°C	White	A\$ 91.48
A217113495	FP5LBM	175°F	79°C	Brass	A\$ 63.47
A217213495	FP5LCM	175°F	79°C	Chrome	A\$ 76.57
A217873495	FP5LWM	175°F	79°C	Poly White	A\$ 91.48
A220113495	FP2LBM	200°F	93°C	Brass	A\$ 63.47
A220213495	FP2LCM	200°F	93°C	Chrome	A\$ 76.57
A220873495	FP2LWM	200°F	93°C	White	A\$ 91.48
A228113495	FP3LBM	286°F	141°C	Brass	A\$ 63.47
A228213495	FP3LCM	286°F	141°C	Chrome	A\$ 76.57
A228873495	FP3LWM	286°F	141°C	Poly White	A\$ 91.48
A236113495	FP6LBM	360°F	182°C	Brass	A\$ 63.47
A236213495	FP6LCM	360°F	182°C	Chrome	A\$ 76.57
A236873495	FP6LWM	360°F	182°C	Poly White	A\$ 91.48

6880050100 WW2 Requires Model W2 Sprinkler Wrench A\$ 212.47




F1 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1311**
- See Bulletin 066



F1 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1313**
- See Bulletin 067



Part Number	Short Code	Temperature		Finish	List Price
MODEL F128 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1311					
AB151124S9	F28P1BN	155°F	68°C	Brass	A\$ 75.81
AB152124S9	F28P1CN	155°F	68°C	Chrome	A\$ 89.27
AB158724S9	F28P1WN	155°F	68°C	Poly White	A\$ 95.93
AB172124S9	F28P5CN	175°F	79°C	Chrome	A\$ 89.27
AB178724S9	F28P5WN	175°F	79°C	Poly White	A\$ 95.93
AB201124S9	F28P2BN	200°F	93°C	Brass	A\$ 75.81
AB202124S9	F28P2CN	200°F	93°C	Chrome	A\$ 89.27
AB208724S9	F28P2WN	200°F	93°C	Poly White	A\$ 95.93
AB281124S9	F28P3BN	286°F	141°C	Brass	A\$ 75.81
AB282124S9	F28P3CN	286°F	141°C	Chrome	A\$ 89.27
AB288724S9	F28P3WN	286°F	141°C	Poly White	A\$ 95.93
MODEL F142 PENDENT K4.2 (60) THREADS 1/2" (15MM) RA1313					
AB131128S9	F42P0BN	135°F	57°C	Brass	A\$ 75.81
AB132128S9	F42POCN	135°F	57°C	Chrome	A\$ 89.27
AB138728S9	F42POWN	135°F	57°C	White	A\$ 95.93
AB151128S9	F42P1BN	155°F	68°C	Brass	A\$ 75.81
AB152128S9	F42P1CN	155°F	68°C	Chrome	A\$ 89.27
AB171128S9		175°F	79°C	Brass	A\$ 75.81
		°F	°C		A\$ Call
AB178728S9	F42P5WN	175°F	79°C	Poly White	A\$ 95.93
AB201128R9	F42P2B	200°F	93°C	Brass	A\$ Call
AB202128S9	F42P2CN	200°F	93°C	Chrome	A\$ 89.27
AB208728S9	F42P2WN	200°F	93°C	White	A\$ 95.93
AB361128S9	F42P6BN	360°F	182°C	Brass	A\$ 81.90
AB362128S9	F42P6CN	360°F	182°C	Chrome	A\$ 95.42
AB368728S9	F42P6WN	360°F	182°C	White	A\$ 102.74
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 38.99
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 21.02
6800640001	GF1W	1/2" (15mm)		White	A\$ 21.02
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)		White	A\$ 21.02
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	A\$ 40.54
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	A\$ 40.54

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 630.53



F156-300

- K-Factor = 5.6 (80)
- **SIN RA2514**
- See Bulletin 075
- **300 PSI**



F1-300

- K-Factor = 8.0 (115)
- **SIN R5512**
- See Bulletin 076
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2514 300 PSI					
AG131132S9	F56P0B3N	135°F	57°C	Brass	A\$ 54.98
AG132132S9	F56P0C3N	135°F	57°C	Chrome	A\$ 64.65
AG138732S9	F56P0W3N	135°F	57°C	Poly White	A\$ 74.41
AG151132S9	F56P1B3N	155°F	68°C	Brass	A\$ 54.98
AG152132S9	F56P1C3N	155°F	68°C	Chrome	A\$ 64.65
AG158732S9	F56P1W3N	155°F	68°C	Poly White	A\$ 74.41
AG171132S9	F56P5B3N	175°F	79°C	Brass	A\$ 54.98
AG172132S9	F56P5C3N	175°F	79°C	Chrome	A\$ 64.65
AG178732S9	F56P5W3N	175°F	79°C	Poly White	A\$ 74.27
AG201132S9	F56P2B3N	200°F	93°C	Brass	A\$ 54.98
AG202132S9	F56P2C3N	200°F	93°C	Chrome	A\$ 64.65
AG208732S9	F56P2W3N	200°F	93°C	Poly White	A\$ 74.41
AG281132S9	F56P3B3N	286°F	141°C	Brass	A\$ 64.65
AG282132S9	F56P3C3N	286°F	141°C	Chrome	A\$ 64.65
AG288732S9	F56P3W3N	286°F	141°C	Poly White	A\$ 74.41
AG361132S9	F56P6B3N	360°F	182°C	Brass	A\$ 54.98
AG362132S9	F56P6C3N	360°F	182°C	Chrome	A\$ 70.59
AG368732S9	F56P6W3N	360°F	182°C	White	A\$ 80.41
MODEL F180 PENDENT K8.0 (115) THREADS 3/4" (20MM) R5512 300 PSI					
AG13113498	FP0LB3	135°F	57°C	Brass	A\$ 69.11
AG13213498	FP0LC3	135°F	57°C	Chrome	A\$ 82.58
AG13873498	FP0LW3	135°F	57°C	White	A\$ 93.00
AG151134S8	FP1LB3N	155°F	68°C	Brass	A\$ 69.11
AG152134S8	FP1LC3N	155°F	68°C	Chrome	A\$ 82.58
AG158734S8	FP1LW3N	155°F	68°C	Poly White	A\$ 98.24
AG17113498	FP5LB3	175°F	79°C	Brass	A\$ 69.11
AG17213498	FP5LC3	175°F	79°C	Chrome	A\$ 82.58
AG17873498	FP5LW3	175°F	79°C	White	A\$ 93.00
AG20113498	FP2LB3	200°F	93°C	Brass	A\$ 69.11
AG20213498	FP2LC3	200°F	93°C	Chrome	A\$ 82.58
AG20873498	FP2LW3	200°F	93°C	Poly White	A\$ 98.24
AG28113498	FP3LB3	286°F	141°C	Brass	A\$ 69.11
AG28213498	FP3LC3	286°F	141°C	Chrome	A\$ 82.58
AG28873498	FP3LW3	286°F	141°C	White	A\$ 98.24
AG36113498	FP6LB3	360°F	182°C	Brass	A\$ 75.23
AG36213498	FP6LC3	360°F	182°C	Chrome	A\$ 89.38
AG36873498	FP6LW3	360°F	182°C	White	A\$ 99.77

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW A\$ 212.47



F1 56

- K-Factor = 5.6 (80)
- **SIN RA1375**
- See Bulletin 013



F1 LO

- K-Factor = 8.0 (115)
- **SIN R1772**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375					
AC131132S9	F56C0BN	135°F	57°C	Brass	A\$ 50.12
AC132132S9	F56C0CN	135°F	57°C	Chrome	A\$ 59.34
AC138732S9	F56C0WN	135°F	57°C	Poly White	A\$ 70.63
AC151132S9	F56C1BN	155°F	68°C	Brass	A\$ 50.12
AC152132S9	F56C1CN	155°F	68°C	Chrome	A\$ 59.34
AC158732S9	F56C1WN	155°F	68°C	Poly White	A\$ 70.63
AC171132S9	F56C5BN	175°F	79°C	Brass	A\$ 50.12
AC172132S9	F56C5CN	175°F	79°C	Chrome	A\$ 59.34
AC178732S9	F56C5WN	175°F	79°C	Poly White	A\$ 70.63
AC201132S9	F56C2BN	200°F	93°C	Brass	A\$ 50.12
AC202132S9	F56C2CN	200°F	93°C	Chrome	A\$ 59.34
AC208732S9	F56C2WN	200°F	93°C	Poly White	A\$ 70.63
AC281132S9	F56C3BN	286°F	141°C	Brass	A\$ 50.12
AC282132S9	F56C3CN	286°F	141°C	Chrome	A\$ 59.34
AC288732S9	F56C3WN	286°F	141°C	Poly White	A\$ 70.63
AC361132S9	F56C6BN	360°F	182°C	Brass	A\$ 50.12
AC362132S9	F56C6CN	360°F	182°C	Chrome	A\$ 59.34
AC368732S9	F56C6WN	360°F	182°C	Poly White	A\$ 70.63
MODEL F1-80 CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772					
A313113498	FC0LB	135°F	57°C	Brass	A\$ 63.47
A313213498	FC0LC	135°F	57°C	Chrome	A\$ 76.57
A313873498	FC0LW	135°F	57°C	White	A\$ 91.48
A315113498	FC1LB	155°F	68°C	Brass	A\$ 63.47
A315213498	FC1LC	155°F	68°C	Chrome	A\$ 76.57
A315873498	FC1LW	155°F	68°C	White	A\$ 91.48
A317113498	FC5LB	175°F	79°C	Brass	A\$ 63.47
A317213498	FC5LC	175°F	79°C	Chrome	A\$ 76.57
A320113498	FC2LB	200°F	93°C	Brass	A\$ 63.47
A320213498	FC2LC	200°F	93°C	Chrome	A\$ 76.57
A320873498	FC2LW	200°F	93°C	White	A\$ 91.48
A328113498	FC3LB	286°F	141°C	Brass	A\$ 63.47
A328213498	FC3LC	286°F	141°C	Chrome	A\$ 76.57
A328873498	FC3LW	286°F	141°C	White	A\$ 91.48

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW A\$ 212.47



F1 56

- K-Factor = 80 (5.6)
- **SIN RA1375**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price	
MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375						
AC131132R9	F56C0B	135°F	57°C	Brass	A\$	Call
AC132132R9	F56C0C	135°F	57°C	Chrome	A\$	Call
AC138732R9	F56C0W	135°F	57°C	Poly White	A\$	Call
AC151132R9	F56C1B	155°F	68°C	Brass	A\$	Call
AC152132R9	F56C1C	155°F	68°C	Chrome	A\$	Call
AC158732R9	F56C1W	155°F	68°C	White	A\$	Call
AC171132R9	F56C5B	175°F	79°C	Brass	A\$	Call
AC172132R9	F56C5C	175°F	79°C	Chrome	A\$	Call
AC178732R9	F56C5W	175°F	79°C	Poly White	A\$	70.63
AC201132R9	F56C2B	200°F	93°C	Brass	A\$	Call
AC202132R9	F56C2C	200°F	93°C	Chrome	A\$	Call
AC208732R9	F56C2W	200°F	93°C	Poly White	A\$	Call
AC281132R9	F56C3B	286°F	141°C	Brass	A\$	Call
AC282132R9	F56C3C	286°F	141°C	Chrome	A\$	Call
		°F	°C		A\$	Call
		°F	°C		A\$	Call
AC362132R9	F56C6C	360°F	182°C	Chrome	A\$	Call
		°F	°C		A\$	Call
MODEL F156 CONVENTIONAL K 5.6 (80) BSPT THREADS 1/2" (15MM) RA1375						
AC131132R2	F56C0BM	135°F	57°C	Brass	A\$	50.12
AC132132R2	F56C0CM	135°F	57°C	Chrome	A\$	59.34
AC138732R2	F56C0WM	135°F	57°C	White	A\$	70.63
AC151132R2	F56C1BM	155°F	68°C	Brass	A\$	50.12
AC152132R2	F56C1CM	155°F	68°C	Chrome	A\$	59.34
AC158732R2	F56C1WM	155°F	68°C	Poly White	A\$	70.63
		°F	°C		A\$	Call
AC172132R2	F56C5CM	175°F	79°C	Chrome	A\$	59.34
AC178732R2	F56C5WM	175°F	79°C	White	A\$	70.63
AC201132R2	F56C2BM	200°F	93°C	Brass	A\$	50.12
AC202132R2	F56C2CM	200°F	93°C	Chrome	A\$	59.34
AC208732R2	F56C2WM	200°F	93°C	Poly White	A\$	70.63
AC281132R2	F56C3BM	286°F	141°C	Brass	A\$	50.12
AC282132R2	F56C3CM	286°F	141°C	Chrome	A\$	59.34
		°F	°C		A\$	Call
6880050100	WW2	Requires Model W2 Sprinkler Wrench			A\$	212.47



F1 LO

- Conventional
- **SIN R1772**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1 LO CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772					
A313113498	FC0LB	135°F	57°C	Brass	A\$ 63.47
A313213498	FC0LC	135°F	57°C	Chrome	A\$ 76.57
A313873498	FC0LW	135°F	57°C	White	A\$ 91.48
A315113498	FC1LB	155°F	68°C	Brass	A\$ 63.47
A315213498	FC1LC	155°F	68°C	Chrome	A\$ 76.57
A315873498	FC1LW	155°F	68°C	White	A\$ 91.48
A317113498	FC5LB	175°F	79°C	Brass	A\$ 63.47
A317213498	FC5LC	175°F	79°C	Chrome	A\$ 76.57
		°F	°C		A\$ Call
A320113498	FC2LB	200°F	93°C	Brass	A\$ 63.47
A320213498	FC2LC	200°F	93°C	Chrome	A\$ 76.57
A320873498	FC2LW	200°F	93°C	White	A\$ 91.48
A328113498	FC3LB	286°F	141°C	Brass	A\$ 63.47
A328213498	FC3LC	286°F	141°C	Chrome	A\$ 76.57
A328873498	FC3LW	286°F	141°C	White	A\$ 91.48
MODEL F1 LO CONVENTIONAL K8.0 (115) BSPT THREADS 3/4" (20MM) R1772					
A313113495	FC0LBM	135°F	57°C	Brass	A\$ 63.47
A313213495	FC0LCM	135°F	57°C	Chrome	A\$ 76.57
A313873495	FC0LWM	135°F	57°C	White	A\$ 91.48
A315113495	FC1LBM	155°F	68°C	Brass	A\$ 63.47
A315213495	FC1LCM	155°F	68°C	Chrome	A\$ 79.44
A315873495	FC1LWM	155°F	68°C	White	A\$ 91.48
A317113495	FC5LBM	175°F	79°C	Brass	A\$ 63.47
A317213495	FC5LCM	°F	°C		A\$ 76.57
A317873495	FC5LWM	°F	°C		A\$ 91.48
A320113495	FC2LBM	200°F	93°C	Brass	A\$ 63.47
A320213495	FC2LCM	°F	°C		A\$ 76.57
A320873495	EC2LWM	°F	°C		A\$ 91.48
A328113495	FC3LBM	286°F	141°C	Brass	A\$ 63.47
A328213495	FC3LCM	286°F	141°C	Chrome	A\$ 76.57
A328873495	FC3LWM	286°F	141°C	Poly White	A\$ 91.48

6880050100 WW2 Requires Model W2 Sprinkler Wrench A\$ 212.47



F1 56 HSW

- K-Factor = 80 (5.6)
- **SIN RA1375**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1335					
AD131132R9	F56H0B	135°F	57°C	Brass	A\$ Call
AD132132R9	F56H0C	135°F	57°C	Chrome	A\$ Call
AD138732R9	F56H0W	135°F	57°C	Poly White	A\$ Call
AD151132R9	F56H1B	155°F	68°C	Brass	A\$ Call
AD152132R9	F56H1C	155°F	68°C	Chrome	A\$ Call
AD158732R9	F56H1W	155°F	68°C	White	A\$ Call
AD171132R9	F56H5B	175°F	79°C	Brass	A\$ Call
AD172132R9	F56H5C	175°F	79°C	Chrome	A\$ Call
AD178732R9	F56H5W	175°F	79°C	Poly White	A\$ Call
AD201132R9	F56H2B	200°F	93°C	Brass	A\$ Call
AD202132R9	F56H2C	200°F	93°C	Chrome	A\$ Call
		°F	°C		A\$ Call
AD281132R9	F56H3B	286°F	141°C	Brass	A\$ Call
AD282132R9	F56H3C	286°F	141°C	Chrome	A\$ Call
AD288732R9	F56H3W	286°F	141°C	Poly White	A\$ Call
AD361132R9	F56H6B	360°F	182°C	Brass	A\$ Call
AD362132R9	F56H6C	360°F	182°C	Chrome	A\$ Call
AD368732R9	F56H6W	360°F	182°C	Poly White	A\$ Call
MODEL F156 HORIZONTAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1335					
AD131132R2	F56H0BM	135°F	57°C	Brass	A\$ 77.93
AD132132R2	F56H0CM	135°F	57°C	Chrome	A\$ 89.27
AD138732R2	F56H0WM	135°F	57°C	Poly White	A\$ 95.84
AD151132R2	F56H1BM	155°F	68°C	Brass	A\$ 77.93
AD152132R2	F56H1CM	155°F	68°C	Chrome	A\$ 89.27
AD158732R2	F56H1WM	155°F	68°C	Poly White	A\$ 95.84
AD171132R2	F56H5BM	175°F	79°C	Brass	A\$ 77.93
AD172132R2	F56H5CM	175°F	79°C	Bronze	A\$ 89.27
AD178732R2	F56H5WM	175°F	79°C	Bronze	A\$ 95.84
AD201132R2	F56H2BM	200°F	93°C	Brass	A\$ 77.93
AD202132R2	F56H2CM	200°F	93°C	Chrome	A\$ 89.27
AD208732R2	F56H2WM	200°F	93°C	White	A\$ 95.84
AD281132R2	F56H3BM	286°F	141°C	Brass	A\$ 77.93
AD282132R2	F56H3CM	286°F	141°C	Chrome	A\$ 89.27
AD288732R2	F56H3WM	286°F	141°C	Poly White	A\$ 95.84
AD361132R2	F56H6BM	360°F	182°C	Brass	A\$ 77.93
AD362132R2	F56H6CM	360°F	182°C	Chrome	A\$ 89.27
AD368732R2	F56H6WM	360°F	182°C	White	A\$ 95.84
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15MM)		Brass	A\$ 38.99
6800600001	GF1C	1/2" (15MM)		Chrome	A\$ 21.02
6800640001	GF1W	1/2" (15MM)		White	A\$ 21.02

6880050100	WW2	Requires Model W2 Sprinkler Wrench	A\$ 212.47
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	A\$ 630.53



F1 56

- K-Factor = 5.6 (80)
- Vertical Sidewall
- **SIN RA1385**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 VERTICAL K5.6 (80) THREADS 1/2" (15MM) RA1385					
		°F	°C		A\$ Call
AE132132R9	F56V0C	135°F	57°C	Chrome	A\$ Call
AE138732R9	F56V0W	135°F	57°C	White	A\$ 100.30
AE151132R9	F56V1B	155°F	68°C	Brass	A\$ Call
AE152132R9	F56V1C	155°F	68°C	Chrome	A\$ Call
AE158732R9	F56V1W	155°F	68°C	Poly White	A\$ Call
		°F	°C		A\$ Call
AE172132R9	F56V5C	175°F	79°C	Chrome	A\$ Call
AE178732R9	F56V5W	175°F	79°C	Poly White	A\$ Call
		°F	°C		A\$ Call
AE202132R9	F56V2C	200°F	93°C	Chrome	A\$ Call
AE208732R9	F56V2W	200°F	93°C	Poly White	A\$ Call
		°F	°C		A\$ Call
		°F	°C		A\$ Call
AE288732R9	F56V3W	286°F	141°C	Poly White	A\$ Call
AE361132R9	F56V6B	360°F	182°C	Brass	A\$ Call
AE362132R9	F56V6C	360°F	182°C	Chrome	A\$ Call
AE368732R9	F56V6W	360°F	182°C	White	A\$ 100.30
MODEL F156 VERTICAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1385					
AE131132R2	F56V0BM	135°F	57°C	Brass	A\$ 80.09
AE132132R2	F56V0CM	135°F	57°C	Chrome	A\$ 91.75
AE138732R2	F56V0WM	135°F	57°C	White	A\$ 100.30
AE151132R2		155°F	68°C	Brass	A\$ 80.09
AE152132R2	F56V1CM	155°F	68°C	Chrome	A\$ 91.75
AE158732R2	F56V1WM	155°F	68°C	Poly White	A\$ 100.30
AE171132R2	F56V5BM	175°F	79°C	Brass	A\$ 80.09
AE172132R2	F56V5CM	175°F	79°C	Chrome	A\$ 91.75
AE178732R2	F56V5WM	175°F	79°C	White	A\$ 100.30
AE201132R2	F56V2BM	200°F	93°C	Brass	A\$ 80.09
AE202132R2	F56V2CM	200°F	93°C	Chrome	A\$ 91.75
AE208732R2	F56V2WM	200°F	93°C	Poly White	A\$ 100.30
AE281132R2	F56V3BM	286°F	141°C	Brass	A\$ 80.09
AE282132R2	F56V3CM	286°F	141°C	Chrome	A\$ 91.75
AE288732R2	F56V3WM	286°F	141°C	Poly White	A\$ 100.30
AE361132R2	F56V6BM	360°F	182°C	Brass	A\$ 80.09
AE362132R2	F56V6CM	360°F	182°C	Chrome	A\$ 91.75
AE368732R2	F56V6WM	360°F	182°C	White	A\$ 100.30

6880050100 WW2 Requires Model W2 Sprinkler Wrench A\$ 212.47



G UPRIGHT

- K5.6 = SIN R1025
- K7.96 = SIN R1026 (17/32"x1/2")
- K8.2 = SIN R1027
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025					
5113113299	GU0B	135°F	57°C	Brass	A\$ 75.02
5113213299	GU0C	135°F	57°C	Chrome	A\$ 89.24
5113873299	GU0W	135°F	57°C	White	A\$ 98.15
5116113299	GU1B	165°F	74°C	Brass	A\$ 75.02
5116213299	GU1C	165°F	74°C	Chrome	A\$ 89.24
5116873299	GU1W	165°F	74°C	Poly White	A\$ 98.15
5121113299	GU2B	212°F	100°C	Brass	A\$ 75.02
5121213299	GU2C	212°F	100°C	Chrome	A\$ 89.24
5121873299	GU2W	212°F	100°C	White	A\$ 98.15
5128113299	GU3B	286°F	141°C	Brass	A\$ 75.02
5128213299	GU3C	286°F	141°C	Chrome	A\$ 89.24
5128873299	GU3W	286°F	141°C	White	A\$ 98.15
MODEL G UPRIGHT K8.2 (115) THREADS 3/4" (20MM) R1027					
5113113498	GU0LB	135°F	57°C	Brass	A\$ 90.00
5113213498	GU0LC	135°F	57°C	Chrome	A\$ 108.12
5116113498	GU1LB	165°F	74°C	Brass	A\$ 90.00
5116213498	GU1LC	165°F	74°C	Chrome	A\$ 108.12
5121113498	GU2LB	212°F	100°C	Brass	A\$ 90.00
5121213498	GU2LC	212°F	100°C	Chrome	A\$ 108.12
5128113498	GU3LB	286°F	141°C	Brass	A\$ 90.00
5128213498	GU3LC	286°F	141°C	Chrome	A\$ 108.12
MODEL G UPRIGHT K8.0 (115) THREADS 1/2" (15MM) R1026					
5113113499	GU0LHB	135°F	57°C	Brass	A\$ 115.57
5113213499	GU0LHC	135°F	57°C	Chrome	A\$ 132.35
5116113499	GU1LHB	165°F	74°C	Brass	A\$ 115.57
5116213499	GU1LHC	165°F	74°C	Chrome	A\$ 132.35
5121113499	GU2LHB	212°F	100°C	Brass	A\$ 115.57
5121213499	GU2LHC	212°F	100°C	Chrome	A\$ 132.35
5128113499	GU3LHB	286°F	141°C	Brass	A\$ 115.57
5128213499	GU3LHC	286°F	141°C	Chrome	A\$ 132.35

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW A\$ 212.47



G UPRIGHT

- K2.82 = SIN R1021
- K4.24 = SIN R1023
- K4.10 = SIN R1024
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R1021					
5113112499	GU03B	135°F	57°C	Brass	A\$ 102.74
5113212499	GU03C	135°F	57°C	Chrome	A\$ 119.24
5116112499	GU13B	165°F	74°C	Brass	A\$ 102.74
5116212499	GU13C	165°F	74°C	Chrome	A\$ 119.24
5121112499	GU23B	212°F	100°C	Brass	A\$ 102.74
5121212499	GU23C	212°F	100°C	Chrome	A\$ 119.24
5128112499	GU33B	286°F	141°C	Brass	A\$ 102.74
5128212499	GU33C	286°F	141°C	Chrome	A\$ 119.24
MODEL G UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R1023					
5113112899	GU07B	135°F	57°C	Brass	A\$ 102.74
5113212899	GU07C	135°F	57°C	Chrome	A\$ 119.24
5116112899	GU17B	165°F	74°C	Brass	A\$ 102.74
5116212899	GU17C	165°F	74°C	Chrome	A\$ 119.24
5121112899	GU27B	212°F	100°C	Brass	A\$ 102.74
5128112899	GU37B	286°F	141°C	Brass	A\$ 102.74
5128212899	GU37C	286°F	141°C	Chrome	A\$ 119.24

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) A\$ 212.47



G PENDENT

- K5.6 = SIN R1015
- K8.2 = SIN R1017
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015					
5213113299	GP0B	135°F	57°C	Brass	A\$ 75.02
5213213299	GP0C	135°F	57°C	Chrome	A\$ 86.91
5213873299	GP0W	135°F	57°C	White	A\$ 98.15
5216113299	GP1B	165°F	74°C	Brass	A\$ 75.02
5216213299	GP1C	165°F	74°C	Chrome	A\$ 86.91
5216873299	GP1W	165°F	74°C	Poly White	A\$ 98.15
5221113299	GP2B	212°F	100°C	Brass	A\$ 75.02
5221213299	GP2C	212°F	100°C	Chrome	A\$ 86.91
5221873299	GP2W	212°F	100°C	White	A\$ 98.15
5228113299	GP3B	286°F	141°C	Brass	A\$ 75.02
5228213299	GP3C	286°F	141°C	Chrome	A\$ 86.91
5228873299	GP3W	286°F	141°C	White	A\$ 98.15
MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017					
5213113498	GP0LB	135°F	57°C	Brass	A\$ 92.44
5213213498	GP0LC	135°F	57°C	Chrome	A\$ 108.12
5216113498	GP1LB	165°F	74°C	Brass	A\$ 92.44
5216213498	GP1LC	165°F	74°C	Chrome	A\$ 108.12
5221113498	GP2LB	212°F	100°C	Brass	A\$ 92.44
5221213498	GP2LC	212°F	100°C	Chrome	A\$ 108.12
5228113498	GP3LB	286°F	141°C	Brass	A\$ 92.44
5228213498	GP3LC	286°F	141°C	Chrome	A\$ 108.12
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 38.99
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 21.02
6800640001	GF1W	1/2" (15mm)		White	A\$ 21.02
6801030000	GF1LB	3/4" (20mm)		Brass	A\$ 38.99
6801000000	GF1LC	3/4" (20mm)		Chrome	A\$ 21.02
6801040000	GF1LW	3/4" (20mm)		White	A\$ 21.02
6800930000	GF1MB	10mm		Brass	A\$ 38.96
6800900000	GF1MC	10mm		Chrome	A\$ 20.74
6800940003	GF1MW	10mm		Poly White	A\$ 20.74

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 212.47
6880100000	WRC	For Recessed Use RC1 Wrench	A\$ 630.53



G PENDENT

- K7.96 = SIN R1016
- K2.82 = SIN R1011
- K4.24 = SIN R1013
- K4.10 = SIN R1014
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G PENDENT K2.8 (40) THREADS 1/2" (15MM) R1011					
5213112499	GP03B	135°F	57°C	Brass	A\$ 102.74
5213212499	GP03C	135°F	57°C	Chrome	A\$ 119.24
5216112499	GP13B	165°F	74°C	Brass	A\$ 102.74
5216212499	GP13C	165°F	74°C	Chrome	A\$ 119.24
5221112499	GP23B	212°F	100°C	Brass	A\$ 102.74
5221212499	GP23C	212°F	100°C	Chrome	A\$ 119.24
5228112499	GP33B	286°F	141°C	Brass	A\$ 102.74
5228212499	GP33C	286°F	141°C	Chrome	A\$ 119.24
MODEL G PENDENT K4.2 (60) THREADS 1/2" (15MM) R1013					
5213112899	GP07B	135°F	57°C	Brass	A\$ 102.74
5213212899	GP07C	135°F	57°C	Chrome	A\$ 119.24
5216112899	GP17B	165°F	74°C	Brass	A\$ 102.74
5216212899	GP17C	165°F	74°C	Chrome	A\$ 119.24
5221112899	GP27B	212°F	100°C	Brass	A\$ 102.74
5221212899	GP27C	212°F	100°C	Chrome	A\$ 119.24
5228112899	GP37B	286°F	141°C	Brass	A\$ 102.74
5228212899	GP37C	286°F	141°C	Chrome	A\$ 119.24

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		A\$ 212.47
6880100000	WRC	For Recessed, Use Model RC1 Wrench		A\$ 630.53



G VSW

- K-Factor = 5.6 (80)
- **SIN R1285**
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
MODEL G VERTICAL K5.6 (80) THREADS 1/2" (15MM) R1285					
5413113292	GV0B	135°F	57°C	Brass	A\$ 108.73
5413213292	GV0C	135°F	57°C	Chrome	A\$ 122.99
5416113292	GV1B	165°F	74°C	Brass	A\$ 108.73
5416213292	GV1C	165°F	74°C	Chrome	A\$ 122.99
5421113292	GV2B	212°F	100°C	Brass	A\$ 108.73
5421213292	GV2C	212°F	100°C	Chrome	A\$ 122.99
5428113292	GV3B	286°F	141°C	Brass	A\$ 108.73
5428213292	GV3C	286°F	141°C	Chrome	A\$ 122.99

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 212.47
------------	-----	-----------------------------------	------------




G HSW

- K5.6 = SIN R1235
- K8.0 w 3/4"NPT = SIN R1237
- K8.0 w 1/2"NPT = SIN R1236
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
MODEL G HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1235					
5413113299	GH0B	135°F	57°C	Brass	A\$ 106.18
5413213299	GH0C	135°F	57°C	Chrome	A\$ 120.09
5416113299	GH1B	165°F	74°C	Brass	A\$ 106.18
5416213299	GH1C	165°F	74°C	Chrome	A\$ 120.09
5421113299	GH2B	212°F	100°C	Brass	A\$ 106.18
5421213299	GH2C	212°F	100°C	Chrome	A\$ 120.09
5428113299	GH3B	286°F	141°C	Brass	A\$ 106.18
5428213299	GH3C	286°F	141°C	Chrome	A\$ 120.09
MODEL G HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R1237					
5413113498	GH0LB	135°F	57°C	Brass	A\$ 119.93
5413213498	GH0LC	135°F	57°C	Chrome	A\$ 132.71
5416113498	GH1LB	165°F	74°C	Brass	A\$ 119.93
5416213498	GH1LC	165°F	74°C	Chrome	A\$ 132.71
5421113498	GH2LB	212°F	100°C	Brass	A\$ 119.93
5421213498	GH2LC	212°F	100°C	Chrome	A\$ 132.71
5428113498	GH3LB	286°F	141°C	Brass	A\$ 119.93
5428213498	GH3LC	286°F	141°C	Chrome	A\$ 132.71
MODEL G HORIZONTAL K8.0 (115) THREADS 1/2" (15MM) 1236					
5413113499	GH0LHB	135°F	57°C	Brass	A\$ 143.28
5413213499	GH0LHC	135°F	57°C	Chrome	A\$ 155.93
5416113499	GH1LHB	165°F	74°C	Brass	A\$ 143.28
5416213499	GH1LHC	165°F	74°C	Chrome	A\$ 155.93
5421113499	GH2LHB	212°F	100°C	Brass	A\$ 143.28
5421213499	GH2LHC	212°F	100°C	Chrome	A\$ 155.93
5428113499	GH3LHB	286°F	141°C	Brass	A\$ 143.28
5428213499	GH3LHC	286°F	141°C	Chrome	A\$ 155.93
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 38.99
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 21.02
6800640001	GF1W	1/2" (15mm)		White	A\$ 21.02
6801030000	GF1LB	3/4" (20mm)		Brass	A\$ 38.99
6801000000	GF1LC	3/4" (20mm)		Chrome	A\$ 21.02
6801040000	GF1LW	3/4" (20mm)		White	A\$ 21.02
6800930000	GF1MB	10mm		Brass	A\$ 38.96
6800900000	GF1MC	10mm		Chrome	A\$ 20.74
6800940003	GF1MW	10mm		Poly White	A\$ 20.74

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 630.53



G HSW

- K2.8 = SIN R1231
- K4.2 = SIN R1233
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
MODEL G HORIZONTAL K2.8 (40) THREADS 1/2" (15MM) R1231					
5413112499	GH03B	135°F	57°C	Brass	A\$ 132.71
5413212499	GH03C	135°F	57°C	Chrome	A\$ 144.81
5416112499	GH13B	165°F	74°C	Brass	A\$ 132.71
5416212499	GH13C	165°F	74°C	Chrome	A\$ 144.81
5421112499	GH23B	212°F	100°C	Brass	A\$ 132.71
5421212499	GH23C	212°F	100°C	Chrome	A\$ 144.81
5428112499	GH33B	286°F	141°C	Brass	A\$ 132.71
5428212499	GH33C	286°F	141°C	Chrome	A\$ 144.81
MODEL G HORIZONTAL K4.2 (60) THREADS 1/2" (15MM) R1233					
5413112899	GH07B	135°F	57°C	Brass	A\$ 132.71
5413212899	GH07C	135°F	57°C	Chrome	A\$ 144.81
5416112899	GH17B	165°F	74°C	Brass	A\$ 132.71
5416212899	GH17C	165°F	74°C	Chrome	A\$ 144.81
5421112899	GH27B	212°F	100°C	Brass	A\$ 132.71
5421212899	GH27C	212°F	100°C	Chrome	A\$ 144.81
5428112899	GH37B	286°F	141°C	Brass	A\$ 132.71
5428212899	GH37C	286°F	141°C	Chrome	A\$ 144.81
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 38.99
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 21.02
6800640001	GF1W	1/2" (15mm)		White	A\$ 21.02
6801030000	GF1LB	3/4" (20mm)		Brass	A\$ 38.99
6801000000	GF1LC	3/4" (20mm)		Chrome	A\$ 21.02
6801040000	GF1LW	3/4" (20mm)		White	A\$ 21.02
6800930000	GF1MB	10mm		Brass	A\$ 38.96
6800900000	GF1MC	10mm		Chrome	A\$ 20.74
6800940003	GF1MW	10mm		Poly White	A\$ 20.74
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 630.53



G RECESSED

Non-Adjustable -


- K2.8 = SIN R1011
- K4.2 = SIN R1013
- K5.6 = SIN R1015
- K8.0 = SIN R1016
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
MODEL G RECESSED K5.6 (80) THREADS 1/2" (15MM) R1015					
5513343270	GR0B	135°F	57°C	W/O	A\$ 110.39
5513323270	GR0C	135°F	57°C	W/O	A\$ 101.96
5513463270	GR0W	135°F	57°C	Poly White	A\$ 110.39
5516343270	GR1B	165°F	74°C	Brass	A\$ 110.39
5516323270	GR1C	165°F	74°C	Chrome	A\$ 101.96
5516463270	GR1W	165°F	74°C	Poly White	A\$ 110.39
5521343270	GR2B	212°F	100°C	W/O	A\$ 110.39
5521323270	GR2C	212°F	100°C	Chrome	A\$ 101.96
5521463270	GR2W	212°F	100°C	W/O	A\$ 110.39
MODEL G RECESSED K8.0 (115) THREADS 1/2" (15MM) R1016					
5513343470	GR0LHB	135°F	57°C	W/O	A\$ 134.12
5513323470	GR0LHC	135°F	57°C	W/O	A\$ 130.36
5516343470	GR1LHB	165°F	74°C	Brass	A\$ 134.12
5516323470	GR1LHC	165°F	74°C	Chrome	A\$ 130.36
5521343470	GR2LHB	212°F	100°C	W/O	A\$ 134.12
5521323470	GR2LHC	212°F	100°C	Chrome	A\$ 130.36
MODEL G RECESSED K2.8 (40) THREADS 1/2" (15MM) R1011					
5513342470	GR03B	135°F	57°C	W/O	A\$ 150.30
5513322470	GR03C	135°F	57°C	W/O	A\$ 142.62
5516342470	GR13B	165°F	74°C	Brass	A\$ 150.30
		°F	°C		A\$ Call
5521342470	GR23B	212°F	100°C	W/O	A\$ 150.30
5521322470	GR23C	212°F	100°C	Chrome	A\$ 142.62
MODEL G RECESSED ESCUTCHEONS					
6801361101	GRB	Threaded		Brass	A\$ 62.28
6801362101	GRC	Threaded		Chrome	A\$ 32.58
6801367201	GRW	Threaded		White	A\$ 32.58
6801369001	GRSP	Threaded		Specialty	A\$ 80.11

6880100000 WRC Requires Model RC1 Sprinkler Wrench A\$ 630.53

Notes:

Sprinklers and Escutcheons sold and packaged separately



G (CONT.)

- K4.2 = SIN R1013
- K5.6 1" M AND 1" F SIN R1118
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
MODEL G RECESSED K4.2 (40) THREADS 1/2" (15MM) R1013					
5513342870	GR07B	135°F	57°C	W/O	A\$ 150.30
5513322870	GR07C	135°F	57°C	W/O	A\$ 142.62
5516342870	GR17B	165°F	74°C	Brass	A\$ 150.30
		°F	°C		A\$ Call
5521342870	GR27B	212°F	100°C	W/O	A\$ 150.30
5521322870	GR27C	212°F	100°C	Chrome	A\$ 142.62
MODEL G RECESSED ESCUTCHEONS					
6801361101	GRB	Threaded		Brass	A\$ 62.28
6801362101	GRC	Threaded		Chrome	A\$ 32.58
6801367201	GRW	Threaded		White	A\$ 32.58
6801369001	GRSP	Threaded		Specialty	A\$ 80.11

6880100000 WRC For Recessed Use Model RC1 Wrench A\$ 630.53

Notes:

Sprinklers and Escutcheons sold and packaged separately



G4 CONCEALED

- K2.8 = SIN R2111
- K4.2 = SIN R2113
- K5.6 = SIN R2115
- See Bulletin 121

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature	Finish	List Price
MODEL G4 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R2115				
5713173299	G40	135°F 57°C	W/O	A\$ 108.02
5716173299	G41	165°F 74°C	W/O	A\$ 104.82
5721173299	G42	212°F 100°C	W/O	A\$ 108.02
MODEL G4 CONCEALED K2.8 (40) THREADS 1/2" (15MM) R2111				
5713172499	G403	135°F 57°C	W/O	A\$ 115.27
5716172499	G413	165°F 74°C	W/O	A\$ 115.27
5721172499	G423	212°F 100°C	W/O	A\$ 115.27
MODEL G4 CONCEALED K4.2 (60) THREADS 1/2" (15MM) R2113				
5713172899	G407	135°F 57°C	W/O	A\$ 115.27
5716172899	G417	165°F 74°C	W/O	A\$ 115.27
5721172899	G427	212°F 100°C	W/O	A\$ 115.27
MODEL G5 COVER PLATES				
6887271321	CG50C	135°F 57°C	Chrome	A\$ 78.04
6887271372	CG50W	135°F 57°C	White	A\$ 71.13
6887271390	CG50SP	135°F 57°C	Specialty	A\$ 100.61
6887271374	CG50OW	135°F 57°C	Off-White	A\$ 96.74
6887271316	CG50FB	135°F 57°C	Black Painted	A\$ 96.86
6887271305	CG50BB	135°F 57°C	Bright Brass	A\$ 122.79
6887271323	CG50CD	135°F 57°C	Satin Chrome	A\$ 122.79
6887271310	CG50SS	135°F 57°C	Stainless Steel	A\$ 122.79
6887271311	CG50B	135°F 57°C	Finished Bronze	A\$ 101.43
6887271319	CG50EW	135°F 57°C	Euro White	A\$ 71.13
6887271621	CG51C	165°F 74°C	Chrome	A\$ 78.04
6887271672	CG51W	165°F 74°C	White	A\$ 71.13
6887271690	CG51SP	165°F 74°C	Specialty	A\$ 100.61
6887271674	CG51OW	165°F 74°C	Off-White	A\$ 96.74
6887271690	CG51SP	165°F 74°C	Specialty	A\$ 100.61
6887271616	CG51FB	165°F 74°C	Black Painted	A\$ 96.86
6887271605	CG51BB	165°F 74°C	Bright Brass	A\$ 122.79
6887271623	CG51CD	165°F 74°C	Satin Chrome	A\$ 122.79
6887271610	CG51SS	165°F 74°C	Stainless Steel	A\$ 122.79
6887271619	CG51EW	165°F 74°C	Euro White	A\$ 71.13

6880170000 WG4 Requires Model G4 Sprinkler Wrench A\$ 628.08

Notes:

Sprinklers and coverplates sold and packaged separately



G4 -11CONCEALED

- K11.2 = SIN R101
- See Bulletin 086

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4 -11 CONCEALED K11.2 (160) THREADS 3/4" R101					
1716173698	G4111	165°F	74°C	W/O	A\$ 231.70
1721173698	G4112	212°F	100°C	W/O	A\$ 231.70
MODEL G5 SR GASKET COVER PLATES					
6887031372	CG4S0W	135°F	57°C	White	A\$ 181.92
6887031672	CG4S1W	165°F	74°C	White	A\$ 181.92
MODEL G5 QR GASKET COVER PLATES					
6887201372	CG5S0W	135°F	57°C	White	A\$ 181.92
6887201672	CG5S1W	165°F	74°C	White	A\$ 181.92
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	A\$ 78.04
6887271372	CG50W	135°F	57°C	White	A\$ 71.13
6887271390	CG50SP	135°F	57°C	Specialty	A\$ 100.61
6887271374	CG50OW	135°F	57°C	Off-White	A\$ 96.74
6887271316	CG50FB	135°F	57°C	Black Painted	A\$ 96.86
6887271305	CG50BB	135°F	57°C	Bright Brass	A\$ 122.79
6887271323	CG50CD	135°F	57°C	Satin Chrome	A\$ 122.79
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$ 122.79
6887271311	CG50B	135°F	57°C	Finished Bronze	A\$ 101.43
6887271319	CG50EW	135°F	57°C	Euro White	A\$ 71.13
6887271621	CG51C	165°F	74°C	Chrome	A\$ 78.04
6887271672	CG51W	165°F	74°C	White	A\$ 71.13
6887271690	CG51SP	165°F	74°C	Specialty	A\$ 100.61
6887271674	CG51OW	165°F	74°C	Off-White	A\$ 96.74
6887271690	CG51SP	165°F	74°C	Specialty	A\$ 100.61
6887271616	CG51FB	165°F	74°C	Black Painted	A\$ 96.86
6887271605	CG51BB	165°F	74°C	Bright Brass	A\$ 122.79
6887271623	CG51CD	165°F	74°C	Satin Chrome	A\$ 122.79
6887271610	CG51SS	165°F	74°C	Stainless Steel	A\$ 122.79
6887271619	CG51EW	165°F	74°C	Euro White	A\$ 71.13
6880170000	WG4	Requires Model G4 Sprinkler Wrench			A\$ 628.08

Notes:
 Sprinklers and coverplates sold and packaged separately



**G4-300
 CONCEALED**

- K-Factor = 5.6 (80)
- **SIN R6115**
- See Bulletin 161

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4 - 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R6115					
57A1173299	G40300	135°F	57°C	W/O	A\$ 111.92
57A2173299	G41300	165°F	74°C	W/O	A\$ 111.92
57A6173299	G42300	212°F	100°C	W/O	A\$ 111.92
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	A\$ 78.04
6887271372	CG50W	135°F	57°C	White	A\$ 71.13
6887271311	CG50B	135°F	57°C	Finished Bronze	A\$ 101.43
6887271374	CG50OW	135°F	57°C	Off-White	A\$ 96.74
6887271390	CG50SP	135°F	57°C	Specialty	A\$ 100.61
6887271316	CG50FB	135°F	57°C	Black Painted	A\$ 96.86
6887271305	CG50BB	135°F	57°C	Bright Brass	A\$ 122.79
6887271323	CG50CD	135°F	57°C	Satin Chrome	A\$ 122.79
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$ 122.79
6887271319	CG50EW	135°F	57°C	Euro White	A\$ 71.13
6887271621	CG51C	165°F	74°C	Chrome	A\$ 78.04
6887271672	CG51W	165°F	74°C	White	A\$ 71.13
6887271611	CG51B	165°F	74°C	Finished Bronze	A\$ 101.43
6887271674	CG51OW	165°F	74°C	Off-White	A\$ 96.74
6887271690	CG51SP	165°F	74°C	Specialty	A\$ 100.61
6887271616	CG51FB	165°F	74°C	Black Painted	A\$ 96.86
6887271605	CG51BB	165°F	74°C	Bright Brass	A\$ 122.79
6887271623	CG51CD	165°F	74°C	Satin Chrome	A\$ 122.79
6887271610	CG51SS	165°F	74°C	Stainless Steel	A\$ 122.79
6887271619	CG51EW	165°F	74°C	Euro White	A\$ 71.13

6880170000 WG4 Requires Model G4 Sprinkler Wrench A\$ 628.08

Notes:

Sprinklers and coverplates sold and packaged separately



G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417					
1916173497	G5801BFM	165°F	74°C	W/O	A\$144.52
1921173497	G5802BFM	212°F	100°C	W/O	A\$144.52
MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417					
1916173494	G5801MFM	165°F	74°C	W/O	A\$144.52
1921173494	G5802MFM	212°F	100°C	W/O	A\$144.52
MODEL G5 COVERPLATES					
6887271321	CG50C	135°F	57°C	Chrome	A\$ 78.04
6887271372	CG50W	135°F	57°C	White	A\$ 71.13
6887271311	CG50B	135°F	57°C	Finished Bronze	A\$101.43
6887271374	CG50OW	135°F	57°C	Off-White	A\$ 96.74
6887271390	CG50SP	135°F	57°C	Specialty	A\$100.61
6887271316	CG50FB	135°F	57°C	Black Painted	A\$ 96.86
6887271305	CG50BB	135°F	57°C	Bright Brass	A\$122.79
6887271323	CG50CD	135°F	57°C	Satin Chrome	A\$122.79
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$122.79
6887271319	CG50EW	135°F	57°C	Euro White	A\$ 71.13
6887271621	CG51C	165°F	74°C	Chrome	A\$ 78.04
6887271672	CG51W	165°F	74°C	White	A\$ 71.13
6887271611	CG51B	165°F	74°C	Finished Bronze	A\$101.43
6887271674	CG51OW	165°F	74°C	Off-White	A\$ 96.74
6887271690	CG51SP	165°F	74°C	Specialty	A\$100.61
6887271616	CG51FB	165°F	74°C	Black Painted	A\$ 96.86
6887271605	CG51BB	165°F	74°C	Bright Brass	A\$122.79
6887271610	CG51SS	165°F	74°C	Stainless Steel	A\$122.79
6887271623	CG51CD	165°F	74°C	Satin Chrome	A\$122.79
6887271619	CG51EW	165°F	74°C	Euro White	A\$ 71.13

6880170020	WFC	WRENCH,FC,CONCEALED	A\$ 633.90
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	A\$ 633.90

Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



G5-80 SR "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

G5-80F "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3417**
- See Bulletin 034

G5-56 SR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

G5-42 SR "Sealing" Concealed

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

G5-28 SR "Sealing" Concealed

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature	Finish	List Price
MODEL G5-80 SR SEALING CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412				
1916173498	G5801B	165°F 74°C	W/O	A\$ 137.00
1921173498	G5802B	212°F 100°C	W/O	A\$ 137.00
MODEL G5-80F SEALING CONCEALED K8.0 (115) 3/4" (20MM) RA3417				
1916173497	G5801BFM	165°F 74°C	W/O	A\$ 144.52
1921173497	G5802BFM	212°F 100°C	W/O	A\$ 144.52
MODEL G5-80F SEALING CONCEALED K8.0 (115) BSPT 3/4" (20MM) RA3417				
1916173494	G5801MFM	165°F 74°C	W/O	A\$ 144.52
1921173494	G5802MFM	212°F 100°C	W/O	A\$ 144.52
MODEL G5-56 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415				
1916173299	G51B	165°F 74°C	W/O	A\$ 110.48
1921173299	G52B	212°F 100°C	W/O	A\$ 110.48
MODEL G5-42 SR SEALING CONCEALED K4.2 (60) THREADS 1/2" RA3413				
1916172899	G5421B	165°F 74°C	W/O	A\$ 137.00
1921172899	G5422B	212°F 100°C	W/O	A\$ 137.00
MODEL G5-28 SR SEALING CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411				
1916172499	G5281B	165°F 74°C	W/O	A\$ 137.00
1921172499	G5282B	212°F 100°C	W/O	A\$ 137.00
MODEL G5 SEALING CONCEALED COVER PLATES				
6887031372	CG4S0W	135°F 57°C	White	A\$ 181.92
6887031672	CG4S1W	165°F 74°C	White	A\$ 181.92
6887031310	CG4S0SS	135°F 57°C	Stainless Steel	A\$ 196.47
6887031610	CG4S1SS	165°F 74°C	Stainless Steel	A\$ 196.47

6880170020	WFC	Requires Model FC Wrench	A\$ 633.90
------------	-----	--------------------------	------------

Notes:

Sprinklers and coverplates sold and packaged separately



**G5-56 300 SR
 "Sealing"
 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-56 300 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014					
2016173299	G51B3	165°F	74°C	W/O	A\$ 116.75
MODEL G5 SEALING CONCEALED COVER PLATE					
6887031372	CG4S0W	135°F	57°C	White	A\$ 181.92
6887031672	CG4S1W	165°F	74°C	White	A\$ 181.92
6887031310	CG4S0SS	135°F	57°C	Stainless Steel	A\$ 196.47
6887031610	CG4S1SS	165°F	74°C	Stainless Steel	A\$ 196.47

6880170020 WFC Requires Model FC Wrench A\$ 633.90

Notes:
 Sprinklers and coverplates sold and packaged separately