



**G6-80 HSW QR EC**


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762</b>					
2116173498	G61B	165°F	74°C	W/O	S\$ 248.08
<b>MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762</b>					
2116173495	G61BM	165°F	74°C	W/O	S\$ 248.08
<b>MODEL G6 PLAIN COVERPLATES</b>					
6887211311	CG60B	135°F	57°C	Finished Bronze	S\$ 98.74
6887211321	CG60C	135°F	57°C	Chrome	S\$ 68.24
6887211372	CG60W	135°F	57°C	White	S\$ 68.24
6887211390	CG60SP	135°F	57°C	Specialty	S\$ 102.96

6880101010      WG6      Requires Model G6 Sprinkler Wrench      S\$ 602.61

**Notes:**


Sprinkler and cover plates packaged and sold separately



## JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326</b>				
L192114198	JL112U1B	165°F 74°C	Brass	S\$ 142.82
L192214198	JL112U1C	165°F 74°C	Chrome	S\$ 148.32
L192874198	JL112U1W	165°F 74°C	White	S\$ 148.32
L194114198	JL112U2B	212°F 100°C	Brass	S\$ 142.82
L194214198	JL112U2C	212°F 100°C	Chrome	S\$ 148.32
L194874198	JL112U2W	212°F 100°C	White	S\$ 148.32
<b>MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326</b>				
L292114198	J112U1B	155°F 68°C	Brass	S\$ 144.71
L292214198	J112U1C	155°F 68°C	Chrome	S\$ 150.12
L292874198	J112U1W	155°F 68°C	White	S\$ 150.12
L292104198	J112U1SS	155°F 68°C	Stainless Steel	S\$ 1,346.32
L294114198	J112U2B	200°F 93°C	Brass	S\$ 144.71
L294214198	J112U2C	200°F 93°C	Chrome	S\$ 150.12
L294874198	J112U2W	200°F 93°C	Poly White	S\$ 150.12
L294104198	J112U2SS	200°F 93°C	Stainless Steel	S\$ 1,346.32



## JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216</b>				
L172114198	JL112P1B	165°F 74°C	Brass	S\$ 142.82
L172214198	JL112P1C	165°F 74°C	Chrome	S\$ 148.32
L172874198	JL112P1W	165°F 74°C	Poly White	S\$ 148.32
L174114198	JL112P2B	212°F 100°C	Brass	S\$ 142.82
L174214198	JL112P2C	212°F 100°C	Chrome	S\$ 148.32
L174874198	JL112P2W	212°F 100°C	Poly White	S\$ 148.32
<b>MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216</b>				
L272114198	J112P1B	155°F 68°C	Brass	S\$ 144.71
L272214198	J112P1C	155°F 68°C	Chrome	S\$ 150.12
L272874198	J112P1W	155°F 68°C	Poly White	S\$ 150.12
L272104198	J112P1SS	155°F 68°C	Stainless Steel	S\$ 1,346.32
L274114198	J112P2B	200°F 93°C	Brass	S\$ 144.71
L274214198	J112P2C	200°F 93°C	Chrome	S\$ 150.12
L274874198	J112P2W	200°F 93°C	White	S\$ 150.12
L274104198	J112P2SS	200°F 93°C	Stainless Steel	S\$ 1,346.32

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>				
6801030000	GF1LB	3/4" (20mm)	Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)	Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)	White	S\$ 20.17
6800970010	GF1LSS	3/4" (20mm)	Stainless Steel	S\$118.78
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>				
6800880004	GF2LB	3/4" (20mm)	Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)	Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)	White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON</b>				
6801402100	FPLC	3/4" (20mm)	Chrome	S\$ 38.90
6801407200	FPLW	3/4" (20mm)	White	S\$ 38.90
6801401000	FPLSS	3/4" (20mm)	Stainless Steel	S\$178.18

6880090000 WJ1 Upright & Pendent Requires Model J1 Sprinkler Wrench S\$242.47  
6880170032 WRJ Rec Pendent Requires Model J112 Sprinkler Wrench S\$602.61



### F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



### F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BB131130R9	F1FR56EC0B	135°F	57°C	Brass	S\$ 109.66
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome	S\$ 120.21
BB138730R9	F1FR56EC0W	135°F	57°C	Poly White	S\$ 125.73
BB151130R9	F1FR56EC1B	155°F	68°C	Brass	S\$ 109.66
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome	S\$ 120.21
BB158730R9	F1FR56EC1W	155°F	68°C	White	S\$ 125.73
<b>MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BJ131139S8	F1FRECC0LBN	135°F	57°C	Brass	S\$ 116.32
BJ132139S8	F1FRECC0LCN	135°F	57°C	Chrome	S\$ 126.74
BJ138739S8	F1FRECC0LWN	135°F	57°C	White	S\$ 136.80
BJ151139S8	F1FRECC1LBN	155°F	68°C	Brass	S\$ 116.32
BJ152139S8	F1FRECC1LCN	155°F	68°C	Chrome	S\$ 126.74
BJ158739S8	F1FRECC1LWN	155°F	68°C	White	S\$ 136.80
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17
6800890004	GF2MB	10mm		Bronze	S\$ 37.41
6800890001		10mm		Chrome	S\$ 21.60
6800890005	GF2MW	10mm		White	S\$ 19.34

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW		S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 604.97



### F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045</b>				
BH131132R9	F1FR56EC0B3	135°F 57°C	Brass	S\$ 121.08
BH132132R9	F1FR56EC0C3	135°F 57°C	Chrome	S\$ 125.95
BH138732R9	F1FR56EC0W3	135°F 57°C	Poly White	S\$ 137.79
		°F °C		S\$ Call
BH152132R9	F1FR56EC1C3	155°F 68°C	Chrome	S\$ 125.95
BH158732R9	F1FR56EC1W3	155°F 68°C	Poly White	S\$ 131.58
<b>MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942</b>				
BH131139S8	F1FRECO0LB3N	135°F 57°C	Brass	S\$ 120.73
BH132139S8	F1FRECO0LC3N	135°F 57°C	Chrome	S\$ 131.58
BH138739S8	F1FRECO0LW3N	135°F 57°C	Poly White	S\$ 142.06
BH151139S8	F1FRECO1LB3N	155°F 68°C	Brass	S\$ 120.73
BH152139S8	F1FRECO1LC3N	155°F 68°C	Chrome	S\$ 131.58
BH158739S8	F1FRECO1LW3N	155°F 68°C	Poly White	S\$ 142.06
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800630001	GF1B	1/2" (15mm)	Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)	Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)	White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)	Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)	Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)	White	S\$ 20.17



### F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



**F1FR80-300 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



**F1FR80-300 QREC RECESSED HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962</b>					
		°F	°C		S\$ Call
		°F	°C		S\$ Call
		°F	°C		S\$ Call
BH151135S8	F1FREC91B3N	155°F	68°C	Brass	S\$ 112.14
BH152135S8	F1FREC91C3N	155°F	68°C	Chrome	S\$ 119.04
BH158735S8	F1FREC91W3N	155°F	68°C	White	S\$ 126.53
BH171135S8	F1FREC95B3N	175°F	79°C	Brass	S\$ 112.14
BH172135S8	F1FREC95C3N	175°F	79°C	Chrome	S\$ 119.04
BH178735S8	F1FREC95W3N	175°F	79°C	Poly White	S\$ 126.53
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 604.97



**F1FR56 QREC  
 HORIZONTAL  
 SIDEWALL (EC-8  
 DEFLECTOR)**

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



**F1FR80 QREC  
 HORIZONTAL  
 SIDEWALL (EC-9  
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865</b>				
BD131130R9	F1FR56EC80B	135°F 57°C	Brass	S\$ 99.58
BD132130R9	F1FR56EC80C	135°F 57°C	Chrome	S\$ 105.82
BD138730R9	F1FR56EC80W	135°F 57°C	Poly White	S\$ 113.52
BD151130R9	F1FR56EC81B	155°F 68°C	Brass	S\$ 99.58
BD152130R9	F1FR56EC81C	155°F 68°C	Chrome	S\$ 105.82
BD158730R9	F1FR56EC81W	155°F 68°C	White	S\$ 113.52
BD171130R9	F1FR56EC85B	175°F 79°C	Brass	S\$ 99.58
BD172130R9	F1FR56EC85C	175°F 79°C	Chrome	S\$ 105.82
BD178730R9	F1FR56EC85W	175°F 79°C	Poly White	S\$ 113.52
<b>MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862</b>				
BK13113598	F1FREEC90B	135°F 57°C	Brass	S\$ 106.86
BK132135S8	F1FREEC90CN	135°F 57°C	Chrome	S\$ 113.52
BK138735S8	F1FREEC90WN	135°F 57°C	Poly White	S\$ 120.70
BK151135S8	F1FREEC91BN	155°F 68°C	Brass	S\$ 106.86
BK152135S8	F1FREEC91CN	155°F 68°C	Chrome	S\$ 113.52
BK158735S8	F1FREEC91WN	155°F 68°C	Poly White	S\$ 120.70
BK171135S8	F1FREEC95BN	175°F 79°C	Brass	S\$ 106.86
BK172135S8	F1FREEC95CN	175°F 79°C	Chrome	S\$ 113.52
BK178735S8	F1FREEC95WN	175°F 79°C	White	S\$ 120.70
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.17
6800880004	GF2LB	3/4" (20mm)	Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)	Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)	White	S\$ 20.17
6800890004	GF2MB	10mm	Bronze	S\$ 37.41
6800890001		10mm	Chrome	S\$ 21.60
6800890005	GF2MW	10mm	White	S\$ 19.34

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



### F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

### F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

### F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- SIN RA3045
- See Bulletin 030
- **300 PSI**

### F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BM131730R9	F1FR56CE0	135°F	57°C	W/O	S\$ 94.12
BM151730R9	F1FR56CE1	155°F	68°C	W/O	S\$ 94.12
<b>MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BM131739S8	F1FRCEL0N	135°F	57°C	W/O	S\$ 92.52
BM151739S8	F1FRCEL1N	155°F	68°C	W/O	S\$ 92.52
<b>MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045</b>					
BH131730R9	F1FR56CE03	135°F	57°C	W/O	S\$ 97.75
BH151730R9	F1FR56CE13	155°F	68°C	W/O	S\$ 97.75
<b>MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942</b>					
		°F	°C		S\$ Call
BH151739S8	F1FRCE1L3N	155°F	68°C	W/O	S\$ 97.75
<b>REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
<b>REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT</b>					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.79

6880100000      WRC      Requires Model RC1 Sprinkler Wrench      S\$ 604.97

**Notes:**

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately





**DH56**

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



**DH56 CONCEALED**

**DH56 CONCEALED**

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BU151132S9	DH561BN	155°F	68°C	Brass	S\$ 117.70
BU152132S9	DH561CN	155°F	68°C	Chrome	S\$ 129.10
BU158732S9	DH561WN	155°F	68°C	Poly White	S\$ 129.10
BU201132S9	DH562BN	200°F	93°C	Brass	S\$ 117.70
BU202132S9	DH562CN	200°F	93°C	Chrome	S\$ 129.10
BU208732S9	DH562WN	200°F	93°C	Poly White	S\$ 129.10
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17

<b>MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BT15173299	DH56C1	155°F	68°C	W/O	S\$ 125.28
BT20173299	DH56C2	200°F	93°C	W/O	S\$ 125.28
<b>REQUIRED SWC COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131618	CHWNS1	165°F	74°C	Flat White	S\$ 64.51

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
------------	-----	---------------------------------	--	--	------------

**Notes:**

Sprinkler and cover plates sold and packaged separately





### DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



### DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BU151139S8	DH1BN	155°F	68°C	Brass	S\$ 126.65
BU152139S8	DH1CN	155°F	68°C	Chrome	S\$ 136.86
BU158739S8	DH1WN	155°F	68°C	White	S\$ 136.86
<b>FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	S\$ 38.90
6801407200	FPLW	3/4" (20mm)		White	S\$ 38.90
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17
<b>MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BT15173998	DHC1	155°F	68°C	W/O	S\$ 134.38
<b>MODEL SWC-NS COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97

**Notes:**

Sprinkler and coverplates sold and packaged separately



**G4XLO EC QUICK RESPONSE**

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

**NEW**



**KFR-CCS Combustible Concealed Space**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature		Finish	List Price
-------------	------------	-------------	--	--------	------------

**MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146**

1716174198	G4XLO	165°F	74°C	W/O	S\$ 141.77
1721174198	G4XLO2	212°F	100°C	W/O	S\$ 141.77

**MODEL G5 COVER PLATES**

6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271311	CG50B	135°F	57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F	57°C	Off-White	S\$ 92.82
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F	57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F	57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F	57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 117.81
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 96.53

6880170000      WG4      Wrench, W4, Recessed, Concealed      S\$ 602.61

Part Number	Short Code	Temperature		Finish	List Price
-------------	------------	-------------	--	--------	------------

**MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454**

MN211132R9	KFRCCS	212°F	100°C	Brass	S\$ 130.19
------------	--------	-------	-------	-------	------------

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86



**SWC QREC**

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962</b>					
BM13173498	CEC9	135°F	57°C	W/O	S\$ 111.66
BM15173498	CEC91	155°F	68°C	W/O	S\$ 111.66
<b>MODEL SWC-NS COVERPLATES</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 96.73

6880100120      WW4                      Wrench, W4, Recessed, Concealed                      S\$ 604.97

**Notes:**

Covers can not be plated - only painted.  
 Sprinkler and coverplates sold and packaged separately



### F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



### F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745</b>					
AB131130R9	F56ECP0B	135°F	57°C	Brass	S\$ 98.05
AB138730R9	F56ECP0W	135°F	57°C	White	S\$ 105.76
AB151130R9	F56ECP1B	155°F	68°C	Brass	S\$ Call
AB152130R9	F56ECP1C	155°F	68°C	Chrome	S\$ Call
		°F	°C		S\$ Call
<b>MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742</b>					
AJ13113998	FECF0LB	135°F	57°C	Brass	S\$ 106.98
AJ13213998	FECF0LC	135°F	57°C	Chrome	S\$ 106.98
AJ13873998	FECF0LW	135°F	57°C	Poly White	S\$ 114.95
AJ15113998	FECF1LB	155°F	68°C	Brass	S\$ 106.98
AJ15213998	FECF1LC	155°F	68°C	Chrome	S\$ 106.98
AJ15873998	FECF1LW	155°F	68°C	White	S\$ 114.95
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17
6800930000	GF1MB	10mm		Bronze	S\$ 37.38
6800900000	GF1MC	10mm		Chrome	S\$ 19.90
6800940003	GF1MW	10mm		Poly White	S\$ 19.90
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 604.97



### F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



### F1-300 EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI</b>					
		°F	°C		S\$ Call
AH13213299	FEC3P0C3	135°F	57°C	Chrome	S\$ 104.96
		°F	°C		S\$ Call
AH15113299	FEC3P1B3	155°F	68°C	Brass	S\$ 95.71
		°F	°C		S\$ Call
		°F	°C		S\$ Call
<b>MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI</b>					
AH13113998	FEC3P0LB3	135°F	57°C	Brass	S\$ 104.96
AH13213998	FEC3P0LC3	135°F	57°C	Chrome	S\$ 114.06
AH13873998	FEC3P0LW3	135°F	57°C	White	S\$ 122.13
AH15113998	FEC3P1LB3	155°F	68°C	Brass	S\$ 104.96
AH15213998	FEC3P1LC3	155°F	68°C	Chrome	S\$ 114.06
AH15873998	FEC3P1LW3	155°F	68°C	White	S\$ 122.13
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 604.97



### GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553</b>					
0116114598	GFRUV1B	165°F	74°C	Brass	S\$ 220.93
0116214598	GFRUV1C	165°F	74°C	Chrome	S\$ 229.69
0121114598	GFRUV2B	212°F	100°C	Brass	S\$ 220.93
0121214598	GFRUV2C	212°F	100°C	Chrome	S\$ 229.69

6880070000 WH Requires Model H Sprinkler Wrench S\$ 242.47

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043</b>					
FB16114598	GFRPV1B	165°F	74°C	Brass	S\$169.01
FB16214598	GFRPV1C	165°F	74°C	Chrome	S\$175.81
FB16874598	GFRPV1W	165°F	74°C	White	S\$183.35
FB21114598	GFRPV2B	212°F	100°C	Brass	S\$169.01
FB21214598	GFRPV2C	212°F	100°C	Chrome	S\$175.81
FB21874598	GFRPV2W	212°F	100°C	White	S\$183.35

6880070000 WH Requires Model H Sprinkler Wrench S\$ 242.47

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing S\$ 317.77

\*Recessing available.



### GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160



**MBEC-14**

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932</b>					
4816114597	MB1B	165°F	74°C	Brass	S\$ 183.63
4816214597	MB1C	165°F	74°C	Chrome	S\$ 210.68
4816874597	MB1W	165°F	74°C	White	S\$ 210.68
4821114597	MB2B	212°F	100°C	Brass	S\$ 183.63
4821214597	MB2C	212°F	100°C	Chrome	S\$ 210.68
4821874597	MB2W	212°F	100°C	White	S\$ 210.68
6880070000	WH	Requires Model H Sprinkler Wrench			S\$ 242.47