



**G6-80 HSW QR EC**


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762</b>					
2116173498	G61B	165°F	74°C	W/O	\$ 157.44
<b>MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762</b>					
2116173495	G61BM	165°F	74°C	W/O	\$ 157.44
<b>MODEL G6 PLAIN COVERPLATES</b>					
6887211311	CG60B	135°F	57°C	Finished Bronze	\$ 60.41
6887211321	CG60C	135°F	57°C	Chrome	\$ 43.31
6887211372	CG60W	135°F	57°C	White	\$ 43.31
6887211390	CG60SP	135°F	57°C	Specialty	\$ 62.99

6880101010      WG6      Requires Model G6 Sprinkler Wrench      \$ 369.03

**Notes:**


Sprinkler and cover plates packaged and sold separately



## JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326</b>					
L192114198	JL112U1B	165°F	74°C	Brass	\$ 90.64
L192214198	JL112U1C	165°F	74°C	Chrome	\$ 94.13
L192874198	JL112U1W	165°F	74°C	White	\$ 94.13
L194114198	JL112U2B	212°F	100°C	Brass	\$ 90.64
L194214198	JL112U2C	212°F	100°C	Chrome	\$ 94.13
L194874198	JL112U2W	212°F	100°C	White	\$ 94.13
<b>MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326</b>					
L292114198	J112U1B	155°F	68°C	Brass	\$ 91.84
L292214198	J112U1C	155°F	68°C	Chrome	\$ 95.27
L292874198	J112U1W	155°F	68°C	White	\$ 95.27
L292104198	J112U1SS	155°F	68°C	Stainless Steel	\$ 823.64
L294114198	J112U2B	200°F	93°C	Brass	\$ 91.84
L294214198	J112U2C	200°F	93°C	Chrome	\$ 95.27
L294874198	J112U2W	200°F	93°C	Poly White	\$ 95.27
L294104198	J112U2SS	200°F	93°C	Stainless Steel	\$ 823.64



## JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216</b>					
L172114198	JL112P1B	165°F	74°C	Brass	\$ 90.64
L172214198	JL112P1C	165°F	74°C	Chrome	\$ 94.13
L172874198	JL112P1W	165°F	74°C	Poly White	\$ 94.13
L174114198	JL112P2B	212°F	100°C	Brass	\$ 90.64
L174214198	JL112P2C	212°F	100°C	Chrome	\$ 94.13
L174874198	JL112P2W	212°F	100°C	Poly White	\$ 94.13
<b>MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216</b>					
L272114198	J112P1B	155°F	68°C	Brass	\$ 91.84
L272214198	J112P1C	155°F	68°C	Chrome	\$ 95.27
L272874198	J112P1W	155°F	68°C	Poly White	\$ 95.27
L272104198	J112P1SS	155°F	68°C	Stainless Steel	\$ 823.64
L274114198	J112P2B	200°F	93°C	Brass	\$ 91.84
L274214198	J112P2C	200°F	93°C	Chrome	\$ 95.27
L274874198	J112P2W	200°F	93°C	White	\$ 95.27
L274104198	J112P2SS	200°F	93°C	Stainless Steel	\$ 823.64

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6801030000	GF1LB	3/4" (20mm)		Brass	\$ 22.89
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 12.35
6801040000	GF1LW	3/4" (20mm)		White	\$ 12.35
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	\$ 72.74
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	\$ 22.89
6800880001	GF2LC	3/4" (20mm)		Chrome	\$ 12.35
6800880005	GF2LW	3/4" (20mm)		White	\$ 12.35
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	\$ 23.82
6801407200	FPLW	3/4" (20mm)		White	\$ 23.82
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	\$ 109.11

6880090000 WJ1 Upright & Pendent Requires Model J1 Sprinkler Wrench \$ 148.48  
6880170032 WRJ Rec Pendent Requires Model J112 Sprinkler Wrench \$ 369.03



### F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



### F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845</b>				
BB131130R9	F1FR56EC0B	135°F	57°C	Brass \$ 69.59
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome \$ 76.29
BB138730R9	F1FR56EC0W	135°F	57°C	Poly White \$ 79.79
BB151130R9	F1FR56EC1B	155°F	68°C	Brass \$ 69.59
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome \$ 76.29
BB158730R9	F1FR56EC1W	155°F	68°C	White \$ 79.79
<b>MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842</b>				
BJ131139S8	F1FRECC0LBN	135°F	57°C	Brass \$ 73.82
BJ132139S8	F1FRECC0LCN	135°F	57°C	Chrome \$ 80.43
BJ138739S8	F1FRECC0LWN	135°F	57°C	White \$ 86.82
BJ151139S8	F1FRECC1LBN	155°F	68°C	Brass \$ 73.82
BJ152139S8	F1FRECC1LCN	155°F	68°C	Chrome \$ 80.43
BJ158739S8	F1FRECC1LWN	155°F	68°C	White \$ 86.82
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)	Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)	White	\$ 12.35
6800880004	GF2LB	3/4" (20mm)	Brass	\$ 22.89
6800880001	GF2LC	3/4" (20mm)	Chrome	\$ 12.35
6800880005	GF2LW	3/4" (20mm)	White	\$ 12.35
6800890004	GF2MB	10mm	Bronze	\$ 22.89
6800890001	GF2MC	10mm	Chrome	\$ 13.21
6800890005	GF2MW	10mm	White	\$ 11.83
6880050100	WW2	Wrench, W2, Pendant, Upright, HSW		\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed		\$ 370.47



### F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



### F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045</b>					
BH131132R9	F1FR56EC0B3	135°F	57°C	Brass	\$ 74.07
BH132132R9	F1FR56EC0C3	135°F	57°C	Chrome	\$ 79.93
BH138732R9	F1FR56EC0W3	135°F	57°C	Poly White	\$ 84.30
		°F	°C		\$ Call
BH152132R9	F1FR56EC1C3	155°F	68°C	Chrome	\$ 79.93
BH158732R9	F1FR56EC1W3	155°F	68°C	Poly White	\$ 83.51
<b>MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942</b>					
BH131139S8		135°F	57°C	Brass	\$ 76.62
BH132139S8	F1FRECO0LC3N	135°F	57°C	Chrome	\$ 83.51
BH138739S8	F1FRECO0LW3N	135°F	57°C	Poly White	\$ 90.16
BH151139S8	F1FRECO1LB3N	155°F	68°C	Brass	\$ 76.62
BH152139S8		155°F	68°C	Chrome	\$ 83.51
BH158739S8	F1FRECO1LW3N	155°F	68°C	Poly White	\$ 90.16
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
6801030000	GF1LB	3/4" (20mm)		Brass	\$ 22.89
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 12.35
6801040000	GF1LW	3/4" (20mm)		White	\$ 12.35

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed		\$ 370.47



**FIFR80-300 QREC  
 HORIZONTAL  
 SIDEWALL (EC-9  
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



**F1FR80-300 QREC  
 RECESSED  
 HORIZONTAL  
 SIDEWALL (EC-9  
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962</b>					
		°F	°C		\$ Call
		°F	°C		\$ Call
		°F	°C		\$ Call
BH151135S8	F1FREC91B3N	155°F	68°C	Brass	\$ 71.17
BH152135S8	F1FREC91C3N	155°F	68°C	Chrome	\$ 75.55
BH158735S8	F1FREC91W3N	155°F	68°C	White	\$ 80.30
BH171135S8		175°F	79°C	Brass	\$ 71.17
BH172135S8	F1FREC95C3N	175°F	79°C	Chrome	\$ 75.55
BH178735S8		175°F	79°C	Poly White	\$ 80.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	\$ 22.89
6800880001	GF2LC	3/4" (20mm)		Chrome	\$ 12.35
6800880005	GF2LW	3/4" (20mm)		White	\$ 12.35

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed	\$ 370.47



**F1FR56 QREC  
 HORIZONTAL  
 SIDEWALL (EC-8  
 DEFLECTOR)**

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



**F1FR80 QREC  
 HORIZONTAL  
 SIDEWALL (EC-9  
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865</b>					
BD131130R9	F1FR56EC80B	135°F	57°C	Brass	\$ 63.20
BD132130R9	F1FR56EC80C	135°F	57°C	Chrome	\$ 67.16
BD138730R9	F1FR56EC80W	135°F	57°C	Poly White	\$ 72.05
BD151130R9	F1FR56EC81B	155°F	68°C	Brass	\$ 63.20
BD152130R9	F1FR56EC81C	155°F	68°C	Chrome	\$ 67.16
BD158730R9	F1FR56EC81W	155°F	68°C	White	\$ 72.05
BD171130R9	F1FR56EC85B	175°F	79°C	Brass	\$ 63.20
BD172130R9	F1FR56EC85C	175°F	79°C	Chrome	\$ 67.16
BD178730R9	F1FR56EC85W	175°F	79°C	Poly White	\$ 72.05
<b>MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862</b>					
BK131135S8	F1FRECE90B	135°F	57°C	Brass	\$ 67.82
BK132135S8	F1FRECE90CN	135°F	57°C	Chrome	\$ 72.05
BK138735S8	F1FRECE90WN	135°F	57°C	Poly White	\$ 76.60
BK151135S8	F1FRECE91BN	155°F	68°C	Brass	\$ 67.82
BK152135S8	F1FRECE91CN	155°F	68°C	Chrome	\$ 72.05
BK158735S8	F1FRECE91WN	155°F	68°C	Poly White	\$ 76.60
BK171135S8	F1FRECE95BN	175°F	79°C	Brass	\$ 67.82
BK172135S8	F1FRECE95CN	175°F	79°C	Chrome	\$ 72.05
BK178735S8	F1FRECE95WN	175°F	79°C	White	\$ 76.60
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
6800880004	GF2LB	3/4" (20mm)		Brass	\$ 22.89
6800880001	GF2LC	3/4" (20mm)		Chrome	\$ 12.35
6800880005	GF2LW	3/4" (20mm)		White	\$ 12.35
6800890004	GF2MB	10mm		Bronze	\$ 22.89
6800890001	GF2MC	10mm		Chrome	\$ 13.21
6800890005	GF2MW	10mm		White	\$ 11.83

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed	\$ 370.47



### F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

### F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

### F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**

### F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BM131730R9	F1FR56CE0	135°F	57°C	W/O	\$ 59.74
BM151730R9	F1FR56CE1	155°F	68°C	W/O	\$ 59.74
<b>MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BM131739S8	F1FRCEL0N	135°F	57°C	W/O	\$ 58.72
BM151739S8	F1FRCEL1N	155°F	68°C	W/O	\$ 58.72
<b>MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045</b>					
BH131730R9	F1FR56CE03	135°F	57°C	W/O	\$ 62.04
BH151730R9	F1FR56CE13	155°F	68°C	W/O	\$ 62.04
<b>MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942</b>					
		°F	°C		\$ Call
BH151739S8	F1FRCE1L3N	155°F	68°C	W/O	\$ 62.04
<b>REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 100.69
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 39.24
<b>REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT</b>					
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 100.69
6887171318	CCP05W76	135°F	57°C	White	\$ 39.24
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 65.90
6880100000	WRC	Requires Model RC1 Sprinkler Wrench			\$ 370.47

**Notes:**

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



**DH56**

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



**DH56 CONCEALED**

**DH56 CONCEALED**

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BU15113299	DH561B	155°F	68°C	Brass	\$ 74.70
BU15213299	DH561C	155°F	68°C	Chrome	\$ 81.93
BU15873299	DH561W	155°F	68°C	White	\$ 81.93
BU20113299	DH562B	200°F	93°C	Brass	\$ 74.70
BU20213299	DH562C	200°F	93°C	Chrome	\$ 81.93
BU20873299	DH562W	200°F	93°C	White	\$ 81.93
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
<b>MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BT15173299	DH56C1	155°F	68°C	W/O	\$ 79.51
BT20173299	DH56C2	200°F	93°C	W/O	\$ 79.51
<b>REQUIRED SWC COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	\$ 40.94
6887131618	CHWNS1	165°F	74°C	Flat White	\$ 40.94

6880100120      WW4      Wrench, W4, Recessed, Concealed      \$ 370.47

**Notes:**

Sprinkler and cover plates sold and packaged separately





### DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



### DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BU15113998	DH1B	155°F	68°C	Brass	\$ 80.38
BU15213998	DH1C	155°F	68°C	Chrome	\$ 86.86
BU15873998	DH1W	155°F	68°C	White	\$ 86.86
<b>FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	\$ 23.82
6801407200	FPLW	3/4" (20mm)		White	\$ 23.82
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	\$ 22.89
6800880001	GF2LC	3/4" (20mm)		Chrome	\$ 12.35
6800880005	GF2LW	3/4" (20mm)		White	\$ 12.35
<b>MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BT15173998	DHC1	155°F	68°C	W/O	\$ 85.28
<b>MODEL SWC-NS COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	\$ 40.94
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47

**Notes:**

Sprinkler and coverplates sold and packaged separately



**G4XLO QREC  
 ECLH/ECOH**

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

Part Number	Short Code	Temperature	Finish	List Price
-------------	------------	-------------	--------	------------

**MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146**

1716174198	G4XLO	165°F 74°C	W/O	\$ 89.97
------------	-------	------------	-----	----------

**MODEL G5 COVER PLATES**

6887271321	CG50C	135°F 57°C	Chrome	\$ 47.52
6887271372	CG50W	135°F 57°C	White	\$ 43.31
6887271311	CG50B	135°F 57°C	Finished Bronze	\$ 59.54
6887271374	CG50OW	135°F 57°C	Off-White	\$ 58.91
6887271390	CG50SP	135°F 57°C	Specialty	\$ 59.06
6887271316	CG50FB	135°F 57°C	Black Painted	\$ 58.98
6887271305	CG50BB	135°F 57°C	Bright Brass	\$ 72.07
6887271323	CG50CD	135°F 57°C	Satin Chrome	\$ 72.07
6887271310	CG50SS	135°F 57°C	Stainless Steel	\$ 72.07
6887271321	CG50C	135°F 57°C	Chrome	\$ 47.52
6887271372	CG50W	135°F 57°C	White	\$ 43.31
6887271390	CG50SP	135°F 57°C	Specialty	\$ 59.06

6880170000	WG4	Wrench, W4, Recessed, Concealed	\$ 369.03
------------	-----	---------------------------------	-----------

**NEW**



**KFR-CCS  
 Combustible  
 Concealed Space**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature	Finish	List Price
-------------	------------	-------------	--------	------------

**MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454**

MN211132R9	KFRCCS	212°F 100°C	Brass	\$ 82.62
------------	--------	-------------	-------	----------

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 122.53
------------	-----	-----------------------------------	-----------



**SWC QREC**

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962</b>					
BM13173498	CEC9	135°F	57°C	W/O	\$ 70.87
BM15173498	CEC91	155°F	68°C	W/O	\$ 70.87
<b>MODEL SWC-NS COVERPLATES</b>					
6887131318	CHWNS	135°F	57°C	White	\$ 40.94
6887131390	CHSPNS	135°F	57°C	Specialty	\$ 61.39

6880100120      WW4                      Wrench, W4, Recessed, Concealed                      \$ 370.47

**Notes:**

Covers can not be plated - only painted.  
 Sprinkler and coverplates sold and packaged separately



### F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



### F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745</b>					
AB131130R9	F56ECP0B	135°F	57°C	Brass	\$ 59.98
AB138730R9	F56ECP0W	135°F	57°C	White	\$ 64.70
AB151130R9	F56ECP1B	155°F	68°C	Brass	\$ 59.98
AB152130R9	F56ECP1C	155°F	68°C	Chrome	\$ 59.98
AB158730R9	F56ECP1W	155°F	68°C	Poly White	\$ 64.70
<b>MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742</b>					
AJ13113998	FECF0LB	135°F	57°C	Brass	\$ 65.44
AJ13213998	FECF0LC	135°F	57°C	Chrome	\$ 65.44
AJ13873998	FECF0LW	135°F	57°C	Poly White	\$ 70.32
AJ15113998	FECF1LB	155°F	68°C	Brass	\$ 65.44
AJ15213998	FECF1LC	155°F	68°C	Chrome	\$ 65.44
AJ15873998	FECF1LW	155°F	68°C	White	\$ 70.32
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
6801030000	GF1LB	3/4" (20mm)		Brass	\$ 22.89
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 12.35
6801040000	GF1LW	3/4" (20mm)		White	\$ 12.35
6800930000	GF1MB	10mm		Bronze	\$ 22.87
6800900000	GF1MC	10mm		Chrome	\$ 12.18
6800940003	GF1MW	10mm		Poly White	\$ 12.18
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
6800880004	GF2LB	3/4" (20mm)		Brass	\$ 22.89
6800880001	GF2LC	3/4" (20mm)		Chrome	\$ 12.35
6800880005	GF2LW	3/4" (20mm)		White	\$ 12.35
6880050100	WW2	Requires Model W2 Sprinkler Wrench			\$ 122.53
6880060000	WGFR	For Recessed Use Model GFR2 Wrench			\$ 370.47



### F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



### F1-300 EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI</b>					
AH13113299	FEC3P0B3	135°F	57°C	Brass	\$ 58.56
AH13213299	FEC3P0C3	135°F	57°C	Chrome	\$ 64.21
AH13873299	FEC3P0W3	135°F	57°C	White	\$ 69.03
AH15113299	FEC3P1B3	155°F	68°C	Brass	\$ 58.56
AH15213299	FEC3P1C3	155°F	68°C	Chrome	\$ 64.21
AH15873299	FEC3P1W3	155°F	68°C	White	\$ 69.03
<b>MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI</b>					
AH13113998	FEC3P0LB3	135°F	57°C	Brass	\$ 64.21
AH13213998	FEC3P0LC3	135°F	57°C	Chrome	\$ 69.78
AH13873998	FEC3P0LW3	135°F	57°C	White	\$ 74.71
AH15113998	FEC3P1LB3	155°F	68°C	Brass	\$ 64.21
AH15213998	FEC3P1LC3	155°F	68°C	Chrome	\$ 69.78
AH15873998	FEC3P1LW3	155°F	68°C	White	\$ 74.71
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
6801030000	GF1LB	3/4" (20mm)		Brass	\$ 22.89
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 12.35
6801040000	GF1LW	3/4" (20mm)		White	\$ 12.35
6880050100	WW2	Requires Model W2 Sprinkler Wrench			\$ 122.53
6880060000	WGFR	For Recessed Use Model GFR2 Wrench			\$ 370.47



### GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553</b>					
0116114598	GFRUV1B	165°F	74°C	Brass	\$ 137.71
0116214598	GFRUV1C	165°F	74°C	Chrome	\$ 143.17
0121114598	GFRUV2B	212°F	100°C	Brass	\$ 137.71
0121214598	GFRUV2C	212°F	100°C	Chrome	\$ 143.17

6880070000 WH Requires Model H Sprinkler Wrench \$ 148.48

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043</b>					
FB16114598	GFRPV1B	165°F	74°C	Brass	\$ 103.40
FB16214598	GFRPV1C	165°F	74°C	Chrome	\$ 107.56
FB16874598	GFRPV1W	165°F	74°C	White	\$ 112.17
FB21114598	GFRPV2B	212°F	100°C	Brass	\$ 103.40
FB21214598	GFRPV2C	212°F	100°C	Chrome	\$ 107.56
FB21874598	GFRPV2W	212°F	100°C	White	\$ 112.17

6880070000 WH Requires Model H Sprinkler Wrench \$ 148.48

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing \$ 194.59

\*Recessing available.



### GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160



**MBEC-14**

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932</b>					
4816114597	MB1B	165°F	74°C	Brass	\$ 110.37
4816214597	MB1C	165°F	74°C	Chrome	\$ 126.63
4816874597	MB1W	165°F	74°C	White	\$ 126.63
4821114597	MB2B	212°F	100°C	Brass	\$ 110.37
4821214597	MB2C	212°F	100°C	Chrome	\$ 126.63
4821874597	MB2W	212°F	100°C	White	\$ 126.63
6880070000	WH	Requires Model H Sprinkler Wrench			\$ 148.48