



F3QR56 DRY UPRIGHT

- K-Factor = 5.6 (80)
- **SIN R5724**
- 1" Size
- See Bulletin 157
- Finish is Brass only
- Available lengths 5" to 48"

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY UPRIGHT K5.6 (80) THREADS 1" (25MM) R5724			
H1[TEMP]11[DIM]	5" to 8-3/4"	Brass	S\$ 522.72
H1[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 553.26
H1[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 583.84
H1[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 614.46
H1[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 644.96
H1[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 675.53
H1[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 706.15
H1[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 736.58
H1[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 767.30
H1[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 797.89
H1[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 828.45
H1[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 859.03
H1[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 889.51
H1[TEMP]11[DIM]	45" to 48"	Brass	S\$ 920.18

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214



F3QR56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT K5.6 (80) THREADS 3/4" (20MM) R5714			
H25[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 563.47
H25[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 563.47
H25[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 575.62
H25[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 593.97
H25[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 593.97
H25[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 606.28
H25[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 624.54
H25[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 624.54
H25[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 636.81
H25[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 655.09
H25[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 655.09
H25[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 667.42
H25[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H25[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 685.69
H25[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 697.91
H25[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 716.23
H25[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 716.23
H25[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 728.50
H25[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 746.78
H25[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 746.78
H25[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 759.15
H25[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 777.39
H25[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 777.39
H25[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 789.62
H25[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 807.81
H25[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 807.81
H25[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 820.22
H25[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 838.54
H25[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 838.54
H25[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 850.70
H25[TEMP]11[DIM]	33" to 36"	Brass	S\$ 869.16
H25[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 869.16
H25[TEMP]08[DIM]	33" to 36"	White	S\$ 881.34

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT K5.6 (80) THREADS 1" (25MM) R5714			
H2[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 492.22
H2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 492.22
H2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 504.32
H2[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 522.72
H2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 522.72
H2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 534.99
H2[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 553.26
H2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 553.26
H2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 565.58
H2[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 583.84
H2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 583.84
H2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 596.12
H2[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 614.46
H2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 614.46
H2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 626.69
H2[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 644.96
H2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 644.96
H2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 657.22
H2[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 675.53
H2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 675.53
H2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 687.85
H2[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 706.15
H2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 706.15
H2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 718.34
H2[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 736.58
H2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 736.58
H2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 748.93
H2[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 767.30
H2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 767.30
H2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 779.43
H2[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 797.89
H2[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 797.89
H2[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 810.08
H2[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 828.45
H2[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 828.45
H2[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 840.66
H2[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 859.03
H2[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 859.03
H2[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 871.15
H2[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 889.51
H2[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 889.51
H2[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 901.84
H2[TEMP]11[DIM]	45" to 48"	Brass	S\$ 920.18
H2[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 920.18
H2[TEMP]08[DIM]	45" to 48"	White	S\$ 932.34

6880130001
6990004858

WF3R
DEKTITE

Requires F3R Sprinkler Wrench
Dektite Pipe Flashing, 1/4" - 2"

S\$ 320.12
S\$ 66.24



F3QR56 DRY PENDENT /HB

- K-Factor = 5.6 (80)
- **SIN R5714**
- NEW 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT / HB K5.6 (80) THREADS 3/4" (15MM) R5714			
HJ5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 616.99
HJ5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 629.57
HJ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 648.42
HJ5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 660.99
HJ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 679.85
HJ5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 692.46
HJ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 711.38
HJ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 723.96
HJ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 742.82
HJ5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 755.38
HJ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 774.31
HJ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 786.86
HJ5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 805.74
HJ5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 818.38
HJ5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 837.26
HJ5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 849.74
HJ5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 868.65
HJ5[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
HJ5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 900.12
HJ5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 912.70
HJ5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 931.65
HJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 944.22
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY PENDENT / HB

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT / HB K5.6 (80) THREADS 1" (25MM) R5714			
HJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 545.70
HJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 558.27
HJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 577.16
HJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 589.70
HJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 608.58
HJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 621.18
HJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 640.11
HJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 652.68
HJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 671.58
HJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 684.14
HJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 703.04
HJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 715.58
HJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 734.47
HJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 747.08
HJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 765.97
HJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 778.45
HJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 797.38
HJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 810.03
HJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 828.84
HJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 841.43
HJ[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 860.38
HJ[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 872.97
HJ[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 891.82
HJ[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 904.43
HJ[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 935.97
HJ[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 935.97
HJ[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 954.73
HJ[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 967.34
HJ[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 986.23
HJ[TEMP]08[DIM]	45" to 48"	White	S\$ 998.80
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24




F3QR56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT REC FP K5.6 (80) THREADS 3/4" (20MM) R5714			
H65[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 639.96
H65[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 639.96
H65[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 652.55
H65[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
H65[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 671.38
H65[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
H65[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
H65[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 702.82
H65[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
H65[TEMP]11[DIM]	12" to 14-3/4"		S\$ Call
H65[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 734.35
H65[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 746.92
H65[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H65[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 765.78
H65[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 778.36
H65[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 797.27
H65[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 797.27
H65[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 809.80
H65[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H65[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 828.69
H65[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 841.34
H65[TEMP]11[DIM]	24" to 26-3/4"		S\$ Call
H65[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 860.20
H65[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 872.73
H65[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ Call
H65[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 891.61
H65[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
H65[TEMP]11[DIM]	30" to 32-3/4"		S\$ Call
H65[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 923.09
H65[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
H65[TEMP]11[DIM]	33" to 36"	Brass	S\$ 954.59
H65[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 954.59
H65[TEMP]08[DIM]	33" to 36"	White	S\$ 967.18

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214


Part Number	Size	Finish	List Price
MODEL F3QR56 DRY REC FP PENDENT K5.6 (80) THREADS 1" (25MM) R5714			
H6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 568.66
H6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 568.66
H6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 581.26
H6[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 600.12
H6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 600.12
H6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 612.66
H6[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 631.55
H6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 631.55
H6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 644.16
H6[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 663.07
H6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 663.07
H6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 675.65
H6[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 694.55
H6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 694.55
H6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 707.08
H6[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 726.01
H6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 726.01
H6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 738.57
H6[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 757.43
H6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 757.43
H6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 770.05
H6[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 788.96
H6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 788.96
H6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 801.43
H6[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 820.35
H6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 820.35
H6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 832.99
H6[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 851.82
H6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 851.82
H6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 864.38
H6[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 883.35
H6[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 883.35
H6[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 895.93
H6[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 914.78
H6[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 914.78
H6[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 927.42
H6[TEMP]11[DIM]	39" to 41-3/4"		S\$ Call
H6[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 946.31
H6[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 958.95
H6[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 977.69
H6[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 977.69
H6[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 990.31
H6[TEMP]11[DIM]	45" to 48"	Brass	S\$ 1,009.19
H6[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,009.19
H6[TEMP]08[DIM]	45" to 48"	White	S\$ 1,021.77

6880070100
6990004858

WXLO
DEKTITE

Requires XLO2 Sprinkler Wrench
Dektite Pipe Flashing, 1/4" - 2"

S\$ 317.77
S\$ 66.24



F3QR56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT REC F1 K5.6 (80) THREADS 3/4" (20MM) R5714			
H95[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 645.50
H95[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 629.23
H95[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 641.81
H95[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
H95[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 660.65
H95[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 673.23
H95[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
H95[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 692.09
H95[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
H95[TEMP]11[DIM]	12" to 14-3/4"		S\$ Call
H95[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 723.64
H95[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 736.20
H95[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H95[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 755.08
H95[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
H95[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 802.81
H95[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 786.54
H95[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 799.09
H95[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H95[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 818.00
H95[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 830.61
H95[TEMP]11[DIM]	24" to 26-3/4"		S\$ Call
H95[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 849.49
H95[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 861.97
H95[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ Call
H95[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
H95[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 893.51
H95[TEMP]11[DIM]	30" to 32-3/4"		S\$ Call
H95[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 912.36
H95[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
H95[TEMP]11[DIM]	33" to 36"	Brass	S\$ 960.18
H95[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 943.89
H95[TEMP]08[DIM]	33" to 36"	White	S\$ 956.47

6880070100	WXLO	Requies Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157
- **Pricing includes F1 Escutcheon**

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT REC F1 K5.6 (80) THREAD 1" (25MM) R5714			
H9[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 574.24
H9[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 557.96
H9[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 570.53
H9[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 605.65
H9[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 589.38
H9[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 601.93
H9[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 637.11
H9[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 620.84
H9[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 633.42
H9[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 668.64
H9[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 652.35
H9[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 664.93
H9[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 700.07
H9[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 683.81
H9[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 696.35
H9[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 731.55
H9[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 715.27
H9[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 727.84
H9[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H9[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 746.70
H9[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 759.34
H9[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 794.49
H9[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 778.20
H9[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 790.70
H9[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 825.91
H9[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 809.64
H9[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 822.28
H9[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 857.38
H9[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 841.07
H9[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 853.69
H9[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 888.89
H9[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 872.61
H9[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 885.19
H9[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 920.34
H9[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 904.07
H9[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 916.69
H9[TEMP]11[DIM]	39" to 41-3/4"		S\$ Call
H9[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 935.62
H9[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 948.22
H9[TEMP]11[DIM]	42" to 44-3/4"		S\$ Call
H9[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 966.97
H9[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 979.57
H9[TEMP]11[DIM]	45" to 48"		S\$ Call
H9[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 998.50
H9[TEMP]08[DIM]	45" to 48"	White	S\$ 1,011.04

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5734			
H45[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 609.41
H45[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 609.41
H45[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 621.96
H45[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 617.16
H45[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 617.16
H45[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 660.99
H45[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 672.42
H45[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 672.42
H45[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 684.92
H45[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 703.78
H45[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 703.78
H45[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 716.39
H45[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 735.31
H45[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 735.31
H45[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 747.80
H45[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 766.70
H45[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 766.70
H45[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 779.26
H45[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 798.26
H45[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 798.26
H45[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 810.86
H45[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 829.72
H45[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 829.72
H45[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 842.26
H45[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 861.09
H45[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 861.09
H45[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 873.82
H45[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 892.57
H45[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 892.57
H45[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 905.19
H45[TEMP]11[DIM]	33" to 35 3/4"	Bronze	S\$ 924.07
H45[TEMP]21[DIM]	33" to 35 3/4"	Chrome	S\$ 924.07
H45[TEMP]08[DIM]	33" to 35 3/4"	White	S\$ 936.68
H45[TEMP]11[DIM]	36"to 38-3/4"	Bronze	S\$ 955.78
H45[TEMP]21[DIM]	36"to 38-3/4"	Chrome	S\$ 955.78
H45[TEMP]08[DIM]	36"to 38-3/4"	White	S\$ 968.47
H45[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 987.50
H45[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 987.50
H45[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,000.20
H45[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,019.22
H45[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,019.22
H45[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,031.92
H45[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 1,050.95
H45[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,050.95
H45[TEMP]08[DIM]	45" to 48"	White	S\$ 1,063.62

6880130001
6990004858

WF3R
DEKTITE

Requires F3R Sprinkler Wrench
Dektite Pipe Flashing, 1/4" - 2"

S\$ 320.12
S\$ 66.24



F3QR56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5734			
H4[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 538.14
H4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 538.14
H4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 550.68
H4[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 569.62
H4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 569.62
H4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 589.70
H4[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 601.15
H4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 601.15
H4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 613.68
H4[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 632.50
H4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 632.50
H4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 645.18
H4[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 664.01
H4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 664.01
H4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 676.51
H4[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 695.45
H4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 695.45
H4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 707.96
H4[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 726.99
H4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 726.99
H4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 739.58
H4[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 758.42
H4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 758.42
H4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 770.97
H4[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 789.84
H4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 789.84
H4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 802.54
H4[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 821.30
H4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 821.30
H4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 833.92
H4[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ Call
H4[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 852.78
H4[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 865.38
H4[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 884.26
H4[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 884.26
H4[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 896.89
H4[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ Call
H4[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 978.70
H4[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 991.32
H4[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 1,010.16
H4[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,010.16
H4[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,019.58
H4[TEMP]11[DIM]	45" to 48"		S\$ Call
H4[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,022.69
H4[TEMP]08[DIM]	45" to 48"	White	S\$ 1,035.26

6880130001
6990004858

WF3R
DEKTITE

Requires F3R Sprinkler Wrench
Dektite Pipe Flashing, 1/4" - 2"

S\$ 320.12
S\$ 66.24



F3QR56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL / HB K5.6 (80) THREADS 3/4" (20MM) R5734			
HK5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 648.42
HK5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 660.99
HK5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 679.85
HK5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 692.46
HK5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 711.38
HK5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 716.84
HK5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 742.82
HK5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 755.38
HK5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 774.31
HK5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 786.86
HK5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 805.74
HK5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 818.38
HK5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 837.26
HK5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 849.74
HK5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 868.65
HK5[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
HK5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 900.12
HK5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 912.70
HK5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 931.65
HK5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 944.22
HK5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 963.12
HK5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 975.72
HK5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 994.82
HK5[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 1,007.45
HK5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,026.55
HK5[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,039.16
HK5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,058.27
HK5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,070.88
HK5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,089.97
HK5[TEMP]08[DIM]	45" to 48"	White	S\$ 1,102.58
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) R5734			
HK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 577.16
HK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 589.70
HK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 608.58
HK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 621.18
HK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 640.11
HK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 652.68
HK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 671.58
HK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 684.14
HK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 703.04
HK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 715.58
HK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 734.47
HK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 747.08
HK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 765.97
HK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 778.45
HK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 797.38
HK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 810.03
HK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 828.84
HK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 841.43
HK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 860.38
HK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 872.97
HK[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 891.82
HK[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 904.43
HK[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 923.34
HK[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 935.97
HK[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,017.73
HK[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,030.26
HK[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,049.20
HK[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,061.77
HK[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,080.65
HK[TEMP]08[DIM]	45" to 48"	White	S\$ 1,093.24
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL REC FP K5.6 (80) THREADS 3/4" (20MM) R5734			
H55[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 671.38
H55[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 671.38
H55[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 683.96
H55[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ Call
H55[TEMP]21[DIM]	6" to 8-3/4"		S\$ Call
H55[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
H55[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ Call
H55[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
H55[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
H55[TEMP]11[DIM]	12" to 14-3/4"		S\$ Call
H55[TEMP]21[DIM]	12" to 14-3/4"		S\$ Call
H55[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 778.36
H55[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H55[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
H55[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
H55[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 828.69
H55[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 828.69
H55[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 841.34
H55[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H55[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
H55[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
H55[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ Call
H55[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
H55[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
H55[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
H55[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
H55[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
H55[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 954.59
H55[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 954.59
H55[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
H55[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 986.08
H55[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 986.08
H55[TEMP]08[DIM]	33" to 36"	White	S\$ 998.69

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL REC FP K5.6 (80) THREADS 1" (25MM) R5734			
H5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 600.12
H5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 600.12
H5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 612.66
H5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 631.55
H5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 631.55
H5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 644.16
H5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 663.07
H5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 663.07
H5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 675.65
H5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 694.55
H5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 694.55
H5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 707.08
H5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 726.01
H5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 726.01
H5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 738.57
H5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 757.43
H5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 757.43
H5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 770.05
H5[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 788.96
H5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 788.96
H5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 801.43
H5[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 820.35
H5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 820.35
H5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 832.99
H5[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 851.82
H5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 851.82
H5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 864.38
H5[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 883.35
H5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 883.35
H5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 895.93
H5[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 914.78
H5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 914.78
H5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 927.42
H5[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 946.31
H5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 946.31
H5[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 958.95
H5[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 1,040.72
H5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,040.72
H5[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,053.20
H5[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,072.15
H5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,072.15
H5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,084.74
H5[TEMP]11[DIM]	45" to 48"	Brass	S\$ 1,103.61
H5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,103.61
H5[TEMP]08[DIM]	45" to 48"	White	S\$ 1,116.22

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL REC F1 K5.6 (80) THREADS 3/4" (20MM) R5734			
H05[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 676.93
H05[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 660.65
H05[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 673.23
H05[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ Call
H05[TEMP]21[DIM]	6" to 8-3/4"		S\$ Call
H05[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
H05[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ Call
H05[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
H05[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
H05[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 771.34
H05[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 755.08
H05[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 767.65
H05[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H05[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
H05[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
H05[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 834.23
H05[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 818.00
H05[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 830.61
H05[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H05[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
H05[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
H05[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ Call
H05[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 880.89
H05[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
H05[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
H05[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
H05[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
H05[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ Call
H05[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
H05[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
H05[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 991.59
H05[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 975.34
H05[TEMP]08[DIM]	33" to 36"	White	S\$ 916.69

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL REC F1 K5.6 (80) THREADS 1" (25MM) R5734			
H0[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ Call
H0[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 589.38
H0[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 601.93
H0[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 637.11
H0[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 620.84
H0[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 633.42
H0[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 668.64
H0[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 652.35
H0[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 664.93
H0[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 700.07
H0[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 683.81
H0[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 696.35
H0[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 731.55
H0[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 715.27
H0[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 727.84
H0[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 762.93
H0[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 746.70
H0[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 759.34
H0[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ Call
H0[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 778.20
H0[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 790.70
H0[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 825.91
H0[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 809.64
H0[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 822.28
H0[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 857.38
H0[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 841.07
H0[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ Call
H0[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 888.89
H0[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 872.61
H0[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 885.19
H0[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 920.34
H0[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 904.07
H0[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 916.69
H0[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ Call
H0[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 935.62
H0[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 948.22
H0[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ Call
H0[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,030.00
H0[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,042.49
H0[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,077.72
H0[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,061.45
H0[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ Call
H0[TEMP]11[DIM]	45" to 48"	Bronze	S\$ Call
H0[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,092.91
H0[TEMP]08[DIM]	45" to 48"	White	S\$ 1,105.49

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY CONCEALED K5.6 (80) THREADS 3/4" (20MM) R5714			
HG5[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 785.69
HG5[TEMP]17[DIM]	6" to 8-3/4"		S\$ Call
HG5[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 848.53
HG5[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 880.01
HG5[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 911.47
HG5[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 943.04
HG5[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 974.43
HG5[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,005.86
HG5[TEMP]17[DIM]	27" to 29-3/4"		S\$ Call
HG5[TEMP]17[DIM]	30" to 32-3/4"		S\$ Call
HG5[TEMP]17[DIM]	33" to 36"	Brass	S\$ 1,029.07
MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED			
6887161321	CCP0C76	135°F 57°C Chrome	S\$ 161.66
6887161318	CCP0W76	135°F 57°C Flat White	S\$ 63.00
6887161621	CCP1C76	165°F 74°C Chrome	S\$ 161.66
6887161618	CCP1W76	165°F 74°C Flat White	S\$ 63.00

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN 5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) 5714			
HG[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 714.41
HG[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 745.88
HG[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 777.28
HG[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 808.78
HG[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 840.22
HG[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 871.74
HG[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 903.16
HG[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 934.58
HG[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 966.07
HG[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 997.50
HG[TEMP]17[DIM]	33" to 35-3/4"	Brass	S\$ 1,029.07
HG[TEMP]17[DIM]	36" to 38-3/4"	Brass	S\$ 1,060.46
HG[TEMP]17[DIM]	39" to 41-3/4"	Bronze	S\$ 1,091.95
HG[TEMP]17[DIM]	42" to 44-3/4"	Brass	S\$ 1,123.42
HG[TEMP]17[DIM]	45" to 48"	Brass	S\$ 1,154.93
MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED			
6887161321	CCP0C76	135°F 57°C Chrome	S\$ 161.66
6887161318	CCP0W76	135°F 57°C Flat White	S\$ 63.00
6887161621	CCP1C76	165°F 74°C Chrome	S\$ 161.66
6887161618	CCP1W76	165°F 74°C Flat White	S\$ 63.00

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3QR80 DRY PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY PENDENT K8.0 (115) THREADS 1" (25MM) RA6112			
Q2[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 617.69
Q2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 617.69
Q2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 631.95
Q2[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 653.31
Q2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 653.31
Q2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 703.46
Q2[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 691.35
Q2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 691.35
Q2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 743.35
Q2[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 731.73
Q2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 731.73
Q2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 745.97
Q2[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 769.72
Q2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 769.72
Q2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 823.20
Q2[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 807.76
Q2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 807.76
Q2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 863.09
Q2[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 845.78
Q2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 845.78
Q2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 898.26
Q2[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 883.76
Q2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 883.76
Q2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 942.92
Q2[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 921.78
Q2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 921.78
Q2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 936.03
Q2[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 959.78
Q2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 959.78
Q2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,022.74
Q2[TEMP]11[DIM]	33" to 36"	Brass	S\$ 997.81
Q2[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 997.81
Q2[TEMP]08[DIM]	33" to 36"	White	S\$ 1,062.68

6880130001 WF3R Requires F3R Sprinkler Wrench S\$ 320.12



F3QR80 DRY PENDENT /HB

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY PENDENT / HB K8.0 (115) THREADS 1" (25MM) RA6112			
QJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 764.99
QJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 781.61
QJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 807.76
QJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 826.76
QJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 852.89
QJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 869.53
QJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 895.64
QJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 914.65
QJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 940.81
QJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 957.42
QJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 985.93
QJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,002.55
QJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,028.72
QJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,047.70
QJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,073.84
QJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,090.49
QJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,116.59
QJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,135.58
QJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,161.70
QJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,178.38
QJ[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,204.50
QJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 1,223.49
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001 WF3R Requires F3R Sprinkler Wrench S\$ 320.12



F3QR80 REC FP PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 PENDENT REC FP K8.0 (115) THREADS 1" (25MM) RA6112			
Q6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 759.45
Q6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 759.45
Q6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 778.43
Q6[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 802.20
Q6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 802.20
Q6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 818.84
Q6[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 844.97
Q6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 844.97
Q6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 861.62
Q6[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 887.72
Q6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 887.72
Q6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 904.36
Q6[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 930.49
Q6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 930.49
Q6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 947.12
Q6[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 973.26
Q6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 973.26
Q6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 989.89
Q6[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 1,016.00
Q6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,016.00
Q6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,032.65
Q6[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 1,058.78
Q6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,058.78
Q6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,075.41
Q6[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 1,099.18
Q6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,099.18
Q6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,118.15
Q6[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 1,141.93
Q6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,141.93
Q6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,158.55
Q6[TEMP]11[DIM]	33" to 36"	Brass	S\$ 1,184.69
Q6[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,184.69
Q6[TEMP]08[DIM]	33" to 36"	White	S\$ 1,201.32

6880070100 WXLO Requires Model XL02 Sprinkler Wrench S\$ 317.77



F3QR80 DRY HSW

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6132			
Q4[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 617.69
Q4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 617.69
Q4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 631.95
Q4[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 653.31
Q4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 653.31
Q4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 669.99
Q4[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 691.35
Q4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 691.35
Q4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 707.95
Q4[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 731.73
Q4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 731.73
Q4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 745.97
Q4[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 769.72
Q4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 769.72
Q4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 784.01
Q4[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 807.76
Q4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 807.76
Q4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 821.99
Q4[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 845.78
Q4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 845.78
Q4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 860.03
Q4[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 883.76
Q4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 883.76
Q4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 898.01
Q4[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 921.78
Q4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 921.78
Q4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 936.03
Q4[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 959.78
Q4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 959.78
Q4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 974.05
Q4[TEMP]11[DIM]	33" to 36"	Brass	S\$ 997.81
Q4[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 997.81
Q4[TEMP]08[DIM]	33" to 36"	White	S\$ 1,012.05

6880130001 WF3R Requires F3R Sprinkler Wrench S\$ 320.12



F3QR80 DRY HSW / HB

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA6132			
QK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 764.99
QK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 781.61
QK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 807.76
QK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 826.76
QK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 852.89
QK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 869.53
QK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 895.64
QK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 914.65
QK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 940.81
QK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 957.42
QK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 985.93
QK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,002.55
QK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,028.72
QK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,047.70
QK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,073.84
QK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,090.49
QK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,116.59
QK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,135.58
QK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,161.70
QK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,178.38
QK[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,204.50
QK[TEMP]08[DIM]	33" to 36"	White	S\$ 1,223.49
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001 WF3R Requires F3R Sprinkler Wrench S\$ 320.12



F3QR80 DRY REC FP HSW

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY HORIZONTAL REC FP K8.0 (115) THREADS 1" (25MM) RA6132			
Q5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 759.45
Q5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 759.45
Q5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 778.43
Q5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 802.20
Q5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 802.20
Q5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 818.84
Q5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 844.97
Q5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 844.97
Q5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 861.62
Q5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 887.72
Q5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 887.72
Q5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 904.36
Q5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 930.49
Q5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 930.49
Q5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 947.12
Q5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 973.26
Q5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 973.26
Q5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 989.89
Q5[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 1,016.00
Q5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,016.00
Q5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,032.65
Q5[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 1,058.78
Q5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,058.78
Q5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,075.41
Q5[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 1,099.18
Q5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,099.18
Q5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,118.15
Q5[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 1,141.93
Q5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,141.93
Q5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,158.55
Q5[TEMP]11[DIM]	33" to 36"	Brass	S\$ 1,184.69
Q5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,184.69
Q5[TEMP]08[DIM]	33" to 36"	White	S\$ 1,201.32

6880070100 WXLO Requires Model XL02 Sprinkler Wrench S\$ 317.77



F3QR80 DRY CONCEALED

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY CONCEALED K8.0 (115) THREADS 1" (25MM) RA6112			
QG[TEMP]17[DIM]	3-1/2" to 5-3/4"	W/O	S\$ 1,000.16
QG[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 1,045.32
QG[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 1,088.05
QG[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 1,133.22
QG[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 1,175.99
QG[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 1,221.12
QG[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 1,266.30
QG[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,309.01
QG[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 1,354.18
QG[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 1,396.93
QG[TEMP]17[DIM]	33" to 36"	Brass	S\$ 1,442.07
REQUIRED COVERPLATES			
6887161321	CCP0C76	135°F 57°C Chrome	S\$ 161.66
6887161318	CCP0W76	135°F 57°C Flat White	S\$ 63.00
6887161621	CCP1C76	165°F 74°C Chrome	S\$ 161.66
6887161618	CCP1W76	165°F 74°C Flat White	S\$ 63.00

6880070100 WXLO Requires Model XLO2 Sprinkler Wrench S\$ 317.77



G5-56 DRY

- K-Factor = 5.6 (80)
- **SIN RA5114**
- 1" Size
- See Bulletin 051
- **Sprinkler available in 165 & 212 Degree**

Part Number		Size	Finish	List Price
MODEL G5-56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) RA5114				
HN[TEMP]17[DIM]		4-1/4" to 5-3/4"	Brass	S\$ 997.81
HN[TEMP]17[DIM]		6" to 8-3/4"	Brass	S\$ 1,033.42
HN[TEMP]17[DIM]		9" to 11-3/4"	Brass	S\$ 1,061.95
HN[TEMP]17[DIM]		12" to 14-3/4"	Brass	S\$ 1,092.81
HN[TEMP]17[DIM]		15" to 17-3/4"	Brass	S\$ 1,123.72
HN[TEMP]17[DIM]		18" to 20-3/4"	Brass	S\$ 1,154.59
HN[TEMP]17[DIM]		21" to 23-3/4"	Brass	S\$ 1,183.09
HN[TEMP]17[DIM]		24" to 26-3/4"	Brass	S\$ 1,216.36
HN[TEMP]17[DIM]		27" to 29-3/4"	Brass	S\$ 1,247.27
HN[TEMP]17[DIM]		30" to 32-3/4"	Brass	S\$ 1,282.91
HN[TEMP]17[DIM]		33" to 35-3/4"	Brass	S\$ 1,330.38
HN[TEMP]17[DIM]		36" to 38-3/4"	Brass	S\$ 1,354.18
HN[TEMP]17[DIM]		39" to 41-3/4"	Brass	S\$ 1,389.78
HN[TEMP]17[DIM]		42" to 44-3/4"	Brass	S\$ 1,415.96
HN[TEMP]17[DIM]		45" to 48"	Brass	S\$ 1,437.32
MODEL G5 COVER PLATES				
6887271321	CG50C	135°F 57°C	Chrome	S\$ 74.88
6887271372	CG50W	135°F 57°C	White	S\$ 68.24
6887271311	CG50B	135°F 57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F 57°C	Off-White	S\$ 92.81
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F 57°C	Black Painted	S\$ 92.93
6887271305	CG50BB	135°F 57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F 57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F 57°C	Stainless Steel	S\$ 117.81
6887271319	CG50EW	135°F 57°C	Euro White	S\$ 68.24
6887271621	CG51C	165°F 74°C	Chrome	S\$ 74.88
6887271672	CG51W	165°F 74°C	White	S\$ 68.24
6887271611	CG51B	165°F 74°C	Finished Bronze	S\$ 97.32
6887271674	CG51OW	165°F 74°C	Off-White	S\$ 92.81
6887271690	CG51SP	165°F 74°C	Specialty	S\$ 96.53
6887271616	CG51FB	165°F 74°C	Black Painted	S\$ 92.93
6887271605	CG51BB	165°F 74°C	Bright Brass	S\$ 117.81
6887271623	CG51CD	165°F 74°C	Satin Chrome	S\$ 117.81
6887271610	CG51SS	165°F 74°C	Stainless Steel	S\$ 117.81
6887271619	CG51EW	165°F 74°C	Euro White	S\$ 68.24
6880170020	WFC	Requires Model FC Wrench		S\$ 608.20



DH56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) RA1664			
H7[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 678.43
H7[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 678.43
H7[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 696.12
H7[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 722.53
H7[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 722.53
H7[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 740.16
H7[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 766.49
H7[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 766.49
H7[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 784.16
H7[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 810.62
H7[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 810.62
H7[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 828.19
H7[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 854.69
H7[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 854.69
H7[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 872.30
H7[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 897.39
H7[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 897.39
H7[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 916.34
H7[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 942.68
H7[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 942.68
H7[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 960.41
H7[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 986.82
H7[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 986.82
H7[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,004.34
H7[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 1,030.92
H7[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,030.92
H7[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,048.47
H7[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 1,074.96
H7[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,074.96
H7[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,092.54
H7[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 1,118.96
H7[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 1,118.96
H7[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 1,136.55
H7[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 1,162.97
H7[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 1,162.97
H7[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 1,180.57
H7[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 1,206.95
H7[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,206.95
H7[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,224.58
H7[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,250.95
H7[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,250.95
H7[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,268.57
H7[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 1,294.96
H7[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,294.96
H7[TEMP]08[DIM]	45" to 48"	White	S\$ 1,312.61

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24




DH56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) RA1664			
HM[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 733.08
HM[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 750.78
HM[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 777.23
HM[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 794.78
HM[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 821.08
HM[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 838.78
HM[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 865.31
HM[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 882.85
HM[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 909.31
HM[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 926.92
HM[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 953.39
HM[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 971.00
HM[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 997.39
HM[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,015.07
HM[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,041.43
HM[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,059.04
HM[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,085.61
HM[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,103.18
HM[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,129.62
HM[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,147.16
HM[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 1,173.53
HM[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 1,191.27
HM[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 1,217.66
HM[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 1,235.28
HM[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,261.80
HM[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,279.38
HM[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,305.82
HM[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,323.34
HM[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,349.88
HM[TEMP]08[DIM]	45" to 48"	White	S\$ 1,367.53
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



DH56 DRY REC HSW

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH56 DRY HORIZONTAL FP REC K5.6 (80) THREADS 1" (25MM) RA1664			
H8[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 756.04
H8[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 756.04
H8[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 773.76
H8[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 800.19
H8[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 800.19
H8[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 817.77
H8[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
H8[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 844.04
H8[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 861.72
H8[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 888.27
H8[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 888.27
H8[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 905.82
H8[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 932.26
H8[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 932.26
H8[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 949.86
H8[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 976.36
H8[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 976.36
H8[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 993.95
H8[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 1,020.32
H8[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,020.32
H8[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,038.01
H8[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 1,064.41
H8[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,064.41
H8[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,082.04
H8[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 1,108.57
H8[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,108.57
H8[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,126.12
H8[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 1,152.55
H8[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,152.55
H8[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,170.14
H8[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ Call
H8[TEMP]21[DIM]	33" to 35-3/4"		S\$ Call
H8[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 1,214.23
H8[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 1,240.62
H8[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 1,240.62
H8[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 1,258.26
H8[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ Call
H8[TEMP]21[DIM]	39" to 41-3/4"		S\$ Call
H8[TEMP]08[DIM]	39" to 41-3/4"		S\$ Call
H8[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,328.80
H8[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,328.80
H8[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,346.30
H8[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 1,372.85
H8[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,372.85
H8[TEMP]08[DIM]	45" to 48"		S\$ Call

6880070100
6990004858

WXLO
DEKTITE

Requires XLO2 Sprinkler Wrench
Dektite Pipe Flashing, 1/4" - 2"

S\$ 317.77
S\$ 66.24



DH56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) RA1664			
HH[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 924.31
HH[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 968.43
HH[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 1,012.42
HH[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 1,056.43
HH[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 1,100.59
HH[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 1,144.55
HH[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 1,188.70
HH[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,233.54
HH[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 1,320.73
HH[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 1,408.82
HH[TEMP]17[DIM]	33" to 35-3/4"	Brass	S\$ 1,497.00
HH[TEMP]17[DIM]	36" to 38-3/4"	Brass	S\$ 1,541.01
HH[TEMP]17[DIM]	39" to 41-3/4"		S\$ Call
HH[TEMP]17[DIM]	42" to 44-3/4"		S\$ Call
HH[TEMP]17[DIM]	45" to 48"		S\$ Call
MODEL SWC COVERPLATE - REQUIRED			
6887131318	CHWNS	135°F 57°C White	S\$ 64.51
6887131390	CHSPNS	135°F 57°C Specialty	S\$ 96.73

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



DH80 DRY HSW Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH80 DRY HORIZONTAL EC K8.0 (115) THREADS 1" (25MM) RA5532			
Q7[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 807.31
Q7[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 807.31
Q7[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 828.38
Q7[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 859.81
Q7[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 859.81
Q7[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 880.77
Q7[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 912.14
Q7[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 912.14
Q7[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 933.14
Q7[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 964.61
Q7[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 964.61
Q7[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 985.57
Q7[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 1,017.08
Q7[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 1,017.08
Q7[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 1,038.01
Q7[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 1,067.92
Q7[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 1,067.92
Q7[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,090.45
Q7[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 1,121.81
Q7[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,121.81
Q7[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,142.88
Q7[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 1,174.34
Q7[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,174.34
Q7[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,195.16
Q7[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 1,226.80
Q7[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,226.80
Q7[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,247.65
Q7[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 1,279.22
Q7[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,279.22
Q7[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,300.14
Q7[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 1,331.58
Q7[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,331.58
Q7[TEMP]08[DIM]	33" to 36"	White	S\$ 1,352.53

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24




DH80 DRY HSW / HB Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH80 DRY EC HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA5532			
QM[TEMP]21[DIM]	3 1/2" to 5-3/4"	Chrome	S\$ 953.00
QM[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	S\$ 976.04
QM[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 1,010.42
QM[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 1,033.22
QM[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 1,067.45
QM[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 1,090.39
QM[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 1,124.92
QM[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 1,147.74
QM[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 1,182.11
QM[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 1,204.96
QM[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 1,239.38
QM[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,262.27
QM[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,296.58
QM[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,319.59
QM[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,353.84
QM[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,376.78
QM[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,411.26
QM[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,434.12
QM[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,468.49
QM[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,491.34
QM[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,525.58
QM[TEMP]08[DIM]	33" to 36"	White	S\$ 1,548.64
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



DH80 DRY REC HSW Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH80 DRY EC HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA5532			
Q8[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 902.65
Q8[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 902.65
Q8[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 923.88
Q8[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 955.62
Q8[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 955.49
Q8[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 976.70
Q8[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 1,008.28
Q8[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 1,008.28
Q8[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 1,029.49
Q8[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 1,061.35
Q8[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 1,061.35
Q8[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 1,082.41
Q8[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 1,114.15
Q8[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 1,114.15
Q8[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 1,135.23
Q8[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 1,167.03
Q8[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 1,167.03
Q8[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,188.11
Q8[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 1,219.81
Q8[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,219.81
Q8[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,241.05
Q8[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 1,272.66
Q8[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,272.66
Q8[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,293.84
Q8[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 1,325.66
Q8[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,325.66
Q8[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,346.77
Q8[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 1,378.50
Q8[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,378.50
Q8[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,399.58
Q8[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 1,431.20
Q8[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,431.20
Q8[TEMP]08[DIM]	33" to 36"	White	S\$ 1,452.50

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



DH80 DRY CONCEALED Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH80 DRY EC HORIZONTAL CONCEALED K8.0 (115) THREADS 1" (25MM) RA5532			
QH[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 1,118.39
QH[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 1,171.77
QH[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 1,225.03
QH[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 1,278.28
QH[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 1,331.73
QH[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 1,384.95
QH[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 1,438.28
QH[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,492.61
QH[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 1,598.07
QH[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 1,704.68
QH[TEMP]17[DIM]	33" to 36"	Brass	S\$ 1,811.38
MODEL SWC COVERPLATE-REQUIRED			
6887131318	CHWNS	135°F 57°C White	S\$ 64.51
6887131390	CHSPNS	135°F 57°C Specialty	S\$ 96.73

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY UPRIGHT

- K-Factor = 5.6 (80)
- **SIN R5324**
- 1" Size
- See Bulletin 153
- Finish is Brass only
- Available lengths 5" to 48"

Part Number	Size	Finish	List Price
MODEL F3-56 DRY UPRIGHT K5.6 (80) THREADS 1" (25MM) R5324			
F1[TEMP]11[DIM]	5" to 8-3/4"	Brass	S\$ 470.76
F1[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 501.41
F1[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 531.89
F1[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 562.49
F1[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 593.07
F1[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 623.54
F1[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 654.18
F1[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 684.69
F1[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 715.36
F1[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 745.96
F1[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 776.42
F1[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 807.05
F1[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 837.59
F1[TEMP]11[DIM]	45" to 48"	Brass	S\$ 868.14

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214



F3-56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314			
F25[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 511.45
F25[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 511.45
F25[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 523.68
F25[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 542.05
F25[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 542.05
F25[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 554.24
F25[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 572.70
F25[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 572.70
F25[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 584.81
F25[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 603.16
F25[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 603.16
F25[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 615.41
F25[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 633.76
F25[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 633.76
F25[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 645.96
F25[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 664.31
F25[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 664.31
F25[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 676.51
F25[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 694.82
F25[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 694.82
F25[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 707.07
F25[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 725.42
F25[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 725.42
F25[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 737.68
F25[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 755.99
F25[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 755.99
F25[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 768.20
F25[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 786.65
F25[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 786.65
F25[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 798.77
F25[TEMP]11[DIM]	33" to 36"	Brass	S\$ 817.24
F25[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 817.24
F25[TEMP]08[DIM]	33" to 36"	White	S\$ 829.38

6880130001	WF3R	Requires Model F3 Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY PENDENT K5.6 (80) THREADS 1" (25MM) R5314			
F2[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 440.18
F2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 440.18
F2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 452.45
F2[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 470.76
F2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 470.76
F2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 482.96
F2[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 501.41
F2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 501.41
F2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 513.55
F2[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 531.89
F2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 531.89
F2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 544.12
F2[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 562.49
F2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 562.49
F2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 574.70
F2[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 593.07
F2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 593.07
F2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 605.26
F2[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 623.54
F2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 623.54
F2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 635.77
F2[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 654.18
F2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 654.18
F2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 666.41
F2[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 684.69
F2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 684.69
F2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 696.95
F2[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 715.36
F2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 715.36
F2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 727.49
F2[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 745.96
F2[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 745.96
F2[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 758.14
F2[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 776.42
F2[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 776.42
F2[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 788.68
F2[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 807.05
F2[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 807.05
F2[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 819.15
F2[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 837.59
F2[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 837.59
F2[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 849.76
F2[TEMP]11[DIM]	45" to 48"	Brass	S\$ 868.14
F2[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 868.14
F2[TEMP]08[DIM]	45" to 48"	White	S\$ 880.39

6880130001	WF3R	Required Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24

Notes:

*Approved "A" Dimensions Up to 48" (1219mm)



F3-56 DRY PENDENT / HB

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY PENDENT / HB K5.6 (80) THREADS 3/4" (20MM) R5314			
FJ5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 563.47
FJ5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 576.04
FJ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 594.95
FJ5[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 626.41
FJ5[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 657.81
FJ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 670.38
FJ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 689.36
FJ5[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 720.80
FJ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 733.32
FJ5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 752.24
FJ5[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 783.68
FJ5[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 815.16
FJ5[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 846.65
FJ5[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 878.15
FJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 890.74
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY PENDENT / HB

- K-Factor = 5.6 (80)
- SIN R5314
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY PENDENT/ HB K5.6 (80) THREADS 1" (25MM) R5314			
FJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 492.22
FJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 504.77
FJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 523.65
FJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 536.28
FJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 555.12
FJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 567.68
FJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 586.53
FJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 599.12
FJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 618.07
FJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 630.61
FJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 649.55
FJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 662.07
FJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 680.96
FJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 693.55
FJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 712.41
FJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 725.01
FJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 743.86
FJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 756.43
FJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 775.41
FJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 787.97
FJ[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 806.88
FJ[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 819.46
FJ[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 840.22
FJ[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 852.78
FJ[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 871.74
FJ[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 884.26
FJ[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 903.16
FJ[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 915.76
FJ[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 934.58
FJ[TEMP]08[DIM]	45" to 48"	White	S\$ 947.15
MODEL HB REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24

Notes:

*Approved "A" Dimensions Up to 48" (1219mm)



F3-56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC FP PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314			
F65[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 586.46
F65[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 586.46
F65[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 598.99
F65[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
F65[TEMP]21[DIM]	6" to 8-3/4"		S\$ Call
F65[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
F65[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 649.36
F65[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 649.36
F65[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
F65[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 680.77
F65[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 680.77
F65[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 693.35
F65[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
F65[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
F65[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
F65[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 743.78
F65[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 743.78
F65[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 756.28
F65[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F65[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ Call
F65[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
F65[TEMP]11[DIM]	24" to 26-3/4"		S\$ Call
F65[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
F65[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
F65[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
F65[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F65[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F65[TEMP]11[DIM]	30" to 32-3/4"		S\$ Call
F65[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F65[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F65[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 901.11
F65[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 901.11
F65[TEMP]08[DIM]	33" to 36"	White	S\$ 913.72

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC FP PENDENT K5.6 (80) THREADS 1" (25MM) R5314			
F6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 515.18
F6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 515.18
F6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 527.74
F6[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 546.61
F6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 546.61
F6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 559.24
F6[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 578.09
F6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 578.09
F6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 590.65
F6[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 609.51
F6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 609.51
F6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 622.09
F6[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 641.04
F6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 641.04
F6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 653.54
F6[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 672.51
F6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 672.51
F6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 685.03
F6[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 703.93
F6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 703.93
F6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 716.54
F6[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 735.36
F6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 735.36
F6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 747.96
F6[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 766.86
F6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 766.86
F6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 779.42
F6[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 798.35
F6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 798.35
F6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 810.96
F6[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 829.81
F6[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 829.81
F6[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 842.42
F6[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 863.22
F6[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 863.22
F6[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 875.76
F6[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 894.72
F6[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 894.72
F6[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 907.20
F6[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 926.12
F6[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 926.12
F6[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 938.72
F6[TEMP]11[DIM]	45" to 48"		S\$ Call
F6[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 957.55
F6[TEMP]08[DIM]	45" to 48"	White	S\$ 970.11

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC F1 PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314			
F95[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 591.99
F95[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 575.70
F95[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 588.28
F95[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 623.46
F95[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 607.16
F95[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 619.81
F95[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 654.91
F95[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
F95[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
F95[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 686.31
F95[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 670.04
F95[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 682.64
F95[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 717.86
F95[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
F95[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
F95[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 749.32
F95[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 733.05
F95[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 745.58
F95[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 780.76
F95[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 764.47
F95[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
F95[TEMP]11[DIM]	24" to 26-3/4"		S\$ Call
F95[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 795.91
F95[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
F95[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 843.68
F95[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F95[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F95[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 873.69
F95[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F95[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F95[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 906.64
F95[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 890.41
F95[TEMP]08[DIM]	33" to 36"	White	S\$ 902.99

6880070100 WXLO Requires Model XLO2 Sprinkler Wrench S\$ 317.77



F3-56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC F1 PENDENT K5.6(80) THREADS 1" (25MM) R5314			
F9[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 520.72
F9[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 504.43
F9[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 517.03
F9[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 552.16
F9[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 535.88
F9[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 548.51
F9[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 583.64
F9[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 567.36
F9[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 579.93
F9[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 615.04
F9[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 598.74
F9[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 611.34
F9[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 646.58
F9[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 630.31
F9[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 642.84
F9[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 678.05
F9[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 661.78
F9[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 674.31
F9[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 709.49
F9[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 693.23
F9[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 705.78
F9[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 740.91
F9[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 724.65
F9[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 737.24
F9[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 772.41
F9[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 756.15
F9[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 768.66
F9[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 803.88
F9[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 787.65
F9[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 800.20
F9[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 835.36
F9[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 819.11
F9[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 831.70
F9[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 868.73
F9[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 852.45
F9[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 865.03
F9[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 900.26
F9[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 883.97
F9[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 896.50
F9[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 931.68
F9[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 915.39
F9[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 928.00
F9[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 963.12
F9[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 946.81
F9[TEMP]08[DIM]	45" to 48"	White	S\$ 959.41

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5334			
F45[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 555.88
F45[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 555.88
F45[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 568.50
F45[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
F45[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 587.38
F45[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
F45[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
F45[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 618.73
F45[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
F45[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 650.31
F45[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 650.31
F45[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 662.88
F45[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
F45[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 681.76
F45[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
F45[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 713.30
F45[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 713.30
F45[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 725.73
F45[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F45[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 744.61
F45[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
F45[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 776.12
F45[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
F45[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 788.66
F45[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
F45[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F45[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F45[TEMP]11[DIM]	30" to 32-3/4"		S\$ Call
F45[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F45[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F45[TEMP]11[DIM]	33" to 36"	Brass	S\$ 870.50
F45[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 870.50
F45[TEMP]08[DIM]	33" to 36"	White	S\$ 883.16

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334			
F4[TEMP]11[DIM]	2" to 5-3/4"		S\$ Call
F4[TEMP]21[DIM]	2" to 5-3/4"		S\$ Call
F4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 497.24
F4[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
F4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 516.11
F4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 528.65
F4[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
F4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 547.46
F4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 560.07
F4[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 579.09
F4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 579.09
F4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 591.58
F4[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 610.50
F4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 610.50
F4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 623.18
F4[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 642.00
F4[TEMP]21[DIM]	18" to 20-3/4"		S\$ Call
F4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 654.45
F4[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F4[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
F4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 686.09
F4[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 704.86
F4[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
F4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 717.38
F4[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
F4[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 748.93
F4[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 767.92
F4[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 780.36
F4[TEMP]11[DIM]	33" to 35-3/4"		S\$ Call
F4[TEMP]21[DIM]	33" to 35-3/4"		S\$ Call
F4[TEMP]08[DIM]	33" to 35-3/4"		S\$ Call
F4[TEMP]11[DIM]	36" to 38-3/4"		S\$ Call
F4[TEMP]21[DIM]	36" to 38-3/4"		S\$ Call
F4[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 843.35
F4[TEMP]11[DIM]	39" to 41-3/4"		S\$ Call
F4[TEMP]21[DIM]	39" to 41-3/4"		S\$ Call
F4[TEMP]08[DIM]	39" to 41-3/4"		S\$ Call
F4[TEMP]11[DIM]	42" to 44-3/4"		S\$ Call
F4[TEMP]21[DIM]	42" to 44-3/4"		S\$ Call
F4[TEMP]08[DIM]	42" to 44-3/4"		S\$ Call
F4[TEMP]11[DIM]	45" to 48"		S\$ Call
F4[TEMP]21[DIM]	45" to 48"		S\$ Call
F4[TEMP]08[DIM]	45" to 48"	White	S\$ 937.77

6880130001	WF3R	Required Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY HORIZONTAL / HB K5.6 (80) THREADS 3/4" (20MM) R5334			
FK5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 594.95
FK5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 607.55
FK5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 626.41
FK5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 638.96
FK5[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
FK5[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
FK5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 689.36
FK5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 701.84
FK5[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
FK5[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
FK5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 752.24
FK5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 764.84
FK5[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
FK5[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
FK5[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
FK5[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
FK5[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
FK5[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
FK5[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
FK5[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
FK5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 909.50
FK5[TEMP]08[DIM]	33" to 36"	White	S\$ 922.16
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) R5334			
FK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 523.65
FK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 536.28
FK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 555.12
FK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 567.68
FK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 586.53
FK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 599.12
FK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 618.07
FK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 630.61
FK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 649.55
FK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 662.07
FK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 680.96
FK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 693.55
FK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 712.41
FK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 725.01
FK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 743.86
FK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 756.43
FK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 775.41
FK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 806.88
FK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 819.46
FK[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 869.77
FK[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 882.35
FK[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 901.18
FK[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 932.77
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001	WF3R	Required Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC FP HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5334			
F55[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 617.89
F55[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 617.89
F55[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 630.51
F55[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
F55[TEMP]21[DIM]	6" to 8-3/4"		S\$ Call
F55[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
F55[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
F55[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
F55[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
F55[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 712.31
F55[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 712.31
F55[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 724.81
F55[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
F55[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
F55[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
F55[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 775.20
F55[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 775.20
F55[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 787.78
F55[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F55[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
F55[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
F55[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ Call
F55[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
F55[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
F55[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ Call
F55[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F55[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F55[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ Call
F55[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F55[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F55[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 932.46
F55[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 932.46
F55[TEMP]08[DIM]	33" to 36"	White	S\$ 945.14

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC FP HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334			
F5[TEMP]11[DIM]	3-1/2" to 5-3/4"		S\$ Call
F5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 546.61
F5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 559.24
F5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 578.09
F5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 578.09
F5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 590.65
F5[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
F5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 609.51
F5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 622.09
F5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 641.04
F5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 641.04
F5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 653.54
F5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 672.51
F5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 672.51
F5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 685.03
F5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 703.93
F5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 703.93
F5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 716.54
F5[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 735.36
F5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 747.96
F5[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 766.86
F5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 766.86
F5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 779.42
F5[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ Call
F5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 798.35
F5[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F5[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ Call
F5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 829.81
F5[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F5[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 861.18
F5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 861.18
F5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 873.88
F5[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 892.73
F5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 892.73
F5[TEMP]08[DIM]	36" to 38-3/4"		S\$ Call
F5[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 924.15
F5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 924.15
F5[TEMP]08[DIM]	39" to 41-3/4"		S\$ Call
F5[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 955.73
F5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 955.73
F5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 968.31
F5[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 987.19
F5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 987.19
F5[TEMP]08[DIM]	45" to 48"		S\$ Call

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC F1 HORIZONTAL K5.6 (80) 3/4" (20MM) R5334			
F05[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 623.46
F05[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 607.16
F05[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 619.81
F05[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 654.91
F05[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 638.65
F05[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 651.20
F05[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 686.31
F05[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 670.04
F05[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 682.64
F05[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 717.86
F05[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 701.59
F05[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 714.08
F05[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 749.32
F05[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 733.05
F05[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 745.58
F05[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 780.76
F05[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 764.47
F05[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 777.07
F05[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 812.19
F05[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 795.91
F05[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 808.50
F05[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 843.68
F05[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 827.39
F05[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 839.96
F05[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 875.18
F05[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 858.89
F05[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 871.49
F05[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 906.64
F05[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 890.41
F05[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 902.99
F05[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 938.01
F05[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 921.73
F05[TEMP]08[DIM]	33" to 36"	White	S\$ 934.41

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Notes:

In white applications, sprinkler can remains chrome.

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC F1 HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334			
F0[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 492.22
F0[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 535.88
F0[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 548.51
F0[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 583.64
F0[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 567.36
F0[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 579.93
F0[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 615.04
F0[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 598.74
F0[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 611.34
F0[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 646.58
F0[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 630.31
F0[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 642.84
F0[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 678.05
F0[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 661.78
F0[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 674.31
F0[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 709.49
F0[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 693.23
F0[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 705.78
F0[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 740.91
F0[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 724.65
F0[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 737.24
F0[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 772.41
F0[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 756.15
F0[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 768.66
F0[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 803.88
F0[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 787.65
F0[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 800.20
F0[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 835.36
F0[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 819.11
F0[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 831.70
F0[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 866.73
F0[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 850.47
F0[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 863.11
F0[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 898.26
F0[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 882.00
F0[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 894.58
F0[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 929.69
F0[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 913.43
F0[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 926.11
F0[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 961.28
F0[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 945.00
F0[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 957.58
F0[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 992.74
F0[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 976.46
F0[TEMP]08[DIM]	45" to 48"	White	S\$ 989.04

6880070100	WXLO	Requires XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 CONCEALED K5.6 (80) THREADS 3/4" (20MM) R5314			
FG5[TEMP]17[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 731.54
FG5[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 763.08
FG5[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 794.41
FG5[TEMP]17[DIM]	12" to 14-3/4"	Chrome	S\$ 825.92
FG5[TEMP]17[DIM]	15" to 17-3/4"	Chrome	S\$ 857.41
FG5[TEMP]17[DIM]	18" to 20-3/4"	Chrome	S\$ 888.89
FG5[TEMP]17[DIM]	21" to 23-3/4"	Chrome	S\$ 920.28
FG5[TEMP]17[DIM]	24" to 26-3/4"	Chrome	S\$ 952.35
FG5[TEMP]17[DIM]	27" to 29-3/4"	Chrome	S\$ 1,014.64
FG5[TEMP]17[DIM]	30" to 32-3/4"	Chrome	S\$ 1,077.58
FG5[TEMP]17[DIM]	33" to 36"	Chrome	S\$ 1,140.51
MODEL CCP CONICAL CONCEALED COVER PLATES			
6887161321	CCP0C76	135°F 57°C Chrome	S\$ 161.66
6887161318	CCP0W76	135°F 57°C Flat White	S\$ 63.00
6887161621	CCP1C76	165°F 74°C Chrome	S\$ 161.66
6887161618	CCP1W76	165°F 74°C Flat White	S\$ 63.00

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24



F3-56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Part Number		Size	Finish	List Price
MODEL F3-56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) R5314				
FG[TEMP]17[DIM]		3-1/2" to 5-3/4"	Brass	S\$ 660.26
FG[TEMP]17[DIM]		6" to 8-3/4"	Brass	S\$ 691.78
FG[TEMP]17[DIM]		9" to 11-3/4"	Brass	S\$ 723.14
FG[TEMP]17[DIM]		12" to 14-3/4"	Brass	S\$ 754.65
FG[TEMP]17[DIM]		15" to 17-3/4"	Brass	S\$ 786.15
FG[TEMP]17[DIM]		18" to 20-3/4"	Brass	S\$ 817.61
FG[TEMP]17[DIM]		21" to 23-3/4"	Brass	S\$ 849.05
FG[TEMP]17[DIM]		24" to 26-3/4"	Brass	S\$ 881.07
FG[TEMP]17[DIM]		27" to 29-3/4"	Brass	S\$ 943.35
FG[TEMP]17[DIM]		30" to 32-3/4"	Brass	S\$ 1,006.30
FG[TEMP]17[DIM]		33" to 35-3/4"	Brass	S\$ 1,069.24
FG[TEMP]17[DIM]		36" to 38-3/4"	Brass	S\$ 1,100.72
FG[TEMP]17[DIM]		39" to 41-3/4"	Brass	S\$ 1,132.16
FG[TEMP]17[DIM]		42" to 44-3/4"	Brass	S\$ 1,163.74
FG[TEMP]17[DIM]		45" to 48"	Brass	S\$ 1,195.11
MODEL CCP CONICAL CONCEALED COVER PLATES				
6887161321	CCP0C76	135°F 57°C	Brass	S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White	S\$ 63.00
6887161621	CCP1C76	165°F 74°C	Brass	S\$ 161.66
6887161618	CCP1W76	165°F 74°C	Flat White	S\$ 63.00

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 66.24

Notes:

Sprinklers and coverplates sold and packaged separately



F3-80 DRY PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY PENDENT K8.0 (115) THREADS 1" (25MM) RA6012			
P2[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 555.92
P2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 555.92
P2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 570.18
P2[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 593.95
P2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 593.95
P2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 610.57
P2[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 631.95
P2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 631.95
P2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 648.58
P2[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 669.99
P2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 669.99
P2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 686.59
P2[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 710.34
P2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 710.34
P2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 724.59
P2[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 748.35
P2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 748.35
P2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 762.58
P2[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 786.36
P2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 786.36
P2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 802.97
P2[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 824.36
P2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 824.36
P2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 841.01
P2[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 862.39
P2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 862.39
P2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 879.05
P2[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 902.77
P2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 902.77
P2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 917.01
P2[TEMP]11[DIM]	33" to 36"	Brass	S\$ 940.81
P2[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 940.81
P2[TEMP]08[DIM]	33" to 36"	White	S\$ 955.04

6880130001 WF3R Requires Model F3 Sprinkler Wrench S\$ 320.12



F3-80 DRY PENDENT / HB

- K-Factor = 8.0 (115)
- SIN RA6012
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY PENDENT / HB K8.0 (115) THREADS 1" (25MM) RA6012			
PJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 665.20
PJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 681.82
PJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 707.95
PJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 724.59
PJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 750.72
PJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 767.34
PJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 793.47
PJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 810.12
PJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 836.27
PJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 852.89
PJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 876.65
PJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 895.64
PJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 919.38
PJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 936.03
PJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 962.18
PJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 978.78
PJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,004.92
PJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,021.58
PJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,047.70
PJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,064.32
PJ[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,090.49
PJ[TEMP]08[DIM]	33" to 36"	White	S\$ 1,109.43
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001 WF3R Requires Model F3 Sprinkler Wrench S\$ 320.12



F3-80 DRY REC FP PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY REC FP PENDENT K8.0 (115) THREADS 1" (25MM) RA6012			
P6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 664.42
P6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 664.42
P6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 681.05
P6[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 704.81
P6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 704.81
P6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 721.42
P6[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 745.16
P6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 745.16
P6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 761.81
P6[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 785.55
P6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 785.55
P6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 802.20
P6[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 828.36
P6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 828.36
P6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 842.59
P6[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 868.73
P6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 868.73
P6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 885.36
P6[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 909.11
P6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 909.11
P6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 925.73
P6[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 949.51
P6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 949.51
P6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 966.14
P6[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 989.89
P6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 989.89
P6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,006.51
P6[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 1,032.65
P6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,032.65
P6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,046.91
P6[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 1,073.05
P6[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,073.05
P6[TEMP]08[DIM]	33" to 36"	White	S\$ 1,089.65

6880070100 WXLO Requires Model XL02 Sprinkler Wrench S\$ 317.77



F3-80 DRY HSW

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6032			
P4[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 555.92
P4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 555.92
P4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 570.18
P4[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 593.95
P4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 593.95
P4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 610.57
P4[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 631.95
P4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 631.95
P4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 648.58
P4[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 669.99
P4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 669.99
P4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 686.59
P4[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 710.34
P4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 710.34
P4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 724.59
P4[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 748.35
P4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 748.35
P4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 762.58
P4[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 786.36
P4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 786.36
P4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 802.97
P4[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 824.36
P4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 824.36
P4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 841.01
P4[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 862.39
P4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 862.39
P4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 879.05
P4[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 902.77
P4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 902.77
P4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 917.01
P4[TEMP]11[DIM]	33" to 36"	Brass	S\$ 940.81
P4[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 940.81
P4[TEMP]08[DIM]	33" to 36"	White	S\$ 955.04

6880130001 WF3R Requires Model F3 Sprinkler Wrench S\$ 320.12



F3-80 DRY HSW / HB

- K-Factor = 8.0 (115)
- SIN RA6032
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA6032			
PK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 665.20
PK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 681.82
PK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 707.95
PK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 724.59
PK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 750.72
PK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 767.34
PK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 793.47
PK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 810.12
PK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 836.27
PK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 852.89
PK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 876.65
PK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 895.64
PK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 919.38
PK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 936.03
PK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 962.18
PK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 978.78
PK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,004.92
PK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,021.58
PK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,047.70
PK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,064.32
PK[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,090.49
PK[TEMP]08[DIM]	33" to 36"	White	S\$ 1,109.43
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.41
6999994881	SKIRTW	White	S\$ 5.41

6880130001 WF3R Requires Model F3 Sprinkler Wrench S\$ 320.12



F3-80 DRY REC FP HSW

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY REC FP HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6032			
P5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 664.42
P5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 664.42
P5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 681.05
P5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 704.81
P5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 704.81
P5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 721.42
P5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 745.16
P5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 745.16
P5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 761.81
P5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 785.55
P5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 785.55
P5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 802.20
P5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 828.36
P5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 828.36
P5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 842.59
P5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 868.73
P5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 868.73
P5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 885.36
P5[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 909.11
P5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 909.11
P5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 925.73
P5[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 949.51
P5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 949.51
P5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 966.14
P5[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 989.89
P5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 989.89
P5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,006.51
P5[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 1,032.65
P5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,032.65
P5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,046.91
P5[TEMP]11[DIM]	33" to 36"	Brass	S\$ 1,073.05
P5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,073.05
P5[TEMP]08[DIM]	33" to 36"	White	S\$ 1,089.65

6880070100 WXLO Requires Model XL02 Sprinkler Wrench S\$ 317.77



F3-80 DRY CONCEALED

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

Part Number		Size	Finish	List Price
MODEL F3-80 DRY CONCEALED K8.0 (115) THREADS 1" (25MM) RA6012				
PG[TEMP]17[DIM]		3-1/2" to 5-3/4"	Brass	S\$ 860.03
PG[TEMP]17[DIM]		6" to 8-3/4"	Brass	S\$ 900.41
PG[TEMP]17[DIM]		9" to 11-3/4"	Brass	S\$ 940.81
PG[TEMP]17[DIM]		12" to 14-3/4"	Brass	S\$ 981.18
PG[TEMP]17[DIM]		15" to 17-3/4"	Brass	S\$ 1,023.93
PG[TEMP]17[DIM]		18" to 20-3/4"	Brass	S\$ 1,064.32
PG[TEMP]17[DIM]		21" to 23-3/4"	Brass	S\$ 1,104.70
PG[TEMP]17[DIM]		24" to 26-3/4"	Brass	S\$ 1,147.47
PG[TEMP]17[DIM]		27" to 29-3/4"	Brass	S\$ 1,228.26
PG[TEMP]17[DIM]		30" to 32-3/4"	Brass	S\$ 1,309.01
PG[TEMP]17[DIM]		33" to 36"	Brass	S\$ 1,389.78
MODEL CCP CONICAL CONCEALED COVERPLATES				
6887161321	CCP0C76	135°F 57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White	S\$ 63.00
6887161621	CCP1C76	165°F 74°C	Chrome	S\$ 161.66
6887161618	CCP1W76	165°F 74°C	Flat White	S\$ 63.00

6880070100 WXLO Requires Model XLO2 Sprinkler Wrench S\$ 317.77

Notes:

Sprinklers and coverplates sold and packaged separately