



G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762					
2116173498	G61B	165°F	74°C	W/O	S\$ 212.76
MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762					
2116173495	G61BM	165°F	74°C	W/O	S\$ 212.76
MODEL G6 PLAIN COVERPLATES					
6887211311	CG60B	135°F	57°C	Finished Bronze	S\$ 81.64
6887211321	CG60C	135°F	57°C	Chrome	S\$ 58.53
6887211372	CG60W	135°F	57°C	White	S\$ 58.53
6887211390	CG60SP	135°F	57°C	Specialty	S\$ 85.12

6880101010 WG6 Requires Model G6 Sprinkler Wrench S\$ 498.69

Notes:


Sprinkler and cover plates packaged and sold separately



JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326				
L192114198	JL112U1B	165°F 74°C	Brass	S\$ 122.49
L192214198	JL112U1C	165°F 74°C	Chrome	S\$ 127.20
L192874198	JL112U1W	165°F 74°C	White	S\$ 127.20
L194114198	JL112U2B	212°F 100°C	Brass	S\$ 122.49
L194214198	JL112U2C	212°F 100°C	Chrome	S\$ 127.20
L194874198	JL112U2W	212°F 100°C	White	S\$ 127.20
MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326				
L292114198	J112U1B	155°F 68°C	Brass	S\$ 124.11
L292214198	J112U1C	155°F 68°C	Chrome	S\$ 128.74
L292874198	J112U1W	155°F 68°C	White	S\$ 128.74
L292104198	J112U1SS	155°F 68°C	Stainless Steel	S\$ 1,113.03
L294114198	J112U2B	200°F 93°C	Brass	S\$ 124.11
L294214198	J112U2C	200°F 93°C	Chrome	S\$ 128.74
L294874198	J112U2W	200°F 93°C	Poly White	S\$ 128.74
L294104198	J112U2SS	200°F 93°C	Stainless Steel	S\$ 1,113.03



JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216				
L172114198	JL112P1B	165°F 74°C	Brass	S\$ 122.49
L172214198	JL112P1C	165°F 74°C	Chrome	S\$ 127.20
L172874198	JL112P1W	165°F 74°C	Poly White	S\$ 127.20
L174114198	JL112P2B	212°F 100°C	Brass	S\$ 122.49
L174214198	JL112P2C	212°F 100°C	Chrome	S\$ 127.20
L174874198	JL112P2W	212°F 100°C	Poly White	S\$ 127.20
MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216				
L272114198	J112P1B	155°F 68°C	Brass	S\$ 124.11
L272214198	J112P1C	155°F 68°C	Chrome	S\$ 128.74
L272874198	J112P1W	155°F 68°C	Poly White	S\$ 128.74
L272104198	J112P1SS	155°F 68°C	Stainless Steel	S\$ 1,113.03
L274114198	J112P2B	200°F 93°C	Brass	S\$ 124.11
L274214198	J112P2C	200°F 93°C	Chrome	S\$ 128.74
L274874198	J112P2W	200°F 93°C	White	S\$ 128.74
L274104198	J112P2SS	200°F 93°C	Stainless Steel	S\$ 1,113.03

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1 RECESSED ESCUTCHEON & COLLAR ASSEMBLY				
6801030000	GF1LB	3/4" (20mm)	Brass	S\$ 30.93
6801000000	GF1LC	3/4" (20mm)	Chrome	S\$ 16.69
6801040000	GF1LW	3/4" (20mm)	White	S\$ 16.69
6800970010	GF1LSS	3/4" (20mm)	Stainless Steel	S\$ 98.30
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY				
6800880004	GF2LB	3/4" (20mm)	Brass	S\$ 30.93
6800880001	GF2LC	3/4" (20mm)	Chrome	S\$ 16.69
6800880005	GF2LW	3/4" (20mm)	White	S\$ 16.69
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON				
6801402100	FPLC	3/4" (20mm)	Chrome	S\$ 32.19
6801407200	FPLW	3/4" (20mm)	White	S\$ 32.19
6801401000	FPLSS	3/4" (20mm)	Stainless Steel	S\$147.45

6880090000 WJ1 Upright & Pendent Requires Model J1 Sprinkler Wrench S\$ 200.65
6880170032 WRJ Rec Pendent Requires Model J112 Sprinkler Wrench S\$ 498.69



F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845					
BB131130R9	F1FR56EC0B	135°F	57°C	Brass	S\$ 94.04
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome	S\$ 103.09
BB138730R9	F1FR56EC0W	135°F	57°C	Poly White	S\$ 107.82
BB151130R9	F1FR56EC1B	155°F	68°C	Brass	S\$ 94.04
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome	S\$ 103.09
BB158730R9	F1FR56EC1W	155°F	68°C	White	S\$ 107.82
MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842					
BJ131139S8	F1FRECC0LBN	135°F	57°C	Brass	S\$ 99.76
BJ132139S8	F1FRECC0LCN	135°F	57°C	Chrome	S\$ 108.69
BJ138739S8	F1FRECC0LWN	135°F	57°C	White	S\$ 117.32
BJ151139S8	F1FRECC1LBN	155°F	68°C	Brass	S\$ 99.76
BJ152139S8	F1FRECC1LCN	155°F	68°C	Chrome	S\$ 108.69
BJ158739S8	F1FRECC1LWN	155°F	68°C	White	S\$ 117.32
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	S\$ 16.69
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 30.93
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 16.69
6800880005	GF2LW	3/4" (20mm)		White	S\$ 16.69
6800890004	GF2MB	10mm		Bronze	S\$ 30.93
6800890001	GF2MC	10mm		Chrome	S\$ 17.85
6800890005	GF2MW	10mm		White	S\$ 15.99

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW		S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 500.64



F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131132R9	F1FR56EC0B3	135°F	57°C	Brass	S\$ 100.09
BH132132R9	F1FR56EC0C3	135°F	57°C	Chrome	S\$ 108.01
BH138732R9	F1FR56EC0W3	135°F	57°C	Poly White	S\$ 113.92
		°F	°C		S\$ Call
BH152132R9	F1FR56EC1C3	155°F	68°C	Chrome	S\$ 108.01
BH158732R9	F1FR56EC1W3	155°F	68°C	Poly White	S\$ 112.85
MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942					
BH131139S8		135°F	57°C	Brass	S\$ 103.54
BH132139S8	F1FRECO0LC3N	135°F	57°C	Chrome	S\$ 112.85
BH138739S8	F1FRECO0LW3N	135°F	57°C	Poly White	S\$ 121.84
BH151139S8	F1FRECO1LB3N	155°F	68°C	Brass	S\$ 103.54
BH152139S8		155°F	68°C	Chrome	S\$ 112.85
BH158739S8	F1FRECO1LW3N	155°F	68°C	Poly White	S\$ 121.84
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 30.93
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 16.69
6800640001	GF1W	1/2" (15mm)		White	S\$ 16.69
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 30.93
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 16.69
6801040000	GF1LW	3/4" (20mm)		White	S\$ 16.69



F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 500.64



F1FR80-300 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



F1FR80-300 QREC RECESSED HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962					
		°F	°C		S\$ Call
		°F	°C		S\$ Call
		°F	°C		S\$ Call
BH151135S8	F1FREC91B3N	155°F	68°C	Brass	S\$ 96.18
BH152135S8	F1FREC91C3N	155°F	68°C	Chrome	S\$ 102.09
BH158735S8	F1FREC91W3N	155°F	68°C	White	S\$ 108.51
BH171135S8		175°F	79°C	Brass	S\$ 96.18
BH172135S8	F1FREC95C3N	175°F	79°C	Chrome	S\$ 102.09
BH178735S8		175°F	79°C	Poly White	S\$ 108.51
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 30.93
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 16.69
6800880005	GF2LW	3/4" (20mm)		White	S\$ 16.69

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 500.64



**F1FR56 QREC
 HORIZONTAL
 SIDEWALL (EC-8
 DEFLECTOR)**

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



**F1FR80 QREC
 HORIZONTAL
 SIDEWALL (EC-9
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865				
BD131130R9	F1FR56EC80B	135°F 57°C	Brass	S\$ 85.41
BD132130R9	F1FR56EC80C	135°F 57°C	Chrome	S\$ 90.76
BD138730R9	F1FR56EC80W	135°F 57°C	Poly White	S\$ 97.36
BD151130R9	F1FR56EC81B	155°F 68°C	Brass	S\$ 85.41
BD152130R9	F1FR56EC81C	155°F 68°C	Chrome	S\$ 90.76
BD158730R9	F1FR56EC81W	155°F 68°C	White	S\$ 97.36
BD171130R9	F1FR56EC85B	175°F 79°C	Brass	S\$ 85.41
BD172130R9	F1FR56EC85C	175°F 79°C	Chrome	S\$ 90.76
BD178730R9	F1FR56EC85W	175°F 79°C	Poly White	S\$ 97.36
MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862				
BK13113598	F1FREEC90B	135°F 57°C	Brass	S\$ 91.65
BK132135S8	F1FREEC90CN	135°F 57°C	Chrome	S\$ 97.36
BK138735S8	F1FREEC90WN	135°F 57°C	Poly White	S\$ 103.51
BK151135S8	F1FREEC91BN	155°F 68°C	Brass	S\$ 91.65
BK152135S8	F1FREEC91CN	155°F 68°C	Chrome	S\$ 97.36
BK158735S8	F1FREEC91WN	155°F 68°C	Poly White	S\$ 103.51
BK171135S8	F1FREEC95BN	175°F 79°C	Brass	S\$ 91.65
BK172135S8	F1FREEC95CN	175°F 79°C	Chrome	S\$ 97.36
BK178735S8	F1FREEC95WN	175°F 79°C	White	S\$ 103.51
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)	White	S\$ 16.69
6800880004	GF2LB	3/4" (20mm)	Brass	S\$ 30.93
6800880001	GF2LC	3/4" (20mm)	Chrome	S\$ 16.69
6800880005	GF2LW	3/4" (20mm)	White	S\$ 16.69
6800890004	GF2MB	10mm	Bronze	S\$ 30.93
6800890001	GF2MC	10mm	Chrome	S\$ 17.85
6800890005	GF2MW	10mm	White	S\$ 15.99

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 500.64



F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**

F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845					
BM131730R9	F1FR56CE0	135°F	57°C	W/O	S\$ 80.73
BM151730R9	F1FR56CE1	155°F	68°C	W/O	S\$ 80.73
MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842					
BM131739S8	F1FRCEL0N	135°F	57°C	W/O	S\$ 79.35
BM151739S8	F1FRCEL1N	155°F	68°C	W/O	S\$ 79.35
MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131730R9	F1FR56CE03	135°F	57°C	W/O	S\$ 83.84
BH151730R9	F1FR56CE13	155°F	68°C	W/O	S\$ 83.84
MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942					
		°F	°C		S\$ Call
BH151739S8	F1FRCE1L3N	155°F	68°C	W/O	S\$ 83.84
REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 136.07
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 53.03
REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 136.07
6887171318	CCP05W76	135°F	57°C	White	S\$ 53.03
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 89.05

6880100000 WRC Requires Model RC1 Sprinkler Wrench S\$ 500.64

Notes:

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



DH56

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



DH56 CONCEALED

DH56 CONCEALED

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564					
BU15113299	DH561B	155°F	68°C	Brass	S\$ 100.95
BU15213299	DH561C	155°F	68°C	Chrome	S\$ 110.72
BU15873299	DH561W	155°F	68°C	White	S\$ 110.72
BU20113299	DH562B	200°F	93°C	Brass	S\$ 100.95
BU20213299	DH562C	200°F	93°C	Chrome	S\$ 110.72
BU20873299	DH562W	200°F	93°C	White	S\$ 110.72
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	S\$ 16.69

MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564					
BT15173299	DH56C1	155°F	68°C	W/O	S\$ 107.45
BT20173299	DH56C2	200°F	93°C	W/O	S\$ 107.45
REQUIRED SWC COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	S\$ 55.32
6887131618	CHWNS1	165°F	74°C	Flat White	S\$ 55.32

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64
------------	-----	---------------------------------	--	--	------------

Notes:

Sprinkler and cover plates sold and packaged separately



DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362					
BU15113998	DH1B	155°F	68°C	Brass	S\$ 108.62
BU15213998	DH1C	155°F	68°C	Chrome	S\$ 117.38
BU15873998	DH1W	155°F	68°C	White	S\$ 117.38
FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)					
6801402100	FPLC	3/4" (20mm)		Chrome	S\$ 32.19
6801407200	FPLW	3/4" (20mm)		White	S\$ 32.19
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 30.93
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 16.69
6800880005	GF2LW	3/4" (20mm)		White	S\$ 16.69
MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362					
BT15173998	DHC1	155°F	68°C	W/O	S\$ 115.24
MODEL SWC-NS COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	S\$ 55.32
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64

Notes:

Sprinkler and coverplates sold and packaged separately



**G4XLO QREC
 ECLH/ECOH**

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

Part Number	Short Code	Temperature	Finish	List Price
-------------	------------	-------------	--------	------------

MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146

1716174198	G4XLO	165°F 74°C	W/O	S\$ 121.58
------------	-------	------------	-----	------------

MODEL G5 COVER PLATES

6887271321	CG50C	135°F 57°C	Chrome	S\$ 64.22
6887271372	CG50W	135°F 57°C	White	S\$ 58.53
6887271311	CG50B	135°F 57°C	Finished Bronze	S\$ 80.46
6887271374	CG50OW	135°F 57°C	Off-White	S\$ 79.61
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 79.81
6887271316	CG50FB	135°F 57°C	Black Painted	S\$ 79.70
6887271305	CG50BB	135°F 57°C	Bright Brass	S\$ 97.39
6887271323	CG50CD	135°F 57°C	Satin Chrome	S\$ 97.39
6887271310	CG50SS	135°F 57°C	Stainless Steel	S\$ 97.39
6887271321	CG50C	135°F 57°C	Chrome	S\$ 64.22
6887271372	CG50W	135°F 57°C	White	S\$ 58.53
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 79.81

6880170000	WG4	Wrench, W4, Recessed, Concealed	S\$ 498.69
------------	-----	---------------------------------	------------

NEW



**KFR-CCS
 Combustible
 Concealed Space**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature	Finish	List Price
-------------	------------	-------------	--------	------------

MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454

MN211132R9	KFRCCS	212°F 100°C	Brass	S\$ 111.65
------------	--------	-------------	-------	------------

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 165.58
------------	-----	-----------------------------------	------------



SWC QREC

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962					
BM13173498	CEC9	135°F	57°C	W/O	S\$ 95.77
BM15173498	CEC91	155°F	68°C	W/O	S\$ 95.77
MODEL SWC-NS COVERPLATES					
6887131318	CHWNS	135°F	57°C	White	S\$ 55.32
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 82.96

6880100120 WW4 Wrench, W4, Recessed, Concealed S\$ 500.64

Notes:

Covers can not be plated - only painted.
 Sprinkler and coverplates sold and packaged separately



F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745					
AB131130R9	F56ECP0B	135°F	57°C	Brass	S\$ 81.05
AB138730R9	F56ECP0W	135°F	57°C	White	S\$ 87.43
AB151130R9	F56ECP1B	155°F	68°C	Brass	S\$ 81.05
AB152130R9	F56ECP1C	155°F	68°C	Chrome	S\$ 81.05
AB158730R9	F56ECP1W	155°F	68°C	Poly White	S\$ 87.43
MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742					
AJ13113998	FECF0LB	135°F	57°C	Brass	S\$ 88.43
AJ13213998	FECF0LC	135°F	57°C	Chrome	S\$ 88.43
AJ13873998	FECF0LW	135°F	57°C	Poly White	S\$ 95.03
AJ15113998	FECF1LB	155°F	68°C	Brass	S\$ 88.43
AJ15213998	FECF1LC	155°F	68°C	Chrome	S\$ 88.43
AJ15873998	FECF1LW	155°F	68°C	White	S\$ 95.03
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 30.93
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 16.69
6800640001	GF1W	1/2" (15mm)		White	S\$ 16.69
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 30.93
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 16.69
6801040000	GF1LW	3/4" (20mm)		White	S\$ 16.69
6800930000	GF1MB	10mm		Bronze	S\$ 30.91
6800900000	GF1MC	10mm		Chrome	S\$ 16.46
6800940003	GF1MW	10mm		Poly White	S\$ 16.46
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	S\$ 16.69
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 30.93
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 16.69
6800880005	GF2LW	3/4" (20mm)		White	S\$ 16.69

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 165.58
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 500.64



F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



F1-300 EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI					
AH13113299	FEC3P0B3	135°F	57°C	Brass	S\$ 79.14
AH13213299	FEC3P0C3	135°F	57°C	Chrome	S\$ 86.77
AH13873299	FEC3P0W3	135°F	57°C	White	S\$ 93.28
AH15113299	FEC3P1B3	155°F	68°C	Brass	S\$ 79.14
AH15213299	FEC3P1C3	155°F	68°C	Chrome	S\$ 86.77
AH15873299	FEC3P1W3	155°F	68°C	White	S\$ 93.28
MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI					
AH13113998	FEC3P0LB3	135°F	57°C	Brass	S\$ 86.77
AH13213998	FEC3P0LC3	135°F	57°C	Chrome	S\$ 94.30
AH13873998	FEC3P0LW3	135°F	57°C	White	S\$ 100.96
AH15113998	FEC3P1LB3	155°F	68°C	Brass	S\$ 86.77
AH15213998	FEC3P1LC3	155°F	68°C	Chrome	S\$ 94.30
AH15873998	FEC3P1LW3	155°F	68°C	White	S\$ 100.96
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 30.93
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 16.69
6800640001	GF1W	1/2" (15mm)		White	S\$ 16.69
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 30.93
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 16.69
6801040000	GF1LW	3/4" (20mm)		White	S\$ 16.69

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 165.58
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 500.64



GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553					
0116114598	GFRUV1B	165°F	74°C	Brass	S\$ 186.09
0116214598	GFRUV1C	165°F	74°C	Chrome	S\$ 193.47
0121114598	GFRUV2B	212°F	100°C	Brass	S\$ 186.09
0121214598	GFRUV2C	212°F	100°C	Chrome	S\$ 193.47

6880070000 WH Requires Model H Sprinkler Wrench S\$ 200.65

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043					
FB16114598	GFRPV1B	165°F	74°C	Brass	S\$139.73
FB16214598	GFRPV1C	165°F	74°C	Chrome	S\$145.35
FB16874598	GFRPV1W	165°F	74°C	White	S\$151.58
FB21114598	GFRPV2B	212°F	100°C	Brass	S\$139.73
FB21214598	GFRPV2C	212°F	100°C	Chrome	S\$145.35
FB21874598	GFRPV2W	212°F	100°C	White	S\$151.58

6880070000 WH Requires Model H Sprinkler Wrench S\$ 200.65

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing S\$ 262.96

*Recessing available.



GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160



MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932					
4816114597	MB1B	165°F	74°C	Brass	S\$ 149.15
4816214597	MB1C	165°F	74°C	Chrome	S\$ 171.12
4816874597	MB1W	165°F	74°C	White	S\$ 171.12
4821114597	MB2B	212°F	100°C	Brass	S\$ 149.15
4821214597	MB2C	212°F	100°C	Chrome	S\$ 171.12
4821874597	MB2W	212°F	100°C	White	S\$ 171.12

6880070000 WH Requires Model H Sprinkler Wrench S\$ 200.65