



F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511					
CM15172199	30CCP1	155°F	68°C	W/O	S\$ 81.80
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$136.07
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 53.03
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 89.05
6887171321	CCP05C76	135°F	57°C	Chrome	S\$136.07
6887171318	CCP05W76	135°F	57°C	White	S\$ 53.03
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 89.05
MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511					
CV151121S9	30BN	155°F	68°C	Brass	S\$ 90.34
CV152121S9	30CN	155°F	68°C	Chrome	S\$ 91.01
CV158721S9	30WN	155°F	68°C	Poly White	S\$ 91.01
CV171121S9	30B5N	175°F	79°C	Brass	S\$ 90.34
CV172121S9	30C5N	175°F	79°C	Chrome	S\$ 91.01
CV178721S9	30W5N	175°F	79°C	White	S\$ 91.01
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 500.64
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 165.58
MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591					
MV161121R9	KRES301B	165°F	74°C	Brass	S\$ 90.34
MV162121R9	KRES301C	165°F	74°C	Chrome	S\$ 91.01
MV168721R9	KRES301W	165°F	74°C	Poly White	S\$ 91.01
MV211121R9	KRES302B	212°F	100°C	Brass	S\$ 90.34
MV212121R9	KRES302C	212°F	100°C	Chrome	S\$ 91.01
MV218721R9	KRES302W	212°F	100°C	Poly White	S\$ 91.01
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 165.58
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$ 500.64
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 500.64
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	S\$ 16.69



F1RES 49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135



KRES49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3596**
- See Bulletin 935
- Link Version



F1RES 49 CCP

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516					
CV151128S9	49BN	155°F	68°C	Brass	\$ 90.34
CV152128S9	49CN	155°F	68°C	Chrome	\$ 91.01
CV158728S9	49WN	155°F	68°C	White	\$ 91.01
CV171128S9	49B5N	175°F	79°C	Brass	\$ 90.34
CV172128S9	49C5N	175°F	79°C	Chrome	\$ 91.01
CV178728S9	49W5N	175°F	79°C	White	\$ 91.01

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$ 500.64
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 165.58

MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK					
MV161128R9	KRES491B	165°F	74°C	Brass	\$ 90.34
MV162128R9	KRES491C	165°F	74°C	Chrome	\$ 91.01
MV168728R9	KRES491W	165°F	74°C	Poly White	\$ 91.01
MV211128R9	KRES492B	212°F	100°C	Brass	\$ 90.34
MV212128R9	KRES492C	212°F	100°C	Chrome	\$ 91.01
MV218728R9	KRES492W	212°F	100°C	Poly White	\$ 91.01

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$ 500.64
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 165.58
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			\$ 500.64

MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 30.93
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 16.69
6800640001	GF1W	1/2" (15mm)		White	\$ 16.69

MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	\$ 16.69

MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	\$ 32.19
6801417200	FPW	Push-On Thread Off		White	\$ 32.19

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516					
CM151728S9	49CCP1N	155°F	68°C	W/O	\$ 81.80

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$ 500.64
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 165.58

MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 136.07
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 53.03
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 89.05
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 136.07
6887171318	CCP05W76	135°F	57°C	White	\$ 53.03
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 89.05




F1RES 44 HSW & REC HSW

- See Bulletins 135



KRES44 HSW & REC HSW

- See Bulletins 935
- **SIN RA3591**
- Link version



F1RES 44 SWC

- See Bulletins 135

Part Number	Short Code	Temperature	Finish	List Price	
MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531					
CV521125S9	44BN	155°F	68°C	Brass	S\$ 93.18
CV522125S9	44CN	155°F	68°C	Chrome	S\$ 93.24
CV528725S9	44WN	155°F	68°C	White	S\$ 93.24
CV531125S9	44B5N	175°F	79°C	Brass	S\$ 93.18
CV532125S9	44C5N	175°F	79°C	Chrome	S\$ 93.24
CV538725S9	44W5N	175°F	79°C	Poly White	S\$ 93.24

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED	S\$ 500.64
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	S\$ 165.58

MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591					
MV521125R9	KRES441B	165°F	74°C	Brass	S\$ 93.18
MV522125R9	KRES441C	165°F	74°C	Chrome	S\$ 93.24
MV528725R9	KRES441W	165°F	74°C	Poly White	S\$ 93.24

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED	S\$ 500.64
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	S\$ 165.58
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)	S\$ 500.64

MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)	White	S\$ 16.69

MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS				
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 32.19
6801417200	FPW	Push-On Thread Off	White	S\$ 32.19

Part Number	Short Code	Temperature	Finish	List Price	
MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531					
CM521725S9	SWC44N	155°F	68°C	W/O	S\$ 92.24
CM531725S9	SWC445N	175°F	79°C	W/O	S\$ 92.24
REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC					
6887131318	CHWNS	135°F	57°C	White	S\$ 55.32
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 82.96
REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2					
6887251318	SWC2W	135°F	57°C	Flat White	S\$ 55.32



F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176



F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176



KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version



F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513				
CM15173199	58CCP1	155°F 68°C	W/O	S\$ 81.80
MODEL CCP CONICAL CONCEALED COVERPLATES				
6887161321	CCP0C76	135°F 57°C	Chrome	S\$ 136.07
6887161318	CCP0W76	135°F 57°C	Flat White	S\$ 53.03
6887161390	CCP0SP76	135°F 57°C	Specialty	S\$ 89.05
6887171321	CCP05C76	135°F 57°C	Chrome	S\$ 136.07
6887171318	CCP05W76	135°F 57°C	White	S\$ 53.03
6887171390	CCP05SP76	135°F 57°C	Specialty	S\$ 89.05

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED S\$ 500.64

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533				
CV521131S9	58H1BN	155°F 68°C	Brass	S\$ 93.18
CV522131S9	58H1CN	155°F 68°C	Chrome	S\$ 93.24
CV528731S9	58H1WN	155°F 68°C	White	S\$ 93.24
CV531131S9	58H5BN	175°F 79°C	Brass	S\$ 93.18
CV532131S9	58H5CN	175°F 79°C	Chrome	S\$ 93.24
CV538731S9	58H5WN	175°F 79°C	White	S\$ 93.24
MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK				
MV521131R9	KRES58H1B	165°F 74°C	Brass	S\$ 93.18
MV522131R9	KRES58H1C	165°F 74°C	Chrome	S\$ 93.24
MV528731R9	KRES58H1W	165°F 74°C	Poly White	S\$ 93.24
MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513				
CV151131S9	58P1BN	155°F 68°C	Brass	S\$ 90.34
CV152131S9	58P1CN	155°F 68°C	Chrome	S\$ 91.01
CV158731S9	58P1WN	155°F 68°C	White	S\$ 91.01
CV17113199	58P5B	175°F 79°C	Brass	S\$ 90.34
CV17213199	58P5C	175°F 79°C	Chrome	S\$ 91.01
CV178731S9	58P5WN	175°F 79°C	White	S\$ 91.01
MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK				
MV161131R9	KRES58P1B	165°F 74°C	Brass	S\$ 90.34
MV162131R9	KRES58P1C	165°F 74°C	Chrome	S\$ 91.01
MV168731R9	KRES58P1W	165°F 74°C	Poly White	S\$ 91.01
MV211131R9	KRES58P2B	212°F 100°C	Brass	S\$ 90.34
MV212131R9	KRES58P2C	212°F 100°C	Chrome	S\$ 91.01
MV218731R9	KRES58P2W	212°F 100°C	Poly White	S\$ 91.01
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)	White	S\$ 16.69
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS				
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 32.19
6801417200	FPW	Push-On Thread Off	White	S\$ 32.19

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) S\$ 165.58
 6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED S\$ 500.64
 6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) S\$ 500.64



F1RES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



KRES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

Part Number	Short Code	Temperature	Finish	List Price	
MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533					
CV621131S9	58H1BXN	155°F	68°C	Brass	S\$ 120.66
CV622131S9	58H1CXN	155°F	68°C	Chrome	S\$ 131.81
CV628731S9	58H1WXN	155°F	68°C	Poly White	S\$ 131.81
CV63113199	58H5BX	175°F	79°C	Brass	S\$ 120.66
CV632131S9	58H5CXN	175°F	79°C	Chrome	S\$ 131.81
CV638731S9	58H5WXN	175°F	79°C	Poly White	S\$ 131.81
MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593					
MV62113199	K58H1BX	165°F	74°C	Brass	S\$ 120.66
MV62213199	K58H1CX	165°F	74°C	Chrome	S\$ 131.81
MV62873199	K58H1WX	165°F	74°C	Poly White	S\$ 131.81
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	S\$ 16.69
MODEL FV RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801720600	FVB	1/2" (15mm)		Brass	S\$ 29.23
6801722100	FVC	1/2" (15mm)		Chrome	S\$ 19.47
6801728700	FVW	1/2" (15mm)		Poly White	S\$ 19.47

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW		S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 500.64
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW		S\$ 500.64

* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft² over the listed coverage areas



F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618					
CV15113298	76P1B	155°F	68°C	Brass	S\$ 91.91
CV15213298	76P1C	155°F	68°C	Chrome	S\$ 97.68
CV15873298	76P1W	155°F	68°C	White	S\$ 97.68
CV17113298	76P5B	175°F	79°C	Brass	S\$ 91.91
CV17213298	76P5C	175°F	79°C	Chrome	S\$ 97.68
CV17873298	76P5W	175°F	79°C	White	S\$ 97.68
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801030000	GF1LB	3/4"Adjustment		Brass	S\$ 30.93
6801000000	GF1LC	3/4"Adjustment		Chrome	S\$ 16.69
6801040000	GF1LW	3/4"Adjustment		White	S\$ 16.69
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	1/2"Adjustment		Brass	S\$ 30.93
6800880001	GF2LC	1/2"Adjustment		Chrome	S\$ 16.69
6800880005	GF2LW	1/2"Adjustment		White	S\$ 16.69
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801402100	FPLC	Push-On Thread Off		Chrome	S\$ 32.19
6801407200	FPLW	Push-On Thread Off		White	S\$ 32.19

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW			S\$ 500.64

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618					
CM15173298	76CCP1	155°F	68°C	W/O	S\$ 114.91
CM17173298	76CCP5	175°F	79°C	W/O	S\$ 114.91
MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 136.07
6887171318	CCP05W76	135°F	57°C	White	S\$ 53.03
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 89.05
MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 136.07
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 53.03

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64
------------	-----	---------------------------------	--	--	------------

Notes:

Sprinkler and coverplates sold and packaged separately



**RFC Series
 Residential
 Sprinklers Flat Cover
 Plate, Concealed
 Pendent Sprinklers**



Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611					
1816172197	RFC30	165°F	74°C	W/O	S\$ 116.70
1821172197	RFC302	212°F	100°C	W/O	S\$ 116.70
MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612					
1816172597	RFC43	165°F	74°C	W/O	S\$ 116.70
1821172597	RFC432	212°F	100°C	W/O	S\$ 116.70
MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616					
1816172697	RFC49	165°F	74°C	W/O	S\$ 116.70
1821172697	RFC492	212°F	100°C	W/O	S\$ 116.70
MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613					
1816172997	RFC581	165°F	74°C	W/O	S\$ 116.70
1821172997	RFC582	212°F	100°C	W/O	S\$ 116.70
MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618					
1816173198	RFC761	165°F	74°C	W/O	S\$183.78
1821173198	RFC762	212°F	100°C	W/O	S\$183.78

RFC30

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

6880170020	WFC	WRENCH,FC,CONCEALED	S\$ 503.31
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	S\$ 503.31
6880103000	W8	WRENCH,W8, RFC PLASTIC SERVICE WRENCH	S\$ 312.09

RFC43

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

RFC49

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

RFC58

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

RFC76

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 64.22
6887271372	CG50W	135°F	57°C	White	S\$ 58.53
6887271311	CG50B	135°F	57°C	Finished Bronze	S\$ 80.46
6887271374	CG50OW	135°F	57°C	Off-White	S\$ 79.61
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 79.81
6887271316	CG50FB	135°F	57°C	Black Painted	S\$ 79.70
6887271305	CG50BB	135°F	57°C	Bright Brass	S\$ 97.39
6887271323	CG50CD	135°F	57°C	Satin Chrome	S\$ 97.39
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 97.39
6887271621	CG51C	165°F	74°C	Chrome	S\$ 64.22
6887271672	CG51W	165°F	74°C	White	S\$ 58.53
6887271611	CG51B	165°F	74°C	Finished Bronze	S\$ 80.46
6887271674	CG51OW	165°F	74°C	Off-White	S\$ 79.61
6887271690	CG51SP	165°F	74°C	Specialty	S\$ 79.81
6887271616	CG51FB	165°F	74°C	Black Painted	S\$ 79.70
6887271605	CG51BB	165°F	74°C	Bright Brass	S\$ 97.39
6887271623	CG51CD	165°F	74°C	Satin Chrome	S\$ 97.39
6887271610	CG51SS	165°F	74°C	Stainless Steel	S\$ 97.39



RFC49plus

- K-Factor = 4.9 (70)
- **SIN R401 and R402 (Low Lead)**
- See Bulletin 188

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R401					
1816172799	RFC491P	165°F	74°C	W/O	S\$135.14
1821172799	RFC492P	212°F	100°C	W/O	S\$135.14
MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS 1/2" R401					
1816172792	RFC491M	165°F	74°C	W/O	S\$135.14
1821172792	RFC492PM	212°F	100°C	W/O	S\$135.14
MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R402					
18161727P9	RFC491PLL	165°F	74°C	W/O	S\$202.70
18211727P9	RFC492PLL	212°F	100°C	W/O	S\$202.70
MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS R402					
18161727P2		165°F	74°C	W/O	S\$202.70
18211727P2		212°F	100°C	W/O	S\$202.70
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 64.22
6887271621	CG51C	165°F	74°C	Chrome	S\$ 64.22
6887271372	CG50W	135°F	57°C	White	S\$ 58.53
6887271672	CG51W	165°F	74°C	White	S\$ 58.53
6880105000	W10	WRENCH,W10,WITH PROTECTIVE CAP,RFC49+			S\$ 503.31
6880107000	W11	WRENCH,W11,PLASTIC,RFC49+			S\$ 312.09



**RFS42 Residential
 Flat Plate
 Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835					
2216172499	RFS42	165°F	74°C	W/O	S\$ 233.03

6880101010 WG6 WRENCH,G6 HSW SOCKET S\$ 498.69

MODEL RFS42 COVERPLATES					
6887231311	CRFS0B	135°F	57°C	Finished Bronze	S\$ 81.64
6887231321	CRFS0C	135°F	57°C	Chrome	S\$ 81.61
6887231372	CRFS0W	135°F	57°C	White	S\$ 81.61

Notes:

Sprinklers and coverplates sold and packaged separately

NEW



F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231			
HP[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 623.36
HP[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 623.36
HP[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 623.36
HP[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 642.85
HP[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 642.85
HP[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 642.85
HP[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 662.31
HP[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 662.31
HP[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 662.31
HP[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 681.80
HP[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 681.80
HP[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 681.80
HP[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 701.27
HP[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 701.27
HP[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 701.27
HP[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 720.77
HP[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 720.77
HP[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 720.77
HP[TEMP]11[DIM]	21" to 24"	Brass	S\$ 740.23
HP[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 740.23
HP[TEMP]08[DIM]	21" to 24"	White	S\$ 740.23
MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HP5[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 623.36
HP5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 623.34
HP5[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 623.36
HP5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 642.84
HP5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 642.85
HP5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 642.85
HP5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 662.31
HP5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 662.31
HP5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 662.31
HP5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 681.81
HP5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 681.80
HP5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 681.81
HP5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 701.28
HP5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 701.28
HP5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 701.28
HP5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 720.77
HP5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 720.77
HP5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 720.77
HP5[TEMP]11[DIM]	21" to 24"	Brass	S\$ 740.23
HP5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 740.23
HP5[TEMP]08[DIM]	21" to 24"	White	S\$ 740.23

6880130001 WF3R Requires Model F3R Wrench S\$ 264.92

* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F3RES44 DRY
 RECESSED HSW /
 F2**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

**PRICING
 INCLUDES F2
 ESCUTCHEON**

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231			
HR[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 568.66
HR[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 560.41
HR[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 560.41
HR[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 607.62
HR[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 599.35
HR[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 599.35
HR[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 630.97
HR[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 622.73
HR[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 622.73
HR[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 654.35
HR[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 646.12
HR[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 646.12
HR[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 681.64
HR[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 673.39
HR[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 673.39
HR[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 705.00
HR[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 696.76
HR[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 696.76
HR[TEMP]11[DIM]	21" to 24"	Brass	S\$ 728.38
HR[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 720.14
HR[TEMP]08[DIM]	21" to 24"	White	S\$ 720.14
MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HR5[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 568.66
HR5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 545.43
HR5[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 560.41
HR5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 607.62
HR5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 599.35
HR5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 584.38
HR5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 630.97
HR5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 607.77
HR5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 607.77
HR5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 654.35
HR5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 646.12
HR5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 631.14
HR5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 681.64
HR5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 658.41
HR5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 658.41
HR5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 705.00
HR5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 681.81
HR5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 681.81
HR5[TEMP]11[DIM]	21" to 24"	Brass	S\$ 728.38
HR5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 705.18
HR5[TEMP]08[DIM]	21" to 24"	White	S\$ 705.18

6880070100 WXLO Requires Model XLO2 Wrench S\$ 262.96



F3RES44 DRY HSW / HB

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231			
HQ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 564.92
HQ[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	S\$ 564.92
HQ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 592.18
HQ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 592.18
HQ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 615.57
HQ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 615.57
HQ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 638.93
HQ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 638.93
HQ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 662.31
HQ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 662.31
HQ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 685.69
HQ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 685.69
HQ[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 709.05
HQ[TEMP]08[DIM]	21" to 24"	White	S\$ 709.05
MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HQ5[TEMP]21[DIM]	4-1/4" to 5-3/4"	Chrome	S\$ 564.92
HQ5[TEMP]08[DIM]	4-1/4" to 5-3/4"	White	S\$ 564.92
HQ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 592.18
HQ5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 592.18
HQ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 615.57
HQ5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 615.55
HQ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 638.93
HQ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 638.93
HQ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 662.31
HQ5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 662.31
HQ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 685.69
HQ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 685.69
HQ5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 709.05
HQ5[TEMP]08[DIM]	21" to 24"	White	S\$ 709.05
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.53
6999994881	SKIRTW	White	S\$ 2.61

6880130001 WF3R Requires Model F3R Wrench S\$ 264.92

* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F1RES 30 LL
 Pendant &
 Recessed Pendant**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033



F1RES 30 LL CCP

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311					
CV151121P9	30BLL	155°F	68°C	Brass Low Lead	S\$ 142.08
CV152121P9	30CLL	155°F	68°C	Chrome	S\$ 151.51
CV158721P9	30WLL	155°F	68°C	Poly White Low Lead	S\$ 151.51
CV171121P9	30B5LL	175°F	79°C	Brass Low Lead	S\$ 142.08
CV172121P9	30C5LL	175°F	79°C	Chrome	S\$ 151.51
CV178721P9	30W5LL	175°F	79°C	Poly White Low Lead	S\$ 151.51
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	S\$ 16.69
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 32.19
6801417200	FPW	Push-On Thread Off		White	S\$ 32.19

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311					
CM151721P9	30CCP1LL	155°F	68°C	Brass	S\$ 151.51
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 136.07
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 53.03
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 89.05
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 136.07
6887171318	CCP05W76	135°F	57°C	White	S\$ 53.03
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 89.05

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64
------------	-----	---------------------------------	--	--	------------



**F1RES 49 LL
 Pendant &
 Recessed Pendant**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



F1RES 49 LL CCP

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316					
CV151128P9	49BLL	155°F	68°C	Brass Low Lead	S\$ 142.08
CV152128P9	49CLL	155°F	68°C	Chrome Low Lead	S\$ 151.51
CV158728P9	49WLL	155°F	68°C	Poly White Low Lead	S\$ 151.51
CV171128P9	49B5LL	175°F	79°C	Brass Low Lead	S\$ 142.08
CV172128P9	49C5LL	175°F	79°C	Chrome Low Lead	S\$ 151.51
CV178728P9	49W5LL	175°F	79°C	Poly White Low Lead	S\$ 151.51
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 30.93
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 16.69
6800640001	GF1W	1/2" (15mm)		White	S\$ 16.69
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	S\$ 16.69
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 32.19
6801417200	FPW	Push-On Thread Off		White	S\$ 32.19

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316					
CM151728P9	49CCP1LL	155°F	68°C	Brass	S\$ 151.51
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 136.07
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 53.03
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 89.05
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 136.07
6887171318	CCP05W76	135°F	57°C	White	S\$ 53.03
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 89.05

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64
------------	-----	---------------------------------	--	--	------------



F1RES 44 LL HSW & REC HSW

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033



F1RES 44 LL SWC

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331					
CV521125P9	44BLL	155°F	68°C	Brass Low Lead	S\$ 146.82
CV522125P9	44CLL	155°F	68°C	Chrome Low Lead	S\$ 153.89
CV528725P9	44WLL	155°F	68°C	Poly White Low Lead	S\$ 153.89
CV531125P9	44B5LL	175°F	79°C	Brass Low Lead	S\$ 146.82
CV532125P9	44C5LL	175°F	79°C	Chrome Low Lead	S\$ 153.89
CV538725P9	44W5LL	175°F	79°C	Poly White Low Lead	S\$ 153.89
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)		White	S\$ 16.69
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 32.19
6801417200	FPW	Push-On Thread Off		White	S\$ 32.19

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331					
CM521725P9	SWC44LL	155°F	68°C	Brass	S\$ 153.89
MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT					
6887131318	CHWNS	135°F	57°C	White	S\$ 55.32
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 82.96
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 500.64



**F1RES 58 LL
Pendent &
Recessed Pendant**

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



F1RES 58 LL CCP

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



**F1RES 58 LL HSW
& REC HSW**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313				
CV151131P9	58P1BLL	155°F 68°C	Brass Low Lead	S\$ 142.08
CV152131P9	58P1CLL	155°F 68°C	Chrome Low Lead	S\$ 151.51
CV158731P9	58P1WLL	155°F 68°C	Poly White Low Lead	S\$ 151.51
CV171131P9	58P5BLL	175°F 79°C	Brass Low Lead	S\$ 142.08
CV172131P9	58P5CLL	175°F 79°C	Chrome Low Lead	S\$ 151.51
CV178731P9	58P5WLL	175°F 79°C	Poly White Low Lead	S\$ 151.51
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800630001	GF1B	1/2" (15mm)	Brass	S\$ 30.93
6800600001	GF1C	1/2" (15mm)	Chrome	S\$ 16.69
6800640001	GF1W	1/2" (15mm)	White	S\$ 16.69
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)	White	S\$ 16.69
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS				
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 32.19
6801417200	FPW	Push-On Thread Off	White	S\$ 32.19

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 500.64

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333				
CM151731P9	58CCP1LL	155°F 68°C	Brass	S\$ 151.51
MODEL CCP CONICAL CONCEALED COVERPLATES				
6887161321	CCP0C76	135°F 57°C	Chrome	S\$ 136.07
6887161318	CCP0W76	135°F 57°C	Flat White	S\$ 53.03
6887161390	CCP0SP76	135°F 57°C	Specialty	S\$ 89.05
6887171321	CCP05C76	135°F 57°C	Chrome	S\$ 136.07
6887171318	CCP05W76	135°F 57°C	White	S\$ 53.03
6887171390	CCP05SP76	135°F 57°C	Specialty	S\$ 89.05

6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 500.64
------------	-----	---------------------------------	------------

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333				
CV521131P9	58H1BLL	155°F 68°C	Brass Low Lead	S\$ 146.82
CV522131P9	58H1CLL	155°F 68°C	Chrome Low Lead	S\$ 153.89
CV528731P9	58H1WLL	155°F 68°C	Poly White Low Lead	S\$ 153.89
CV531131P9	58H5BLL	175°F 79°C	Brass Low Lead	S\$ 146.82
CV532131P9	58H5CLL	175°F 79°C	Chrome Low Lead	S\$ 153.89
CV538731P9	58H5WLL	175°F 79°C	Poly White Low Lead	S\$ 153.89
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 30.93
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 16.69
6800840000	GF2W	1/2" (15mm)	White	S\$ 16.69
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 32.19
6801417200	FPW	Push-On Thread Off	White	S\$ 32.19

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 165.58
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 500.64
6880100100	WW1	Wrench, W1, Recessed, Pendent, CCP & HSW	S\$ 150.00



RFC30 LL Flat Concealed

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006


Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211					
18161721P7	RFC30LL	165°F	74°C	Brass	S\$ 177.59
MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212					
18161725P7	RFC43LL	165°F	74°C	Brass	S\$ 177.59
MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216					
18161726P7	RFC49LL	165°F	74°C	Brass	S\$ 177.59
18211726P7	RFC492LL	212°F	100°C	Brass	S\$ 177.59
REQUIRED COVERPLATES					
6887271372	CG50W	135°F	57°C	White	S\$ 58.53
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 97.39

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



RFC43 LL Flat Concealed

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



RFC49 LL Flat Concealed

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006