



### F1FR 56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1425**
- See Bulletin 014



### F1FR 80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6322**
- See Bulletin 063

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1425</b>					
BA131132S9	F1FR56U0BN	135°F	57°C	Brass	S\$ 91.98
BA132132S9	F1FR56U0CN	135°F	57°C	Chrome	S\$ 101.35
BA138732S9	F1FR56U0WN	135°F	57°C	Poly White	S\$ 109.32
BA151132S9	F1FR56U1BN	155°F	68°C	Brass	S\$ 91.98
BA152132S9	F1FR56U1CN	155°F	68°C	Chrome	S\$ 101.35
BA158732S9	F1FR56U1WN	155°F	68°C	Poly White	S\$ 109.32
BA171132S9	F1FR56U5BN	175°F	79°C	Brass	S\$ 91.98
BA172132S9	F1FR56U5CN	175°F	79°C	Chrome	S\$ 101.35
BA178732S9	F1FR56U5WN	175°F	79°C	Poly White	S\$ 109.32
BA201132S9	F1FR56U2BN	200°F	93°C	Brass	S\$ 91.98
BA202132S9	F1FR56U2CN	200°F	93°C	Chrome	S\$ 101.35
BA208732S9	F1FR56U2WN	200°F	93°C	White	S\$ 109.32
BA281132S9	F1FR56U3BN	286°F	141°C	Brass	S\$ 91.98
BA282132S9	F1FR56U3CN	286°F	141°C	Chrome	S\$ 101.35
BA288732S9	F1FR56U3WN	286°F	141°C	White	S\$ 109.32
<b>MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6322</b>					
B1131134S8	F1FRU0LBN	135°F	57°C	Brass	S\$ 111.86
B1132134S8	F1FRU0LCN	135°F	57°C	Chrome	S\$ 126.20
B1138734S8	F1FRU0LWN	135°F	57°C	Poly White	S\$ 129.10
B1151134S8	F1FRU1LBN	155°F	68°C	Brass	S\$ 111.86
B1152134S8	F1FRU1LCN	155°F	68°C	Chrome	S\$ 126.20
B1158734S8	F1FRU1LWN	155°F	68°C	Poly White	S\$ 129.10
B1171134S8	F1FRU5LBN	175°F	79°C	Brass	S\$ 111.86
B1172134S8	F1FRU5LCN	175°F	79°C	Chrome	S\$ 126.20
B1178734S8	F1FRU5LWN	175°F	79°C	Poly White	S\$ 129.10
B1201134S8	F1FRU2LBN	200°F	93°C	Brass	S\$ 111.86
B1202134S8	F1FRU2LCN	200°F	93°C	Chrome	S\$ 126.20
B1208734S8	F1FRU2LWN	200°F	93°C	White	S\$ 129.10
B1281134S8	F1FRU3LBN	286°F	141°C	Brass	S\$ 111.86
B1282134S8	F1FRU3LCN	286°F	141°C	Chrome	S\$ 126.20
B1288734S8	F1FRU3LWN	286°F	141°C	White	S\$ 129.10

6880050100      WW2      Wrench, W2, Pendant, Upright, HSW      S\$ 203.86



**F1FR80 LARGE  
 ORIFICE QUICK  
 RESPONSE**

- K-Factor = 115 (8.0)
- **15MM(1/2) THREADS**
- Bulletin 038
- SIN RA3822

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR80 UPRIGHT K8.0 (115) BSPT THREADS 1/2" (15MM) R3622</b>					
B115113492		155°F	68°C	Brass	S\$ 111.86
B117113492		175°F	79°C	Brass	S\$ 111.86
B120113492		200°F	93°C	Brass	S\$ 111.86
B128113492		286°F	141°C	Brass	S\$ 111.86
B113213492		135°F	57°C	Chrome	S\$ 126.20
B115213492		155°F	68°C	Chrome	S\$ 126.20
B117213492		175°F	79°C	Chrome	S\$ 126.20
B120213492		200°F	93°C	Chrome	S\$ 126.20
B128213492		286°F	141°C	Chrome	S\$ 126.20
B113873492		135°F	57°C	White	S\$ 129.10
B115873492		155°F	68°C	White	S\$ 129.10
B117873492		175°F	79°C	White	S\$ 129.10
B120873492		200°F	93°C	White	S\$ 129.10
B128873492		286°F	141°C	White	S\$ 129.10



**F1FR80 UPRIGHT**

- SIN R3622
- See Bulletin 136
- K8.0

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3622</b>					
B113113498	F1FRU0LB	135°F	57°C	Brass	S\$ 111.86
B113213498	F1FRU0LC	135°F	57°C	Chrome	S\$ 126.20
B113873498	F1FRU0LW	135°F	57°C	Poly White	S\$ 129.10
B115113498	F1FRU1LB	155°F	68°C	Brass	S\$ 111.86
B115213498	F1FRU1LC	155°F	68°C	Chrome	S\$ 126.20
B115873498	F1FRU1LW	155°F	68°C	Poly White	S\$ 129.10
B117113498	F1FRU5LB	175°F	79°C	Brass	S\$ 111.86
B117213498	F1FRU5LC	175°F	79°C	Chrome	S\$ 126.20
B117873498	F1FRU5LW	175°F	79°C	Poly White	S\$ 129.10
B120113498	F1FRU2LB	200°F	93°C	Brass	S\$ 111.86
B120213498	F1FRU2LC	200°F	93°C	Chrome	S\$ 126.20
B120873498	F1FRU2LW	200°F	93°C	White	S\$ 129.10
B128113498	F1FRU3LB	286°F	141°C	Brass	S\$ 111.86
B128213498	F1FRU3LC	286°F	141°C	Chrome	S\$ 126.20
B128873498	F1FRU3LW	286°F	141°C	White	S\$ 129.10
<b>MODEL F1FR80 UPRIGHT K8.0 (115) BSPT THREADS 3/4" (20MM) R3622</b>					
B113113495	F1FRU0LBM	135°F	57°C	Brass	S\$ 111.86
B113213495	F1FRU0LCM	135°F	57°C	Chrome	S\$ 126.20
B113873495	F1FRU0LWM	135°F	57°C	White	S\$ 129.10
B115113495	F1FRU1LBM	155°F	68°C	Brass	S\$ 111.86
B115213495	F1FRU1LCM	155°F	68°C	Chrome	S\$ 126.20
B115873495	F1FRU1LWM	155°F	68°C	Poly White	S\$ 129.10
B117113495	F1FRU5LBM	175°F	79°C	Brass	S\$ 111.86
B117213495	F1FRU5LCM	175°F	79°C	Chrome	S\$ 126.20
B117873495	F1FRU5LWM	175°F	79°C	White	S\$ 129.10
B120113495	F1FRU2LBM	200°F	93°C	Brass	S\$ 111.86
B120213495	F1FRU2LCM	200°F	93°C	Chrome	S\$ 126.20
B120873495	F1FRU2LWM	200°F	93°C	Poly White	S\$ 129.10
B128113495	F1FRU3LBM	286°F	141°C	Brass	S\$ 111.86
B128213495	F1FRU3LCM	286°F	141°C	Chrome	S\$ 126.20
B128873495	F1FRU3LWM	286°F	141°C	White	S\$ 129.10

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



### F1FR 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1421**
- See Bulletin 014



### F1FR 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1423**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) RA1421</b>					
BA151124S9	F1FR28U1BN	155°F	68°C	Brass	S\$ 119.04
BA152124S9	F1FR28U1CN	155°F	68°C	Chrome	S\$ 128.40
BA158724S9	F1FR28U1WN	155°F	68°C	Poly White	S\$ 132.62
BA171124S9	F1FR28U5N	175°F	79°C	Brass	S\$ 119.04
BA172124S9	F1FR28U5CN	175°F	79°C	Chrome	S\$ 128.40
BA178724S9	F1FR28U5WN	175°F	79°C	Poly White	S\$ 130.22
BA201124S9	F1FR28U2BN	200°F	93°C	Brass	S\$ 119.04
BA202124S9	F1FR28U2CN	200°F	93°C	Chrome	S\$ 128.40
BA208724S9	F1FR28U2WN	200°F	93°C	Poly White	S\$ 132.62
BA281124S9	F1FR28U3BN	286°F	141°C	Brass	S\$ 119.04
BA282124S9	F1FR28U3CN	286°F	141°C	Chrome	S\$ 128.40
BA288724S9	F1FR28U3WN	286°F	141°C	White	S\$ 132.62
<b>MODEL F1FR UPRIGHT K 4.2 (60) THREAD 1/2" (15MM) RA1423</b>					
BA131128S9	F1FR42U0BN	135°F	57°C	Brass	S\$ 119.04
BA132128S9	F1FR42U0CN	135°F	57°C	Chrome	S\$ 128.40
BA138728S9	F1FR42U0WN	135°F	57°C	Poly White	S\$ 132.62
BA151128S9	F1FR42U1BN	155°F	68°C	Brass	S\$ 119.04
BA152128S9	F1FR42U1CN	155°F	68°C	Chrome	S\$ 128.40
BA158728S9	F1FR42U1WN	155°F	68°C	Poly White	S\$ 132.62
BA171128S9	F1FR42U5BN	175°F	79°C	Brass	S\$ 119.04
BA172128S9	F1FR42U5CN	175°F	79°C	Chrome	S\$ 128.40
BA178728S9	F1FR42U5WN	175°F	79°C	Poly White	S\$ 132.62
BA201128S9	F1FR42U2BN	200°F	93°C	Brass	S\$ 119.04
BA202128S9	F1FR42U2CN	200°F	93°C	Chrome	S\$ 128.40
BA208728S9	F1FR42U2WN	200°F	93°C	Poly White	S\$ 132.62
BA281128S9	F1FR42U3BN	286°F	141°C	Brass	S\$ 119.04
BA282128S9	F1FR42U3CN	286°F	141°C	Chrome	S\$ 128.40
BA288728S9	F1FR42U3WN	286°F	141°C	Poly White	S\$ 132.62

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86



**F1FR56-300  
 UPRIGHT**

- K-Factor = 5.6 (80)
- **SIN RA2625**
- See Bulletin 026



**F1FR80-300  
 UPRIGHT**

- K-Factor = 8.0 (115)
- **SIN RA7822**
- See Bulletin 078

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2625</b>					
BF131132S9	F1FR56U0B3N	155°F	68°C	Brass	S\$ 96.68
BF132132S9	F1FR56U0C3N	135°F	57°C	Chrome	S\$ 106.40
BF138732S9	F1FR56U0W3N	135°F	57°C	Poly White	S\$ 112.65
BF151132S9	F1FR56U1B3N	155°F	68°C	Brass	S\$ 96.68
BF152132S9	F1FR56U1C3N	155°F	68°C	Chrome	S\$ 106.40
BF158732S9	F1FR56U1W3N	155°F	68°C	Poly White	S\$ 114.71
BF171132S9	F1FR56U5B3N	175°F	79°C	Brass	S\$ 96.68
BF172132S9	F1FR56U5C3N	175°F	79°C	Chrome	S\$ 106.40
BF178732S9	F1FR56U5W3N	175°F	79°C	Poly White	S\$ 114.71
BF201132S9	F1FR56U2B3N	200°F	93°C	Brass	S\$ 96.68
BF202132S9	F1FR56U2C3N	200°F	93°C	Chrome	S\$ 106.40
BF208732S9	F1FR56U2W3N	200°F	93°C	Poly White	S\$ 114.71
BF281132S9	F1FR56U3B3N	286°F	141°C	Brass	S\$ 96.68
BF282132S9	F1FR56U3C3N	286°F	141°C	Chrome	S\$ 106.40
BF288732S9	F1FR56U3W3N	286°F	141°C	Poly White	S\$ 114.71
<b>MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5622</b>					
BF131134S8	F1FRU0LB3N	135°F	57°C	Brass	S\$ 117.28
BF132134S8	F1FRU0LC3N	135°F	57°C	Chrome	S\$ 132.89
BF138734S8	F1FRU0LW3N	135°F	57°C	White	S\$ 132.89
BF151134S8	F1FRU1LB3N	155°F	68°C	Brass	S\$ 117.28
BF152134S8	F1FRU1LC3N	155°F	68°C	Chrome	S\$ 132.89
BF158734S8	F1FRU1LW3N	155°F	68°C	White	S\$ 132.89
BF171134S8	F1FRU5LB3N	175°F	79°C	Brass	S\$ 117.28
BF172134S8	F1FRU5LC3N	175°F	79°C	Chrome	S\$ 132.89
BF178734S8	F1FRU5LW3N	175°F	79°C	White	S\$ 132.89
BF201134S8	F1FRU2LB3N	200°F	93°C	Brass	S\$ 117.28
BF202134S8	F1FRU2LC3N	200°F	93°C	Chrome	S\$ 132.89
BF281134S8	F1FRU3LB3N	286°F	141°C	Brass	S\$ 117.28
BF282134S8	F1FRU3LC3N	286°F	141°C	Chrome	S\$ 132.89
BF288734S8	F1FRU3LW3N	286°F	141°C	White	S\$ 132.89

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86



### F1FR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 074



### F1FR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN R6312**
- See Bulletin 063

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
B2131132S9	F1FR56P0BN	135°F	57°C	Brass	S\$ 91.98
B2132132S9	F1FR56P0CN	135°F	57°C	Chrome	S\$ 98.44
B2138732S9	F1FR56P0WN	135°F	57°C	White	S\$ 106.34
B2151132S9	F1FR56P1BN	155°F	68°C	Brass	S\$ 91.98
B2152132S9	F1FR56P1CN	155°F	68°C	Chrome	S\$ 98.44
B2158732S9	F1FR56P1WN	155°F	68°C	Poly White	S\$ 106.34
B2171132S9	F1FR56P5BN	175°F	79°C	Brass	S\$ 91.98
B2172132S9	F1FR56P5CN	175°F	79°C	Chrome	S\$ 98.44
B2178732S9	F1FR56P5WN	175°F	79°C	White	S\$ 106.34
B2201132S9	F1FR56P2BN	200°F	93°C	Brass	S\$ 91.98
B2202132S9	F1FR56P2CN	200°F	93°C	Chrome	S\$ 98.44
B2208732S9	F1FR56P2WN	200°F	93°C	White	S\$ 106.34
B2281132S9	F1FR56P3BN	286°F	141°C	Brass	S\$ 91.98
B2282132S9	F1FR56P3CN	286°F	141°C	Chrome	S\$ 98.44
B2288732S9	F1FR56P3WN	286°F	141°C	White	S\$ 106.34
<b>MODEL F1FR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) R6312</b>					
B2131134S8	F1FRP0LBN	135°F	57°C	Brass	S\$ 115.23
B2132134S8	F1FRP0LCN	135°F	57°C	Chrome	S\$ 126.20
B2138734S8	F1FRP0LWN	135°F	57°C	White	S\$ 127.91
B2151134S8	F1FRP1LBN	155°F	68°C	Brass	S\$ 115.23
B2152134S8	F1FRP1LCN	155°F	68°C	Chrome	S\$ 126.20
B2158734S8	F1FRP1LWN	155°F	68°C	White	S\$ 127.91
B2171134S8	F1FRP5LBN	175°F	79°C	Brass	S\$ 115.23
B2172134S8	F1FRP5LCN	175°F	79°C	Chrome	S\$ 126.20
B2178734S8	F1FRP5LWN	175°F	79°C	White	S\$ 127.91
B2201134S8	F1FRP2LBN	200°F	93°C	Brass	S\$ 115.23
B2202134S8	F1FRP2LCN	200°F	93°C	Chrome	S\$ 126.20
B2208734S8	F1FRP2LWN	200°F	93°C	White	S\$ 127.91
B2281134S8	F1FRP3LBN	286°F	141°C	Brass	S\$ 115.23
B2282134S8	F1FRP3LCN	286°F	141°C	Chrome	S\$ 126.20
B2288734S8	F1FRP3LWN	286°F	141°C	White	S\$ 127.91
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	1/2" (15mm)		Chrome	S\$ 38.90
6801417200	FPW	1/2" (15mm)		White	S\$ 38.90
6801402100	FPLC	3/4" (20mm)		Chrome	S\$ 38.90
6801407200	FPLW	3/4" (20mm)		White	S\$ 38.90



### F1FR 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1411**
- See Bulletin 014



### F1FR 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR28 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1411</b>					
BB151124S9	F1FR28P1BN	155°F	68°C	Brass	S\$ 119.04
BB152124S9	F1FR28P1CN	155°F	68°C	Chrome	S\$ 128.40
BB158724S9	F1FR28P1WN	155°F	68°C	Poly White	S\$ 132.62
BB171124S9	F1FR28P5BN	175°F	79°C	Brass	S\$ 121.25
BB172124S9	F1FR28P5CN	175°F	79°C	Chrome	S\$ 128.40
BB178724S9	F1FR28P5WN	175°F	79°C	Poly White	S\$ 132.62
BB201124S9	F1FR28P2BN	200°F	93°C	Brass	S\$ 119.04
BB202124S9	F1FR28P2CN	200°F	93°C	Chrome	S\$ 128.40
BB208724S9	F1FR28P2WN	200°F	93°C	Poly White	S\$ 132.62
BB281124S9	F1FR28P3BN	286°F	141°C	Brass	S\$ 119.04
BB282124S9	F1FR28P3CN	286°F	141°C	Chrome	S\$ 129.62
BB288724S9	F1FR28P3WN	286°F	141°C	Poly White	S\$ 132.62
<b>MODEL F1FR42 PENDENT K 4.2 (60) THREADS 1/2"(15MM) RA1413</b>					
BB131128S9	F1FR42P0BN	135°F	57°C	Brass	S\$ 119.04
BB132128S9	F1FR42P0CN	135°F	57°C	Chrome	S\$ 128.40
BB138728S9	F1FR42P0WN	135°F	57°C	Poly White	S\$ 132.62
BB151128S9	F1FR42P1BN	155°F	68°C	Brass	S\$ 119.04
BB152128S9	F1FR42P1CN	155°F	68°C	Chrome	S\$ 128.40
BB158728S9	F1FR42P1WN	155°F	68°C	Poly White	S\$ 132.62
BB171128S9	F1FR42P5BN	175°F	79°C	Brass	S\$ 119.04
BB172128S9	F1FR42P5CN	175°F	79°C	Chrome	S\$ 128.40
BB178728S9	F1FR42P5WN	175°F	79°C	Poly White	S\$ 132.62
BB201128S9	F1FR42P2BN	200°F	93°C	Brass	S\$ 119.04
BB202128S9	F1FR42P2CN	200°F	93°C	Chrome	S\$ 128.40
BB208728S9	F1FR42P2WN	200°F	93°C	Poly White	S\$ 132.62
BB281128S9	F1FR42P3BN	286°F	141°C	Brass	S\$ 119.04
BB282128S9	F1FR42P3CN	286°F	141°C	Chrome	S\$ 128.40
BB288728S9	F1FR42P3WN	286°F	141°C	Poly White	S\$ 132.62
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP RECESSED PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	S\$ 38.90
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	S\$ 38.90

**F1FR LO LARGE  
 ORIFICE QUICK  
 RESPONSE**

- K-Factor = 115 (8.0)
- **15MM(1/2) THREADS**
- Bulletin 038

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR PENDENT K8.0 (115) BSPT THREADS 1/2" (15MM)</b>					
B213113492		135°F	57°C	Brass	S\$ 115.23
B215113492	F1FRP1LHBM	155°F	68°C	Brass	S\$ 115.23
B217113492		175°F	79°C	Brass	S\$ 115.23
B220113492		200°F	93°C	Brass	S\$ 115.23
B228113492		286°F	141°C	Brass	S\$ 115.23
B215213492		155°F	68°C	Chrome	S\$126.20
B215873492	F1FRP1LHWM	155°F	68°C	White	S\$127.91
		°F	°C		S\$ Call
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	15mm (1/2")		Brass	S\$ 37.41
6800600001	GF1C	15mm (1/2")		Chrome	S\$ 20.17
6800640001	GF1W	15mm (1/2")		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	15mm (1/2")		Brass	S\$ 37.41
6800800000	GF2C	15mm (1/2")		Chrome	S\$ 20.17
6800840000	GF2W	15mm (1/2")		White	S\$ 20.17
<b>MODEL FP RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801412100	FPC	FP PUSH-ON/THREADS-OFF		Chrome	S\$ 38.90
6801417200	FPW	FP PUSH-ON/THREADS-OFF		White	S\$ 38.90

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	Recessed Use Model GFR2 Sprinkler Wrench	S\$ 604.97





### F1FR LO PENDENT

- Quick Response
- **SIN R3612**
- See Bulletin 136

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR LO PENDENT K8.0 (115) THREADS 3/4" (20MM) R3612</b>					
B213113498	F1FRP0LB	135°F	57°C	Brass	S\$ 115.23
B213213498	F1FRP0LC	135°F	57°C	Chrome	S\$ 126.20
B213873498	F1FRP0LW	135°F	57°C	White	S\$ 127.91
B215113498	F1FRP1LB	155°F	68°C	Brass	S\$ 115.23
B215213498	F1FRP1LC	155°F	68°C	Chrome	S\$ 126.20
B215873498	F1FRP1LW	155°F	68°C	White	S\$ 127.91
B217113498	F1FRP5LB	175°F	79°C	Brass	S\$ 115.23
B217213498	F1FRP5LC	175°F	79°C	Chrome	S\$ 126.20
B217873498	F1FRP5LW	175°F	79°C	White	S\$ 127.91
B220113498	F1FRP2LB	200°F	93°C	Brass	S\$ 115.23
B220213498	F1FRP2LC	200°F	93°C	Chrome	S\$ 126.20
B220873498	F1FRP2LW	200°F	93°C	White	S\$ 127.91
B228113498	F1FRP3LB	286°F	141°C	Brass	S\$ 115.23
B228213498	F1FRP3LC	286°F	141°C	Chrome	S\$ 126.20
B228873498	F1FRP3LW	286°F	141°C	White	S\$ 127.91
<b>MODEL F1FR LO PENDENT K8.0 (115) BSPT THREADS 3/4" (20MM) R3612</b>					
B213113495		135°F	57°C	Brass	S\$ 115.23
B213213495	F1FRP0LCM	135°F	57°C	Chrome	S\$ 126.20
B213873495	F1FRP0LWM	135°F	57°C	White	S\$ 127.91
B215113495	F1FRP1LBM	155°F	68°C	Brass	S\$ 115.23
B215213495	F1FRP1LCM	155°F	68°C	Chrome	S\$ 126.20
B215873495		155°F	68°C	White	S\$ 127.91
B217113495	B217113495	175°F	79°C	Brass	S\$ 115.23
B217213495	F1FRP5LCM	175°F	79°C	Chrome	S\$ 126.20
B217873495	F1FRP5LWM	175°F	79°C	White	S\$ 127.91
B220113495	F1FRP2LBM	200°F	93°C	Brass	S\$ 115.23
B220213495	F1FRP2LCM	200°F	93°C	Chrome	S\$ 126.20
B220873495	F1FRP2LWM	200°F	93°C	White	S\$ 127.91
B228113495	F1FRP3LBM	286°F	141°C	Brass	S\$ 115.23
B228213495	F1FRP3LCM	286°F	141°C	Chrome	S\$ 126.20
B228873495	F1FRP3LWM	286°F	141°C	White	S\$ 127.91
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	20mm (3/4")		Brass	S\$ 37.41
6800880001	GF2LC	20mm (3/4")		Chrome	S\$ 20.17
6800880005	GF2LW	20mm (3/4")		White	S\$ 20.17
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801030000	GF1LB	20mm (3/4")		Brass	S\$ 37.41
6801000000	GF1LC	20mm (3/4")		Chrome	S\$ 20.17
6801040000	GF1LW	20mm (3/4")		White	S\$ 20.17

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	Recessed Use Model GFR2 Sprinkler Wrench	S\$ 604.97



**F1FR56-300  
 PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI



**F1FR80-300  
 PENDENT**

- K-Factor = 8.0 (115)
- **SIN RA7812**
- See Bulletin 078
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2614</b>					
BG131132S9	F1FR56P0B3N	135°F	57°C	Brass	S\$ 96.70
BG132132S9	F1FR56P0C3N	135°F	57°C	Chrome	S\$ 103.33
BG138732S9	F1FR56P0W3N	135°F	57°C	Poly White	S\$ 111.40
BG151132S9	F1FR56P1B3N	155°F	68°C	Brass	S\$ 96.70
BG152132S9	F1FR56P1C3N	155°F	68°C	Chrome	S\$ 103.33
BG158732S9	F1FR56P1W3N	155°F	68°C	White	S\$ 111.40
BG171132S9	F1FR56P5B3N	175°F	79°C	Brass	S\$ 96.68
BG172132S9	F1FR56P5C3N	175°F	79°C	Chrome	S\$ 103.33
BG178732S9	F1FR56P5W3N	175°F	79°C	Poly White	S\$ 111.40
BG201132S9	F1FR56P2B3N	200°F	93°C	Brass	S\$ 96.70
BG202132S9	F1FR56P2C3N	200°F	93°C	Chrome	S\$ 103.33
BG208732S9	F1FR56P2W3N	200°F	93°C	Poly White	S\$ 111.40
BG281132S9	F1FR56P3B3N	286°F	141°C	Brass	S\$ 96.70
BG282132S9	F1FR56P3C3N	286°F	141°C	Chrome	S\$ 103.33
BG288732S9	F1FR56P3W3N	286°F	141°C	Poly White	S\$ 111.40
<b>MODEL F1FR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5612</b>					
BG131134S8	F1FRP0LB3N	135°F	57°C	Brass	S\$ 120.73
BG132134S8	F1FRP0LC3N	135°F	57°C	Chrome	S\$ 132.89
BG138734S8	F1FRP0LW3N	135°F	57°C	White	S\$ 132.89
BG151134S8	F1FRP1LB3N	155°F	68°C	Brass	S\$ 120.73
BG152134S8	F1FRP1LC3N	155°F	68°C	Chrome	S\$ 132.89
BG158734S8	F1FRP1LW3N	155°F	68°C	White	S\$ 132.89
BG171134S8	F1FRP5LB3N	175°F	79°C	Brass	S\$ 120.73
BG172134S8	F1FRP5LC3N	175°F	79°C	Chrome	S\$ 132.89
BG178734S8	F1FRP5LW3N	175°F	79°C	White	S\$ 132.89
BG201134S8	F1FRP2LB3N	200°F	93°C	Brass	S\$ 132.89
BG202134S8	F1FRP2LC3N	200°F	93°C	Chrome	S\$ 132.89
BG208734S8	F1FRP2LW3N	200°F	93°C	White	S\$ 132.89
BG281134S8	F1FRP3LB3N	286°F	141°C	Brass	S\$ 120.73
BG282134S8	F1FRP3LC3N	286°F	141°C	Chrome	S\$ 132.89
BG288734S8	F1FRP3LW3N	286°F	141°C	White	S\$ 132.89
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4 Recessed, Concealed	S\$ 604.97



### F1FR 56 HSW

- K-Factor = 5.6 (80)
- **SIN RA1435**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1435</b>					
BD131132S9	F1FR56H0BN	135°F	57°C	Brass	S\$ 106.00
BD132132S9	F1FR56H0CN	135°F	57°C	Chrome	S\$ 113.51
BD138732S9	F1FR56H0WN	135°F	57°C	Poly White	S\$ 127.67
BD151132S9	F1FR56H1BN	155°F	68°C	Brass	S\$ 106.00
BD152132S9	F1FR56H1CN	155°F	68°C	Chrome	S\$ 113.51
BD158732S9	F1FR56H1WN	155°F	68°C	Poly White	S\$ 127.67
BD171132S9	F1FR56H5BN	175°F	79°C	Brass	S\$ 106.00
BD172132S9	F1FR56H5CN	175°F	79°C	Chrome	S\$ 113.51
BD178732S9	F1FR56H5WN	175°F	79°C	Poly White	S\$ 127.67
BD201132S9	F1FR56H2BN	200°F	93°C	Brass	S\$ 106.00
BD202132S9	F1FR56H2CN	200°F	93°C	Chrome	S\$ 113.51
BD208732S9	F1FR56H2WN	200°F	93°C	Poly White	S\$ 127.67
BD281132S9	F1FR56H3BN	286°F	141°C	Brass	S\$ 106.00
BD282132S9	F1FR56H3CN	286°F	141°C	Chrome	S\$ 113.51
BD288732S9	F1FR56H3WN	286°F	141°C	Poly White	S\$ 127.67
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97



### F1FR 56 HSW

- K-Factor = 80 (5.6)
- **SIN RA1435**
- See Bulletin 074

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1435</b>					
BD131132S9	F1FR56H0BN	135°F	57°C	Brass	S\$106.00
BD132132S9	F1FR56H0CN	135°F	57°C	Chrome	S\$113.51
BD138732S9	F1FR56H0WN	135°F	57°C	Poly White	S\$127.67
BD151132S9	F1FR56H1BN	155°F	68°C	Brass	S\$106.00
BD152132S9	F1FR56H1CN	155°F	68°C	Chrome	S\$113.51
BD158732S9	F1FR56H1WN	155°F	68°C	Poly White	S\$127.67
BD171132S9	F1FR56H5BN	175°F	79°C	Brass	S\$106.00
BD172132S9	F1FR56H5CN	175°F	79°C	Chrome	S\$113.51
BD178732S9	F1FR56H5WN	175°F	79°C	Poly White	S\$127.67
BD201132S9	F1FR56H2BN	200°F	93°C	Brass	S\$106.00
BD202132S9	F1FR56H2CN	200°F	93°C	Chrome	S\$113.51
BD208732S9	F1FR56H2WN	200°F	93°C	Poly White	S\$127.67
BD281132S9	F1FR56H3BN	286°F	141°C	Brass	S\$106.00
BD282132S9	F1FR56H3CN	286°F	141°C	Chrome	S\$113.51
BD288732S9	F1FR56H3WN	286°F	141°C	Poly White	S\$127.67
<b>MODEL F1FR56 HORIZONTAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1435</b>					
BD131132R2	F1FR56H0BM	135°F	57°C	Brass	S\$106.00
BD132132R2	F1FR56H0CM	135°F	57°C	Chrome	S\$113.51
BD138732R2	F1FR56H0WM	135°F	57°C	White	S\$127.67
BD151132R2	F1FR56H1BM	155°F	68°C	Brass	S\$106.00
BD152132R2	F1FR56H1CM	155°F	68°C	Chrome	S\$113.51
BD158732R2	F1FR56H1WM	155°F	68°C	Poly White	S\$127.67
BD171132R2	F1FR56H5BM	175°F	79°C	Brass	S\$106.00
BD172132R2	F1FR56H5CM	175°F	79°C	Chrome	S\$113.51
BD178732R2	F1FR56H5WM	175°F	79°C	White	S\$127.67
BD201132R2	F1FR56H2BM	200°F	93°C	Brass	S\$106.00
BD202132R2	F1FR56H2CM	200°F	93°C	Chrome	S\$113.51
BD208732R2	F1FR56H2WM	200°F	93°C	Poly White	S\$127.67
BD281132R2	F1FR56H3BM	286°F	141°C	Brass	S\$106.00
BD282132R2	F1FR56H3CM	286°F	141°C	Chrome	S\$113.51
BD288732R2	F1FR56H3WM	286°F	141°C	White	S\$127.67
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	15mm (1/2")		Brass	S\$ 37.41
6800800000	GF2C	15mm (1/2")		Chrome	S\$ 20.17
6800840000	GF2W	15mm (1/2")		White	S\$ 20.17

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	Recessed Use Model GFR2 Sprinkler Wrench	S\$ 604.97



### F1FR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026



### REC HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026



### SWC56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA2634</b>					
BD131131S9	F1FR56H0B3N	135°F	57°C	Brass	S\$ 110.24
BD132131S9	F1FR56H0C3N	135°F	57°C	Chrome	S\$ 117.88
BD138731S9	F1FR56H0W3N	135°F	57°C	White	S\$ 132.39
BD151131S9	F1FR56H1B3N	155°F	68°C	Brass	S\$ 110.24
BD152131S9	F1FR56H1C3N	155°F	68°C	Chrome	S\$ 117.88
BD158731S9	F1FR56H1W3N	155°F	68°C	White	S\$ 132.39
BD171131S9	F1FR56H5B3N	175°F	79°C	Brass	S\$ 110.24
BD172131S9	F1FR56H5C3N	175°F	79°C	Chrome	S\$ 117.88
BD178731S9	F1FR56H5W3N	175°F	79°C	White	S\$ 132.39
BD201131S9	F1FR56H2B3N	200°F	93°C	Brass	S\$ 110.24
BD202131S9	F1FR56H2C3N	200°F	93°C	Chrome	S\$ 117.88
BD208731S9	F1FR56H2W3N	200°F	93°C	White	S\$ 132.39
BD281131S9	F1FR56H3B3N	286°F	141°C	Brass	S\$ 110.24
BD282131S9	F1FR56H3C3N	286°F	141°C	Chrome	S\$ 117.88
BD288731S9	F1FR56H3W3N	286°F	141°C	Poly White	S\$ 132.39
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	(15mm)		Chrome	S\$ 38.90
6801417200	FPW	(15mm)		White	S\$ 38.90
<b>MODEL SWC56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2634</b>					
BS131732R9	SWC560	135°F	57°C	Brass	S\$ 111.86
BS151732R9	SWC561	155°F	68°C	Brass	S\$ 111.86
<b>MODEL SWC CONCEALED COVERPLATES</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 96.73

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 604.97



### F1FR56 VSW

- K-Factor = 80 (5.6)
- **SIN RA1485**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" RA1485</b>					
BE131132R9	F1FR56V0B	135°F	57°C	Brass	S\$ 121.20
BE132132R9	F1FR56V0C	135°F	57°C	Chrome	S\$ 130.96
BE138732R9	F1FR56V0W	135°F	57°C	White	S\$ 137.70
BE151132R9	F1FR56V1B	155°F	68°C	Brass	S\$ 121.20
BE152132R9	F1FR56V1C	155°F	68°C	Chrome	S\$ 130.96
BE158732R9	F1FR56V1W	155°F	68°C	Poly White	S\$ 137.70
BE171132R9	F1FR56V5B	175°F	79°C	Brass	S\$ 121.20
BE172132R9	F1FR56V5C	175°F	79°C	Chrome	S\$ 130.96
BE178732R9	F1FR56V5W	175°F	79°C	Poly White	S\$ 137.70
BE201132R9	F1FR56V2B	200°F	93°C	Brass	S\$ 121.20
BE202132R9	F1FR56V2C	200°F	93°C	Chrome	S\$ 130.96
BE208732R9	F1FR56V2W	200°F	93°C	Poly White	S\$ 137.70
BE281132R9	F1FR56V3B	286°F	141°C	Brass	S\$ 121.20
BE282132R9	F1FR56V3C	286°F	141°C	Chrome	S\$ 130.96
BE288732R9	F1FR56V3W	286°F	141°C	White	S\$ 137.70

<b>MODEL F1FR56 VERTICAL SIDEWALL K5.6 (80) BSPT THREADS 1/2" RA1485</b>					
BE131132R2	F1FR56V0BM	135°F	57°C	Brass	S\$ 121.20
BE132132R2	F1FR56V0CM	135°F	57°C	Chrome	S\$ 130.96
BE138732R2	F1FR56V0WM	135°F	57°C	White	S\$ 137.70
BE151132R2	F1FR56V1BM	155°F	68°C	Brass	S\$ 121.20
BE152132R2	F1FR56V1CM	155°F	68°C	Chrome	S\$ 130.96
BE158732R2	F1FR56V1WM	155°F	68°C	Poly White	S\$ 137.70
BE171132R2	F1FR56V5BM	175°F	79°C	Brass	S\$ 121.20
BE172132R2	F1FR56V5CM	175°F	79°C	Chrome	S\$ 130.96
BE178732R2	F1FR56V5WM	175°F	79°C	White	S\$ 137.70
BE201132R2	F1FR56V2BM	200°F	93°C	Brass	S\$ 121.20
BE202132R2	F1FR56V2CM	200°F	93°C	Chrome	S\$ 130.96
BE208732R2	F1FR56V2WM	200°F	93°C	Poly White	S\$ 137.70
BE281132R2	F1FR56V3BM	286°F	141°C	Brass	S\$ 121.20
BE282132R2	F1FR56V3CM	286°F	141°C	Chrome	S\$ 130.96
BE288732R2	F1FR56V3WM	286°F	141°C	Poly White	S\$ 137.70

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



**F1FR 56  
 CONVENTIONAL**

- K-Factor = 80 (5.6)
- **SIN RA1475**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 CONVENTIONAL K5.6 (80) THREADS 1/2" (15MM) RA1475</b>					
BC131132R9	F1FR56C0B	135°F	57°C	Brass	S\$ 91.98
BC132132R9	F1FR56C0C	135°F	57°C	Chrome	S\$ 98.44
BC138732R9	F1FR56C0W	135°F	57°C	Poly White	S\$ 106.34
BC151132R9	F1FR56C1B	155°F	68°C	Brass	S\$ 91.98
BC152132R9	F1FR56C1C	155°F	68°C	Chrome	S\$ 98.44
BC158732R9	F1FR56C1W	155°F	68°C	White	S\$ 106.34
BC171132R9	F1FR56C5B	175°F	79°C	Brass	S\$ 91.98
BC172132R9	F1FR56C5C	175°F	79°C	Chrome	S\$ 98.44
BC178732R9	F1FR56C5W	175°F	79°C	Poly White	S\$ 106.34
BC201132R9	F1FR56C2B	200°F	93°C	Brass	S\$ 91.98
BC202132R9	F1FR56C2C	200°F	93°C	Chrome	S\$ 98.44
BC208732R9	F1FR56C2W	200°F	93°C	Poly White	S\$ 106.34
BC281132R9	F1FR56C3B	286°F	141°C	Brass	S\$ 91.98
BC282132R9	F1FR56C3C	286°F	141°C	Chrome	S\$ 98.44
BC288732R9	F1FR56C3W	286°F	141°C	Poly White	S\$ 106.34
<b>MODEL F1FR56 CONVENTIONAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1475</b>					
BC131132R2	F1FR56C0BM	135°F	57°C	Brass	S\$ 91.98
BC132132R2	F1FR56C0CM	135°F	57°C	Chrome	S\$ 98.44
BC138732R2	F1FR56C0WM	135°F	57°C	White	S\$ 106.34
BC151132R2	F1FR56C1BM	155°F	68°C	Brass	S\$ 91.98
BC152132R2	F1FR56C1CM	155°F	68°C	Chrome	S\$ 98.44
BC158732R2	F1FR56C1WM	155°F	68°C	Poly White	S\$ 106.34
BC171132R2	F1FR56C5BM	175°F	79°C	Brass	S\$ 91.98
BC172132R2	F1FR56C5CM	175°F	79°C	Chrome	S\$ 98.44
BC178732R2	F1FR56C5WM	175°F	79°C	Poly White	S\$ 106.34
BC201132R2	F1FR56C2BM	200°F	93°C	Brass	S\$ 91.98
BC202132R2	F1FR56C2CM	200°F	93°C	Chrome	S\$ 98.44
BC208732R2	F1FR56C2WM	200°F	93°C	Poly White	S\$ 106.34
BC281132R2	F1FR56C3BM	286°F	141°C	Brass	S\$ 91.98
BC282132R2	F1FR56C3CM	286°F	141°C	Chrome	S\$ 98.44
BC288732R2	F1FR56C3WM	286°F	141°C	Poly White	S\$ 106.34

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



## F1FR LO CONVENTIONAL

- Quick Response
- **SIN R3672**
- See Bulletin 136

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR LO CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) RA3672</b>					
B313113498	F1FRC0LB	135°F	57°C	Brass	S\$ 115.23
B313213498	F1FRC0LC	135°F	57°C	Chrome	S\$ 126.20
B313873498	F1FRC0LW	135°F	57°C	White	S\$ 127.91
B315113498	F1FRC1LB	155°F	68°C	Brass	S\$ 115.23
B315213498	F1FRC1LC	155°F	68°C	Chrome	S\$ 126.20
B315873498	F1FRC1LW	155°F	68°C	White	S\$ 127.91
B317113498	F1FRC5LB	175°F	79°C	Brass	S\$ 115.23
B317213498	F1FRC5LC	175°F	79°C	Chrome	S\$ 126.20
B317873498	F1FRC5LW	175°F	79°C	White	S\$ 127.91
B320113498	F1FRC2LB	200°F	93°C	Brass	S\$ 115.23
B320213498	F1FRC2LC	200°F	93°C	Chrome	S\$ 126.20
B320873498	F1FRC2LW	200°F	93°C	White	S\$ 127.91
B328113498	F1FRC3LB	286°F	141°C	Brass	S\$ 115.23
B328213498	F1FRC3LC	286°F	141°C	Chrome	S\$ 126.20
B328873498	F1FRC3LW	286°F	141°C	White	S\$ 127.91
<b>MODEL F1FR LO CONVENTIONAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA3672</b>					
B313113495	F1FRC0LBM	135°F	57°C	Brass	S\$ 115.23
		°F	°C		S\$ Call
		°F	°C		S\$ Call
B315113495	F1FRC1LBM	155°F	68°C	Brass	S\$ 115.23
B315213495	F1FRC1CM	155°F	68°C	Chrome	S\$ 126.20
B315873495	F1FRC1LWM	155°F	68°C	White	S\$ 127.91
		°F	°C		S\$ Call
B317213495	F1FRC5LCM	175°F	79°C	Chrome	S\$ 126.20
B317873495	F1FRC5LWM	175°F	79°C	White	S\$ 127.91
B320113495	F1FRC2LBM	200°F	93°C	Brass	S\$ 115.23
B320213495	F1FRC2LCM	200°F	93°C	Chrome	S\$ 126.20
B320873495	F1FRC2LWM	200°F	93°C	White	S\$ 127.91
		°F	°C		S\$ Call
B328213495	F1FRC35LCM	286°F	141°C	Chrome	S\$ 126.20
B328873495	F1FRC3LWM	286°F	141°C	White	S\$ 127.91

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86





**F1FR-56SS  
UPRIGHT**

- K-Factor = 5.6 (80)
- **SIN RA6524**
- See Bulletin 065



**F1FR-80SS  
UPRIGHT**

- K-Factor = 8.0 (115)
- **SIN RA6522**
- See Bulletin 065



**F1FR-56SS  
PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA6514**
- See Bulletin 065



**F1FR-80SS  
PENDENT**

- K-Factor = 8.0 (115)
- **SIN RA6512**
- See Bulletin 065

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6524</b>					
BA131032R9	F1FR56U0SS	135°F	57°C	Stainless Steel	S\$ 1,119.12
BA151032R9	F1FR56U1SS	155°F	68°C	Stainless Steel	S\$ 1,119.12
BA171032R9	F1FR56U5SS	175°F	79°C	Stainless Steel	S\$ 1,119.12
BA201032R9	F1FR56U2SS	200°F	93°C	Stainless Steel	S\$ 1,119.12
BA281032R9	F1FR56U3SS	286°F	141°C	Stainless Steel	S\$ 1,119.12
<b>MODEL F1FR80-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6522</b>					
B113103498	F1FRU0LSS	135°F	57°C	Stainless Steel	S\$ 1,178.04
B115103498	F1FRU1LSS	155°F	68°C	Stainless Steel	S\$ 1,178.04
B117103498	F1FRU5LSS	175°F	79°C	Stainless Steel	S\$ 1,178.04
B120103498	F1FRU2LSS	200°F	93°C	Stainless Steel	S\$ 1,178.04
B128103498	F1FRU3LSS	286°F	141°C	Stainless Steel	S\$ 1,178.04

6880050100    WW2    Requires Model W2 Sprinkler Wrench    S\$ 203.86

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6514</b>					
B213103299	F1FR56P0SS	135°F	57°C	Stainless Steel	S\$ 1,119.12
B215103299	F1FR56P1SS	155°F	68°C	Stainless Steel	S\$ 1,119.12
B217103299	F1FR56P5SS	175°F	79°C	Stainless Steel	S\$ 1,119.12
B220103299	F1FR56P2SS	200°F	93°C	Stainless Steel	S\$ 1,119.12
B228103299	F1FR56P3SS	286°F	141°C	Stainless Steel	S\$ 1,119.12
<b>MODEL F1FR80-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6512</b>					
B213103498	F1FRP0LSS	135°F	57°C	Stainless Steel	S\$ 1,178.04
B215103498	F1FRP1LSS	155°F	68°C	Stainless Steel	S\$ 1,178.04
B217103498	F1FRP5LSS	175°F	79°C	Stainless Steel	S\$ 1,178.04
B220103498	F1FRP2LSS	200°F	93°C	Stainless Steel	S\$ 1,178.04
B228103498	F1FRP3LSS	286°F	141°C	Stainless Steel	S\$ 1,178.04
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	S\$ 118.78
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	S\$ 118.78
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800840010	GF2SS	1/2" (15mm)		Stainless Steel	S\$ 118.78
6800880110	GF2LSS	3/4" (20mm)		Stainless Steel	S\$ 118.78
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	S\$ 178.18
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	S\$ 178.18
<b>MODEL B ONE PIECE ESCUTCHEONS</b>					
6800121002	BSS	1/2" (15mm)		Stainless Steel	S\$ 71.30
6800091002	BLSS	3/4" (20mm)		Stainless Steel	S\$ 71.30

6880050100    WW2    Wrench, W2, Pendent, Upright, HSW    S\$ 203.86  
 6880100120    WW4    Wrench, W4, Recessed, Concealed    S\$ 604.97



**F1FR42 LL  
PENDENT**

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



**F1FR56 LL  
PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014



**F1FR56 LL CCP**

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR42-LL PENDENT K4.2 (60) ? THREADS ? RA1413</b>					
BB201128P9	FR42P2BLL	200°F	93°C	Brass Low Lead	S\$175.63
BB202128P9	FR42P2CLL	200°F	93°C	Chrome Low Lead	S\$181.09
BB208728P9	FR42P2WLL	200°F	93°C	Poly White Low Lead	S\$202.67
<b>MODEL F1FR56-LL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
B2201132P9	FR56P2BLL	200°F	93°C	Brass Low Lead	S\$175.63
B2202132P9	FR56P2CLL	200°F	93°C	Chrome Low Lead	S\$181.09
B2208732P9	FR56P2WLL	200°F	93°C	Poly White Low Lead	S\$202.67
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	S\$ 38.90
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	S\$ 38.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-LL CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
BV201732P9	F1FR56C2LL	200°F	93°C	Brass Low Lead	S\$ 184.06
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161621	CCP1C76	165°F	74°C	Chrome	S\$ 161.66
6887161618	CCP1W76	165°F	74°C	Flat White	S\$ 63.00
6887161690	CCP1SP76	165°F	74°C	Specialty	S\$ 105.79

6880100000	WRC	Requires Model RC1 Sprinkler Wrench			S\$ 604.97
------------	-----	-------------------------------------	--	--	------------



**F1FR-FS LO  
 LARGE ORIFICE  
 QUICK RESPONSE  
 with 1/2"  
 CONNECTION  
 THREADS**

- SIN RA3712
- K-Factor = 115 (8.0)
- Thread Size = R1/2
- Bulletin 037

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR-FS LO PENDENT K8.0 (115 ) BSPT THREADS 1/2 (20MM) RA3712</b>					
		°F	°C		S\$ Call
B215114492	B215114492	155°F	68°C	Brass	S\$ 137.29
B217114492		175°F	79°C	Brass	S\$ 137.29
		°F	°C		S\$ Call
B228114492		286°F	141°C	Brass	S\$ 137.29

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



### F1FR-FS56 FLAT SPRAY

- QUICK RESPONSE
- **SIN RA2214**
- K-Factor = 80 (5.6)
- Thread Size = 15mm (1/2")
- Bulletin 022

### F1FR-FS42 FLAT SPRAY

- QUICK RESPONSE
- **SIN RA2215**
- K-Factor = 57 (4.2)
- Thread Size = 15mm (1/2")
- Bulletin 022



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR-FS56 I-PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2214</b>					
		°F	°C		S\$ Call
B215114399		155°F	68°C	Brass	S\$ 106.94
		°F	°C		S\$ Call
B220114399		200°F	93°C	Brass	S\$ 106.94
B228114399		286°F	141°C	Brass	S\$ 106.94
<b>MODEL F1FR-FS56 I-PENDENT K5.6 (80) BSPT THREADS 1/2" (15MM) RA2214</b>					
B213114392		135°F	57°C	Brass	S\$ 106.94
B215114392		155°F	68°C	Brass	S\$ 106.94
B217114392		175°F	79°C	Brass	S\$ 106.94
B220114392	B220114392	200°F	93°C	Brass	S\$ 106.94
		°F	°C		S\$ Call
<b>MODEL F1FR-FS42 PENDENT K4.2 (57) THREADS 1/2" (15MM) RA2214</b>					
		°F	°C		S\$ Call
B215114592	B215114592	155°F	68°C	Brass	S\$ 106.94
		°F	°C		S\$ Call
		°F	°C		S\$ Call
		°F	°C		S\$ Call
<b>REQUIRED PENDENT SHIELD</b>					
				Galvanized	S\$ Call

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	With Shield Use Model GFR2 Wrench	S\$ 604.97



### KFR56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA3624**
- See Bulletin 036



### KFR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

Part Number	Short Code	Temperature	Finish	List Price	
<b>MODEL KFR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3624</b>					
MA161132R9	KFR56U1B	165°F	74°C	Brass	S\$ 91.98
MA162132R9	KFR56U1C	165°F	74°C	Chrome	S\$101.35
MA168732R9	KFR56U1W	165°F	74°C	Poly White	S\$109.32
MA211132R9	KFR56U2B	212°F	100°C	Brass	S\$ 91.98
MA212132R9	KFR56U2C	212°F	100°C	Chrome	S\$101.35
MA218732R9	KFR56U2W	212°F	100°C	Poly White	S\$109.32
<b>MODEL KFR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3614</b>					
M2161132R9	KFR56P1B	165°F	74°C	Brass	S\$ 91.98
M2162132R9	KFR56P1C	165°F	74°C	Chrome	S\$ 98.44
M2168732R9	KFR56P1W	165°F	74°C	Poly White	S\$106.34
M2211132R9	KFR56P2B	212°F	100°C	Brass	S\$ 91.98
M2212132R9	KFR56P2C	212°F	100°C	Chrome	S\$ 98.44
M2218732R9	KFR56P2W	212°F	100°C	Poly White	S\$106.34
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	S\$ 38.90
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	S\$ 38.90

6880050100	WW2	WRENCH, W2 (PENDENT, UPRIGHT, HSW)	S\$ 203.86
6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)	S\$ 604.97
6880080000	WJ	WRENCH, J (WITH INSTALLED GUARD)	S\$ 287.19
6880100120	WW4	WRENCH, W4, RECESSED, CONCEALED	S\$ 604.97



**KFR56-300  
 UPRIGHT**

- K-Factor = 5.6 (80)
- **SIN RA3924**
- See Bulletin 039
- 300 PSI



**KFR56-300  
 PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA3914**
- See Bulletin 039
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56-300 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3924</b>					
MF161132R9	KFR56U1B3	165°F	74°C	Brass	S\$ 96.68
MF162132R9	KFR56U1C3	165°F	74°C	Chrome	S\$106.40
MF168732R9	KFR56U1W3	165°F	74°C	Poly White	S\$114.71
MF211132R9	KFR56U2B3	212°F	100°C	Brass	S\$ 96.68
MF212132R9	KFR56U2C3	212°F	100°C	Chrome	S\$106.40
MF218732R9	KFR56U2W3	212°F	100°C	Poly White	S\$114.71
<b>MODEL KFR56-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3914</b>					
MG161132R9	KFR56P1B3	165°F	74°C	Brass	S\$ 96.70
MG162132R9	KFR56P1C3	165°F	74°C	Chrome	S\$103.33
MG168732R9	KFR56P1W3	165°F	74°C	Poly White	S\$ 111.40
MG211132R9	KFRP562B3	212°F	100°C	Brass	S\$ 96.70
MG212132R9	KFR56P2C3	212°F	100°C	Chrome	S\$103.33
MG218732R9	KFR56P2W3	212°F	100°C	Poly White	S\$ 111.40
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	S\$ 38.90
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	S\$ 38.90

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 203.86
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$ 604.97
6880080000	WJ	WRENCH,J(WITH INSTALLED GUARD)			S\$ 287.19
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 604.97



### KFR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA3934**
- See Bulletin 039

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3934</b>					
MD161131R9	KFR56H1B3	165°F	74°C	Brass	S\$ 110.24
MD162131R9	KFR56H1C3	165°F	74°C	Chrome	S\$ 117.88
MD168731R9	KFRH1W3	165°F	74°C	Poly White	S\$ 132.39
MD211131R9	KFR56H2B3	212°F	100°C	Brass	S\$ 110.24
MD212131R9	KFR56H2C3	212°F	100°C	Chrome	S\$ 117.88
MD218731R9	KFR56H2W3	212°F	100°C	Poly White	S\$ 132.39
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	S\$ 38.90
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	S\$ 38.90

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 203.86
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$ 604.97
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 604.97



### MODEL CCP


Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56-300 CCP K5.6 (80) THREADS 1/2" (15MM) RA3914</b>					
MP161732R9	KFR56C13	165°F	74°C	Brass	S\$ 78.20
MP211732R9	KFR56C23	212°F	100°C	Brass	S\$ 78.20
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$105.79
6887161621	CCP1C76	165°F	74°C	Chrome	S\$161.66
6887161618	CCP1W76	165°F	74°C	Flat White	S\$ 63.00
6887161690	CCP1SP76	165°F	74°C	Specialty	S\$105.79

6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$ 604.97
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 604.97



### KFR56 HSW

- K-Factor = 5.6 (80)
- **SIN RA3634**
- See Bulletin 036



### KFR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3634</b>					
MD161132R9	KFR56H1B	165°F	74°C	Brass	S\$106.00
MD162132R9	KFR56H1C	165°F	74°C	Chrome	S\$113.51
MD168732R9	KFR56H1W	165°F	74°C	Poly White	S\$127.67
MD211132R9	KFR56H2B	212°F	100°C	Brass	S\$106.00
MD212132R9	KFR56H2C	212°F	100°C	Chrome	S\$113.51
MD218732R9	KFR56H2W	212°F	100°C	Poly White	S\$127.67
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	S\$ 38.90
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	S\$ 38.90

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 203.86
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$ 604.97
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 CCP K5.6 (80) THREADS 1/2" (15MM) RA3614</b>					
MM161732R9	KFR56C1	165°F	74°C	Brass	S\$ 74.16
MM211732R9	KFR56C2	212°F	100°C	Brass	S\$ 74.16
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$105.79
6887161621	CCP1C76	165°F	74°C	Chrome	S\$161.66
6887161618	CCP1W76	165°F	74°C	Flat White	S\$ 63.00
6887161690	CCP1SP76	165°F	74°C	Specialty	S\$105.79

6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$ 604.97
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 604.97





### KFR80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA5422**
- See Bulletin 054



### KFR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN RA5412**
- See Bulletin 054

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA5422</b>					
MA16113498	KFR80U1B	165°F	74°C	Brass	S\$ 111.86
MA16213498	KFR80U1C	165°F	74°C	Chrome	S\$ 126.20
MA16873498	KFR80U1W	165°F	74°C	Poly White	S\$ 129.10
MA21113498	KFR80U2B	212°F	100°C	Brass	S\$ 111.86
MA21213498	KFR80U2C	212°F	100°C	Chrome	S\$ 126.20
MA21873498	KFR80U2W	212°F	100°C	Poly White	S\$ 129.10
<b>MODEL KFR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) RA5412</b>					
M216113498	KFR80P1B	165°F	74°C	Brass	S\$ 115.23
M216213498	KFR80P1C	165°F	74°C	Chrome	S\$ 126.20
M216873498	KFR80P1W	165°F	74°C	Poly White	S\$ 127.91
M221113498	KFR80P2B	212°F	100°C	Brass	S\$ 115.23
M221213498	KFR80P2C	212°F	100°C	Chrome	S\$ 126.20
M221873498	KFR80P2W	212°F	100°C	Poly White	S\$ 127.91
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100100	WW1	Recessed Use Model GFR2 Sprinkler Wrench			S\$ 604.97
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 604.97
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	S\$ 38.90
6801407200	FPLW	3/4" (20mm)		White	S\$ 38.90



**GFR UPRIGHT**

- K5.6 = SIN R3125
- K8.0 = SIN R3127
- K2.8 = SIN R3121
- K4.2 = SIN R3123
- K4.2/10mm = SIN R3124
- See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R3125</b>					
0116113299	GFRUB	165°F	74°C	Brass	S\$ 132.52
0116213299	GFRUC	165°F	74°C	Chrome	S\$ 145.49
0121113299	GFRU2B	212°F	100°C	Brass	S\$ 132.52
0121213299	GFRU2C	212°F	100°C	Chrome	S\$ 145.49
<b>MODEL GFR UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3127</b>					
0116113498	GFRULB	165°F	74°C	Brass	S\$ 164.90
0116213498	GFRULC	165°F	74°C	Chrome	S\$ 186.10
<b>MODEL GFR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R3121</b>					
0116112499	GFRU3B	165°F	74°C	Brass	S\$ 165.46
0116212499	GFRU3C	165°F	74°C	Chrome	S\$ 191.79
<b>MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R3123</b>					
0116112899	GFRU7B	165°F	74°C	Brass	S\$ 165.46
0116212899	GFRU7C	165°F	74°C	Chrome	S\$ 191.79
<b>MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (10MM) R3124</b>					
0116212496	GFRUCMM	165°F	74°C	Chrome	S\$ 161.82
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86

\* Please note that all of the GFR's are offered in 212°F



### GFR PENDENT

- K5.6 = SIN R3115
- K8.0 = SIN R3117
- K2.8 = SIN R3111
- K4.2 = SIN R3113
- See Bulletin 131

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL GFR PENDENT K5.6 (80) THREADS 1/2" (15MM) R3115</b>				
0216113299	GFRPB	165°F 74°C	Brass	S\$ 132.52
0216213299	GFRPC	165°F 74°C	Chrome	S\$ 145.49
0221113299	GFRP2B	212°F 100°C	Brass	S\$ 132.52
0221213299	GFRP2C	212°F 100°C	Chrome	S\$ 145.49
<b>MODEL GFR PENDENT K8.0 (115) THREADS 3/4" (20MM) R3117</b>				
0216113498	GFRPLB	165°F 74°C	Brass	S\$ 164.90
0216213498	GFRPLC	165°F 74°C	Chrome	S\$ 186.10
<b>MODEL GFR PENDENT K2.8 (40) THREADS 1/2" (10MM) R3111</b>				
0216112499	GFRP3B	165°F 74°C	Brass	S\$ 163.50
0216212499	GFRP3C	165°F 74°C	Chrome	S\$ 184.57
<b>MODEL GFR PENDENT K4.2 (60) THREADS 1/2" (10MM) R3113</b>				
0216112899	GFRP7B	165°F 74°C	Brass	S\$ 163.50
0216212899	GFRP7C	165°F 74°C	Chrome	S\$ 184.57
<b>10MM THREADS</b>				
0216112496	GFRPBMM	165°F 74°C	Brass	S\$ 143.84
0216212496	GFRPCMM	165°F 74°C	Chrome	S\$ 161.82



### GFR HSW

- K5.6 = SIN R3135
- K8.0 = SIN R3137
- K2.8 = SIN R3131
- K4.2 = SIN R3133
- See Bulletin 131

\* Also available in 212°F

<b>MODEL GFR HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R3135</b>				
0416113299	GFRHB	165°F 74°C	Brass	S\$ 145.49
0416213299	GFRHC	165°F 74°C	Chrome	S\$ 158.38
0421113299	GFRH2B	212°F 100°C	Brass	S\$ 145.49
0421213299	GFRH2C	212°F 100°C	Chrome	S\$ 158.38
<b>MODEL GFR HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R3137</b>				
0416113498	GFRHLB	165°F 74°C	Brass	S\$ 150.78
0416213498	GFRHLC	165°F 74°C	Chrome	S\$ 169.92
0421113498	GFRH2LB	212°F 100°C	Brass	S\$ 150.78
0421213498	GFRH2LC	212°F 100°C	Chrome	S\$ 150.78
<b>MODEL GFR HORIZONTAL K2.8 (40) THREADS 1/2" (10MM) R3131</b>				
0416112499	GFRH3B	165°F 74°C	Brass	S\$ 171.86
0416212499	GFRH3C	165°F 74°C	Chrome	S\$ 184.57
<b>MODEL GFR HORIZONTAL K4.2 (60) THREADS 1/2" (10MM) R3133</b>				
0416112899	GFRH7B	165°F 74°C	Brass	S\$ 171.86
0416212899	GFRH7C	165°F 74°C	Chrome	S\$ 184.57
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.17
6800880004	GF2LB	3/4" (20mm)	Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)	Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)	White	S\$ 20.17

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



### G5-80

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

### G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

### G5-56

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

### G5-42

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

### G5-28

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034
- Sprinklers and Covers packaged and sold separately

Part Number	Short Code	Temperature	Temperature	Finish	List Price
<b>MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412</b>					
1916173498	G5801B	165°F	74°C	W/O	S\$131.45
1921173498	G5802B	212°F	100°C	W/O	S\$131.45
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417</b>					
1916173497	G5801BFM	165°F	74°C	W/O	S\$138.66
1921173497	G5802BFM	212°F	100°C	W/O	S\$138.66
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417</b>					
1916173494	G5801MFM	165°F	74°C	W/O	S\$138.66
1921173494	G5802MFM	212°F	100°C	W/O	S\$138.66
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415</b>					
1916173299	G51B	165°F	74°C	W/O	S\$106.00
1921173299	G52B	212°F	100°C	W/O	S\$106.00
<b>MODEL G5-42 CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA3413</b>					
1916172899	G5421B	165°F	74°C	W/O	S\$131.45
1921172899	G5422B	212°F	100°C	W/O	S\$131.45
<b>MODEL G5-28 CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411</b>					
1916172499	G5281B	165°F	74°C	W/O	S\$131.45
1921172499	G5282B	212°F	100°C	W/O	S\$131.45
<b>MODEL G5 COVERPLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271311	CG50B	135°F	57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F	57°C	Off-White	S\$ 92.82
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F	57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F	57°C	Bright Brass	S\$117.81
6887271323	CG50CD	135°F	57°C	Satin Chrome	S\$117.81
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$117.81
6887271319	CG50EW	135°F	57°C	Euro White	S\$ 68.24
6887271621	CG51C	165°F	74°C	Chrome	S\$ 74.87
6887271672	CG51W	165°F	74°C	White	S\$ 68.24
6887271611	CG51B	165°F	74°C	Finished Bronze	S\$ 97.32
6887271674	CG51OW	165°F	74°C	Off-White	S\$ 92.82
6887271690	CG51SP	165°F	74°C	Specialty	S\$ 96.53
6887271616	CG51FB	165°F	74°C	Black Painted	S\$ 92.94
6887271605	CG51BB	165°F	74°C	Bright Brass	S\$117.81
6887271610	CG51SS	165°F	74°C	Stainless Steel	S\$117.81
6887271623	CG51CD	165°F	74°C	Satin Chrome	S\$117.81
6887271619	CG51EW	165°F	74°C	Euro White	S\$ 68.24

6880170020	WFC	WRENCH,FC,CONCEALED	S\$ 608.21
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	S\$ 608.21

**Notes:**

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



**G6-56 HSW QR**

- K-Factor = 5.6 (80)
- **SIN RA5035**
- See Bulletin 050

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G6-56 HSW CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5035</b>					
2116173299	G6H1B	165°F	74°C	W/O	S\$ 212.64
<b>MODEL G6 COVERPLATES</b>					
6887211311	CG60B	135°F	57°C	Finished Bronze	S\$ 98.74
6887211321	CG60C	135°F	57°C	Chrome	S\$ 68.24
6887211372	CG60W	135°F	57°C	White	S\$ 68.24
6887211390	CG60SP	135°F	57°C	Specialty	S\$ 102.96

6880101010      WG6      Requires Model G6 Sprinkler Wrench      S\$ 602.61

**Notes:**

Sprinkler and coverplates sold and packaged separately



**G5-80 QR "Sealing"  
 Concealed**

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

**G5-56 QR "Sealing"  
 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

**G5-42 QR "Sealing"  
 Concealed**

- K-Factor = 4.2(60)
- **SIN RA3413**
- See Bulletin 034

**G5-28 QR "Sealing"  
 Concealed**

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412</b>				
1916173498	G5801B	165°F 74°C	W/O	S\$ 131.45
1921173498	G5802B	212°F 100°C	W/O	S\$ 131.45
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415</b>				
1916173299	G51B	165°F 74°C	W/O	S\$ 106.00
1921173299	G52B	212°F 100°C	W/O	S\$ 106.00
<b>MODEL G5-42 CONCEALED K4.2 (60) THREADS 7/16" (10MM) RA3413</b>				
1916172899	G5421B	165°F 74°C	W/O	S\$ 131.45
1921172899	G5422B	212°F 100°C	W/O	S\$ 131.45
<b>MODEL G5-28 CONCEALED K2.8 (40) THREADS 3/8" (10MM) RA3411</b>				
1916172499	G5281B	165°F 74°C	W/O	S\$ 131.45
1921172499	G5282B	212°F 100°C	W/O	S\$ 131.45
<b>MODEL G5 SEALING CONCEALED COVERPLATE</b>				
6887201372	CG5S0W	135°F 57°C	White	S\$ 174.54
6887201672	CG5S1W	165°F 74°C	White	S\$ 174.54
6887201310	CG5S0SS	135°F 57°C	Stainless Steel	S\$ 188.51
6887201610	CG5S1SS	165°F 74°C	Stainless Steel	S\$ 188.51
6880170020	WFC	Requires Model FC Wrench		S\$ 608.21

**Notes:**  
 Sprinkler and coverplates sold separately



**G5-56 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014 300 PSI</b>					
2016173299	G51B3	165°F	74°C	W/O	S\$ 112.02
<b>MODEL G5 SEALING CONCEALED COVERPLATE REQUIRED</b>					
6887201372	CG5S0W	135°F	57°C	White	S\$ 174.54
6887201672	CG5S1W	165°F	74°C	White	S\$ 174.54
6887201310	CG5S0SS	135°F	57°C	Stainless Steel	S\$ 188.51
6887201610	CG5S1SS	165°F	74°C	Stainless Steel	S\$ 188.51

6880170020      WFC      Requires Model FC Wrench      S\$ 608.21



**G5-56 300 QR  
 "Sealing"  
 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034
- **300 PSI**



**G5-56 300  
 Concealer**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G5-56 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014</b>				
2016173299	G51B3	165°F 74°C	W/O	S\$ 112.02
<b>MODEL G5 COVERPLATES</b>				
6887271321	CG50C	135°F 57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F 57°C	White	S\$ 68.24
6887271311	CG50B	135°F 57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F 57°C	Off-White	S\$ 92.82
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F 57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F 57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F 57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F 57°C	Stainless Steel	S\$ 117.81
6887271319	CG50EW	135°F 57°C	Euro White	S\$ 68.24
6887271621	CG51C	165°F 74°C	Chrome	S\$ 74.87
6887271672	CG51W	165°F 74°C	White	S\$ 68.24
6887271611	CG51B	165°F 74°C	Finished Bronze	S\$ 97.32
6887271674	CG51OW	165°F 74°C	Off-White	S\$ 92.82
6887271690	CG51SP	165°F 74°C	Specialty	S\$ 96.53
6887271616	CG51FB	165°F 74°C	Black Painted	S\$ 92.94
6887271605	CG51BB	165°F 74°C	Bright Brass	S\$ 117.81
6887271623	CG51CD	165°F 74°C	Satin Chrome	S\$ 117.81
6887271610	CG51SS	165°F 74°C	Stainless Steel	S\$ 117.81
6887271619	CG51EW	165°F 74°C	Euro White	S\$ 68.24
6880170020	WFC	Requires Model FC Wrench		S\$ 608.21





### F1FR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

### F1FR56-300/CCP

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
BV131732S9	F1FR56C0N	135°F	57°C	Brass	S\$ 74.16
BV151732S9	F1FR56C1N	155°F	68°C	Brass	S\$ 74.16
BV171732S9	F1FR56C5N	175°F	79°C	Brass	S\$ 74.16
BV201732S9	F1FR56C2N	200°F	93°C	Brass	S\$ 74.16
<b>MODEL F1FR56-300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2614</b>					
BP131732R9	F1FR56C03	135°F	57°C	Brass	S\$ 78.20
BP151732S9	F1FR56C13N	155°F	68°C	Brass	S\$ 78.20
BP171732R9	F1FR56C53	175°F	79°C	Brass	S\$ 78.20
BP201732S9	F1FR56C23N	200°F	93°C	Brass	S\$ 78.20
<b>MODEL CCP COVERPLATES (1/2" ADJ)</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 105.79
6887161621	CCP1C76	165°F	74°C	Chrome	S\$ 161.66
6887161618	CCP1W76	165°F	74°C	Flat White	S\$ 63.00
6887161690	CCP1SP76	165°F	74°C	Specialty	S\$ 105.79
6880100000	WRC	Requires Model RC1 Sprinkler Wrench			S\$ 604.97

**Notes:**

Sprinklers and coverplates sold and packaged separately



### XL Commercial

- K-Factor = 5.6 (80)
- Pendent = SIN R4514
- HSW = SIN R4534
- See Bulletin 145

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL XL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA4514</b>					
1212213299	XLQRPC	165°F	74°C	Chrome	S\$290.37
1212723299	XLQRPW	165°F	74°C	White	S\$290.37
<b>MODEL XL HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA4534</b>					
1352213299	XLQRHC	165°F	74°C	Chrome	S\$360.47
1352723299	XLQRHW	165°F	74°C	White	S\$360.47
<b>REQUIRED ESCUTCHEONS FOR MODEL XL FLAT</b>					
6801210000	ZXFPC			Chrome	S\$ 56.41
6801220000	ZXFPW			White	S\$ 56.41
<b>REQUIRED ESCUTCHEONS FOR MODEL XL HSW</b>					
6801120000	ZXCHC			Chrome	S\$ 56.41
6801140000	ZXCHW			White	S\$ 56.41

6880160000	WZXP	Requires Model ZX (Pendent) Sprinkler Wrench	S\$ 602.61
6880160010	WZXH	Requires Model ZX (Horizontal) Sprinkler Wrench	S\$ 602.61



### F1-56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1325**
- See Bulletin 071



### F1-80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6222**
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1-56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325</b>					
AA131132S9	F56U0BN	135°F	57°C	Brass	S\$ 48.09
AA132132S9	F56U0CN	135°F	57°C	Chrome	S\$ 58.63
AA138732S9	F56U0WN	135°F	57°C	White	S\$ 67.77
AA151132S9	F56U1BN	155°F	68°C	Brass	S\$ 48.09
AA152132S9	F56U1CN	155°F	68°C	Chrome	S\$ 58.63
AA158732S9	F56U1WN	155°F	68°C	Poly White	S\$ 67.77
AA171132S9	F56U5BN	175°F	79°C	Brass	S\$ 48.09
AA172132S9	F56U5CN	175°F	79°C	Chrome	S\$ 58.63
AA178732S9	F56U5WN	175°F	79°C	White	S\$ 67.77
AA201132S9	F56U2BN	200°F	93°C	Brass	S\$ 48.09
AA202132S9	F56U2CN	200°F	93°C	Chrome	S\$ 58.63
AA208732S9	F56U2WN	200°F	93°C	Poly White	S\$ 67.77
AA281132S9	F56U3BN	286°F	141°C	Brass	S\$ 48.09
AA282132S9	F56U3CN	286°F	141°C	Chrome	S\$ 58.63
AA288732S9	F56U3WN	286°F	141°C	Poly White	S\$ 67.77
AA361132S9	F56U6BN	360°F	182°C	Brass	S\$ 54.08
AA362132S9	F56U6CN	360°F	182°C	Chrome	S\$ 64.35
AA368732S9	F56U6WN	360°F	182°C	White	S\$ 73.67
<b>MODEL F1-80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6222</b>					
A1131134S8	FU0LBN	135°F	57°C	Brass	S\$ 59.15
A1132134S8	FU0LCN	135°F	57°C	Chrome	S\$ 73.46
A1138734S8	FU0LWN	135°F	57°C	Poly White	S\$ 87.77
A1151134S8	FU1LBN	155°F	68°C	Brass	S\$ 59.15
A1152134S8	FU1LCN	155°F	68°C	Chrome	S\$ 73.46
A1158734S8	FU1LWN	155°F	68°C	Poly White	S\$ 87.77
A1171134S8	FU5LBN	175°F	79°C	Brass	S\$ 59.15
A1172134S8	FU5LCN	175°F	79°C	Chrome	S\$ 73.46
A1178734S8	FU5LWN	175°F	79°C	Poly White	S\$ 87.77
A1201134S8	FU2LBN	200°F	93°C	Brass	S\$ 59.15
A1202134S8	FU2LCN	200°F	93°C	Chrome	S\$ 73.46
A1208734S8	FU2LWN	200°F	93°C	Poly White	S\$ 87.77
A1281134S8	FU3LBN	286°F	141°C	Brass	S\$ 59.15
A1282134S8	FU3LCN	286°F	141°C	Chrome	S\$ 73.46
A1288734S8	FU3LWN	286°F	141°C	Poly White	S\$ 87.77
A1361134S8	FU6LBN	360°F	182°C	Brass	S\$ 59.15
A1362134S8	FU6LCN	360°F	182°C	Chrome	S\$ 73.46
A1368734S8	FU6LWN	360°F	182°C	White	S\$ 87.77

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86



### F1 56 UPRIGHT

- K-Factor = 80 (5.6)
- **SIN RA1325**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325</b>					
AA131132R9	F56U0B	135°F	57°C	Brass	S\$ Call
AA132132R9	F56U0C	135°F	57°C	Chrome	S\$ Call
AA138732R9	F56U0W	135°F	57°C	Poly White	S\$ 67.77
AA151132R9	F56U1B	155°F	68°C	Brass	S\$ Call
AA152132R9	F56U1C	155°F	68°C	Chrome	S\$ Call
AA158732R9	F56U1W	155°F	68°C	Poly White	S\$ 67.77
AA171132R9	F56U5B	175°F	79°C	Brass	S\$ Call
AA172132R9	F56U5C	175°F	79°C	Chrome	S\$ Call
		°F	°C		S\$ Call
AA201132R9	F56U2B	200°F	93°C	Brass	S\$ Call
AA202132R9	F56U2C	200°F	93°C	Chrome	S\$ Call
AA208732R9	F56U2W	200°F	93°C	White	S\$ Call
AA281132R9	F56U3B	286°F	141°C	Brass	S\$ Call
AA282132R9	F56U3C	286°F	141°C	Chrome	S\$ 58.63
AA288732R9	F56U3W	286°F	141°C	Poly White	S\$ Call
AA361132R9	F56U6B	360°F	182°C	Brass	S\$ Call
AA362132R9	F56U6C	360°F	182°C	Chrome	S\$ Call
		°F	°C		S\$ Call
<b>MODEL F156 UPRIGHT K5.6 (80) BSPT THREADS 1/2" (15MM) RA1325</b>					
AA131132R2	F56U0BM	135°F	57°C	Brass	S\$ 48.09
		°F	°C		S\$ Call
AA138732R2	F56U0WM	135°F	57°C	Poly White	S\$ 67.77
AA151132R2	F56U1BM	155°F	68°C	Brass	S\$ 48.09
AA152132R2	F56U1CM	155°F	68°C	Chrome	S\$ 58.63
AA158732R2	F56U1WM	155°F	68°C	Poly White	S\$ 67.77
AA171132R2	F56U5BM	175°F	79°C	Brass	S\$ 48.09
AA172132R2	F56U5CM	175°F	79°C	Chrome	S\$ 58.63
AA178732R2	F56U5WM	175°F	79°C	White	S\$ 67.77
AA201132R2	F56U2BM	200°F	93°C	Brass	S\$ 48.09
AA202132R2	F56U2CM	200°F	93°C	Chrome	S\$ 58.63
AA208732R2	F56U2WM	200°F	93°C	Poly White	S\$ 67.77
AA281132R2	F56U3BM	286°F	141°C	Brass	S\$ 48.09
AA282132R2	F56U3CM	286°F	141°C	Chrome	S\$ 58.63
AA288732R2	F56U3WM	286°F	141°C	Poly White	S\$ 67.77
AA361132R2	F56U6BM	360°F	182°C	Brass	S\$ 54.08
AA362132R2	F56U6CM	360°F	182°C	Chrome	S\$ 64.35
		°F	°C		S\$ Call

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



## F1 LO UPRIGHT

- Upright
- **SIN R1722**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1722</b>					
A113113498	FU0LB	135°F	57°C	Brass	S\$ 59.15
A113213498	FU0LC	135°F	57°C	Chrome	S\$ 73.46
A113873498	FU0LW	135°F	57°C	White	S\$ 87.77
A115113498	FU1LB	155°F	68°C	Brass	S\$ 59.15
A115213498	FU1LC	155°F	68°C	Chrome	S\$ 73.46
A115873498	FU1LW	155°F	68°C	White	S\$ 87.77
A117113498	FU5LB	175°F	79°C	Brass	S\$ 59.15
A117213498	FU5LC	175°F	79°C	Chrome	S\$ 73.46
A117873498	FU5LW	175°F	79°C	Poly White	S\$ 87.77
A120113498	FU2LB	200°F	93°C	Brass	S\$ 59.15
A120213498	FU2LC	200°F	93°C	Chrome	S\$ 73.46
A120873498	FU2LW	200°F	93°C	Poly White	S\$ 87.77
A128113498		286°F	141°C	Brass	S\$ 59.15
A128213498	FU3LC	286°F	141°C	Chrome	S\$ 73.46
A128873498	FU3LW	286°F	141°C	White	S\$ 87.77
A136113498	FU6LB	360°F	182°C	Brass	S\$ 59.15
A136213498	FU6LC	360°F	182°C	Chrome	S\$ 73.46
A136873498	FU6LW	360°F	182°C	White	S\$ 87.77
<b>MODEL F1 LO UPRIGHT K8.0 (115) BSPT THREADS 3/4" (20MM) R1722</b>					
A113113495	FU0LBM	135°F	57°C	Brass	S\$ 59.15
A113213495	FU0LCM	135°F	57°C	Chrome	S\$ 73.46
A113873495	FU0LWM	135°F	57°C	White	S\$ 87.77
A115113495	FU1LBM	155°F	68°C	Brass	S\$ 59.15
A115213495	FU1LCM	155°F	68°C	Chrome	S\$ 73.46
A115873495	FU1LWM	155°F	68°C	Poly White	S\$ 87.77
A117113495	FU5LBM	175°F	79°C	Brass	S\$ 59.15
A117213495	FU5LCM	175°F	79°C	Chrome	S\$ 73.46
A117873495	FU5LWM	175°F	79°C	White	S\$ 87.77
A120113495	FU2LBM	200°F	93°C	Brass	S\$ 59.15
A120213495	FU2LCM	200°F	93°C	Chrome	S\$ 73.46
A120873495	FU2LWM	200°F	93°C	White	S\$ 87.77
A128113495	FU3LBM	286°F	141°C	Brass	S\$ 59.15
A128213495	FU3LCM	286°F	141°C	Chrome	S\$ 73.46
A128873495	FU3LWM	286°F	141°C	Poly White	S\$ 87.77
A136113495	FU6LBM	360°F	182°C	Brass	S\$ 59.15
A136213495	FU6LCM	360°F	182°C	Chrome	S\$ 73.46
A136873495	FU6LWM	360°F	182°C	White	S\$ 87.77

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



### F1 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1321**
- See Bulletin 066



### F1 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1323**
- See Bulletin 067

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F128 UPRIGHT K 2.8 (40) THREADS 1/2" (15MM) RA1321</b>					
AA151124S9	F28U1BN	155°F	68°C	Brass	S\$ 72.74
AA152124R9	F28U1C	155°F	68°C	Chrome	S\$ Call
AA158724R9	F28U1W	155°F	68°C	Poly White	S\$ Call
AA171124S9	F28U5BN	175°F	79°C	Brass	S\$ 72.74
AA172124R9	F28U5C	175°F	79°C	Chrome	S\$ 85.65
AA178724R9	F28U5W	175°F	79°C	Poly White	S\$ 92.04
AA201124S9	F28U2BN	200°F	93°C	Brass	S\$ 72.74
AA202124R9	F28U2C	200°F	93°C	Chrome	S\$ Call
AA208724R9	F28U2W	200°F	93°C	White	S\$ Call
AA281124S9	F28U3BN	286°F	141°C	Brass	S\$ 72.74
AA282124R9	F28U3C	286°F	141°C	Chrome	S\$ 85.65
AA288724R9	F28U3W	286°F	141°C	Poly White	S\$ 92.04
<b>MODEL F142 UPRIGHT K4.2 (60) THREADS 1/2" (15MM) RA1323</b>					
AA131128R9	F42U0B	135°F	57°C	Brass	S\$ Call
AA132128R9	F42U0C	135°F	57°C	Chrome	S\$ Call
AA138728R9	F42U0W	135°F	57°C	White	S\$ 92.04
AA151128R9	F42U1B	155°F	68°C	Brass	S\$ Call
AA152128R9	F42U1C	155°F	68°C	Chrome	S\$ Call
AA158728R9	F42U1W	155°F	68°C	Poly White	S\$ Call
AA171128R9	F42U5B	175°F	79°C	Brass	S\$ Call
AA172128R9	F42U5C	175°F	79°C	Chrome	S\$ Call
AA178728R9	F42U5W	175°F	79°C	White	S\$ 92.04
AA201128R9	F42U2B	200°F	93°C	Brass	S\$ Call
AA202128R9	F42U2C	200°F	93°C	Chrome	S\$ Call
AA208728R9	F42U2W	200°F	93°C	White	S\$ 92.04
AA288728R9	F42U3BN	286°F	141°C	White	S\$ 72.74
AA282128R9	F42U3C	286°F	141°C	Chrome	S\$ Call
AA288728R9	F42U3W	286°F	141°C	White	S\$ 92.04
AA362128R9	F42U6C	360°F	182°C	Chrome	S\$ 91.55
AA368728R9	F42U6W	360°F	182°C	White	S\$ 98.58

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86



### F1-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6414**
- See Bulletin 064
- Stainless Steel



### F1-80SS PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6412**
- See Bulletin 064
- Stainless Steel

### F1-56SS UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA6424**
- See Bulletin 064
- Stainless Steel

### F1-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6422**
- See Bulletin 064
- Stainless Steel

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6414</b>					
A213103299	F56P0SS	135°F	57°C	Stainless Steel	S\$ 1,060.25
A215103299	F56P1SS	155°F	68°C	Stainless Steel	S\$ Call
A217103299	F56P5SS	175°F	79°C	Stainless Steel	S\$ 1,060.25
A220103299	F56P2SS	200°F	93°C	Stainless Steel	S\$ 1,060.25
A228103299	F56P3SS	286°F	141°C	Stainless Steel	S\$ 1,060.25
A236103299	F56P6SS	360°F	182°C	Stainless Steel	S\$ 1,060.25
A250103299	F56P7SS	500°F	260°C	Stainless Steel	S\$ 1,060.25
<b>MODEL F180-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6412</b>					
A213103498	FP0LSS	135°F	57°C	Stainless Steel	S\$ 1,119.12
A215103498	FP1LSS	155°F	68°C	Stainless Steel	S\$ 1,119.12
A217103498	FP5LSS	175°F	79°C	Stainless Steel	S\$ 1,119.12
A220103498	FP2LSS	200°F	93°C	Stainless Steel	S\$ 1,119.12
A228103498	FP3LSS	286°F	141°C	Stainless Steel	S\$ 1,119.12
A236103498	FP6LSS	360°F	182°C	Stainless Steel	S\$ 1,119.12
<b>MODEL F156-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6424</b>					
AA131032R9	F56U0SS	135°F	57°C	Stainless Steel	S\$ 1,060.25
AA151032R9	F56U1SS	155°F	68°C	Stainless Steel	S\$ 1,060.25
AA171032R9	F56U5SS	175°F	79°C	Stainless Steel	S\$ 1,060.25
AA201032R9	F56U2SS	200°F	93°C	Stainless Steel	S\$ 1,060.25
AA281032R9	F56U3SS	286°F	141°C	Stainless Steel	S\$ 1,060.25
AA361032R9	F56U6SS	360°F	182°C	Stainless Steel	S\$ 1,060.25
AA501032R9	F56U7SS	500°F	260°C	Stainless Steel	S\$ 1,060.25
<b>MODEL F180-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6422</b>					
A113103498	FU0LSS	135°F	57°C	Stainless Steel	S\$ 1,119.12
A115103498	FU1LSS	155°F	68°C	Stainless Steel	S\$ 1,119.12
A117103498	FU5LSS	175°F	79°C	Stainless Steel	S\$ 1,119.12
A120103498	FU2LSS	200°F	93°C	Stainless Steel	S\$ 1,119.12
A128103498	FU3LSS	286°F	141°C	Stainless Steel	S\$ 1,119.12
A136103498	FU6LSS	360°F	182°C	Stainless Steel	S\$ 1,119.12
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	S\$ 118.78
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	S\$ 118.78
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	S\$ 178.18
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	S\$ 178.18
<b>MODEL B ONE PIECE ESCUTCHEONS</b>					
6800121002	BSS	1/2" (15mm)		Stainless Steel	S\$ 71.30
6800091002	BLSS	3/4" (20mm)		Stainless Steel	S\$ 71.30

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$	203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$	604.97



### F156-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2525**
- See Bulletin 025
- 300 PSI



### F180-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA7622**
- See Bulletin 076
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA2525 300PSI</b>					
AF131132R9	F56U0B3	135°F	57°C	Brass	S\$ 52.76
AF132132R9	F56U0C3	135°F	57°C	Chrome	S\$ 63.90
AF138732R9	F56U0W3	135°F	57°C	White	S\$ 72.81
AF151132S9	F56U1B3N	155°F	68°C	Brass	S\$ 52.76
AF152132S9	F56U1C3N	155°F	68°C	Chrome	S\$ 63.90
AF158732S9	F56U1W3N	155°F	68°C	Poly White	S\$ 73.46
AF171132S9	F56U5B3N	175°F	79°C	Brass	S\$ 52.76
AF172132R9	F56U5C3	175°F	79°C	Chrome	S\$ Call
AF178732R9	F56U5W3	175°F	79°C	Poly White	S\$ 73.46
AF201132S9	F56U2B3N	200°F	93°C	Brass	S\$ 52.76
AF202132S9	F56U2C3N	200°F	93°C	Chrome	S\$ 63.90
		°F	°C		S\$ Call
AF281132S9	F56U3B3N	286°F	141°C	Brass	S\$ 52.76
AF282132S9	F56U3C3N	286°F	141°C	Chrome	S\$ 63.90
AF288732S9	F56U3W3N	286°F	141°C	Poly White	S\$ 73.46
<b>MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA7622 300PSI</b>					
AF13113498	FU0LB3	135°F	57°C	Brass	S\$ 64.34
AF13213498	FU0LC3	135°F	57°C	Chrome	S\$ 79.23
AF13873498	FU0LW3	135°F	57°C	White	S\$ 88.40
AF151134S8	FU1LB3N	155°F	68°C	Brass	S\$ 63.74
AF152134S8	FU1LC3N	155°F	68°C	Brass	S\$ 79.23
AF15873498	FU1LW3	155°F	68°C	Poly White	S\$ 90.87
AF171134S8	FU5LB3N	175°F	79°C	Brass	S\$ 63.74
AF17213498	FU5LC3	175°F	79°C	Chrome	S\$ 79.23
AF17873498	FU5LW3	175°F	79°C	White	S\$ 88.40
AF201134S8	FU2LB3N	200°F	93°C	Brass	S\$ 63.74
AF20213498	FU2LC3	200°F	93°C	Chrome	S\$ 79.23
AF20873498	FU2LW3	200°F	93°C	Poly White	S\$ 90.87
AF281134S8	FU3LB3N	286°F	141°C	Brass	S\$ 63.74
AF28213498	FU3LC3	286°F	141°C	Chrome	S\$ 79.23
AF28873498	FU3LW3	286°F	141°C	White	S\$ 88.40
AF36113498	FU6LB3	360°F	182°C	Brass	S\$ 72.18
AF36213498	FU6LC3	360°F	182°C	Chrome	S\$ 85.76
AF36873498	FU6LW3	360°F	182°C	White	S\$ 95.73

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86





### F156

- K-Factor = 80 (5.6)
- **SIN RA1314**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314</b>					
A213113299	F56P0B	135°F	57°C	Brass	S\$ 48.09
A213213299	F56P0C	135°F	57°C	Chrome	S\$ Call
A213873299	F56P0W	135°F	57°C	White	S\$ Call
A215113299	F56P1B	155°F	68°C	Brass	S\$ Call
A215213299	F56P1C	155°F	68°C	Chrome	S\$ Call
A215873299	F56P1W	155°F	68°C	Poly White	S\$ 67.77
A217113299	F56P5B	175°F	79°C	Brass	S\$ 48.09
A217213299	F56P5C	175°F	79°C	Chrome	S\$ 56.93
A217873299	F56P5W	175°F	79°C	Poly White	S\$ 67.77
A220113299	F56P2B	200°F	93°C	Brass	S\$ 48.09
A220213299	F56P2C	200°F	93°C	Chrome	S\$ 56.93
A220873299	F56P2W	200°F	93°C	White	S\$ 67.77
A228113299	F56P3B	286°F	141°C	Brass	S\$ 48.09
A228213299	F56P3C	286°F	141°C	Chrome	S\$ 56.93
A228873299	F56P3W	286°F	141°C	Poly White	S\$ 67.77
A236113299	F56P6B	360°F	182°C	Brass	S\$ 54.08
A236213299	F56P6C	360°F	182°C	Chrome	S\$ 62.57
		°F	°C		S\$ Call
<b>MODEL F156 PENDENT K5.6 (80) BSPT THREADS 1/2" (15MM) RA1314</b>					
A213113292	F56P0BM	135°F	57°C	Brass	S\$ 48.09
A213213292	F56P0CM	135°F	57°C	Chrome	S\$ 56.93
A213873292	F56P0WM	135°F	57°C	Poly White	S\$ 67.77
A215113292	F56P1BM	155°F	68°C	Brass	S\$ 48.09
A215213292	F56P1CM	155°F	68°C	Chrome	S\$ 56.93
A215873292	F56P1WM	155°F	68°C	Poly White	S\$ 67.77
A217113292	F56P5BM	175°F	79°C	Brass	S\$ 48.09
A217213292	F56P5CM	175°F	79°C	Chrome	S\$ 56.93
A217873292	F56P5WM	175°F	79°C	Poly White	S\$ 67.77
A220113292	F56P2BM	200°F	93°C	Brass	S\$ 48.09
A220213292	F56P2CM	200°F	93°C	Chrome	S\$ 56.93
A220873292	F56P2WM	200°F	93°C	Poly White	S\$ 67.77
A228113292	F56P3BM	286°F	141°C	Brass	S\$ 48.09
A228213292	F56P3CM	286°F	141°C	Chrome	S\$ 56.93
A228873292	F56P3WM	360°F	182°C	White	S\$ 67.77
A236113292	F56P3BM	360°F	182°C	Brass	S\$ 54.08
A236213292	F56P6CM	360°F	182°C	Chrome	S\$ 62.57
A236873292	F56P6WM	360°F	182°C	White	S\$ 73.67

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



## F1 LO

- K-Factor = 115 (8.0)
- **SIN R1712**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1 LO PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712</b>					
A213113498	FP0LB	135°F	57°C	Brass	S\$ 60.90
A213213498	FP0LC	135°F	57°C	Chrome	S\$ 73.46
A213873498	FP0LW	135°F	57°C	White	S\$ 87.77
A215113498	FP1LB	155°F	68°C	Brass	S\$ 60.90
A215213498	FP1LC	155°F	68°C	Chrome	S\$ 73.46
A215873498	FP1LW	155°F	68°C	White	S\$ 87.77
A217113498	FP5LB	175°F	79°C	Brass	S\$ 60.90
A217213498	FP5LC	175°F	79°C	Chrome	S\$ 73.46
A217873498	FP5LW	175°F	79°C	White	S\$ 87.77
A220113498	FP2LB	200°F	93°C	Brass	S\$ 60.90
A220213498	FP2LC	200°F	93°C	Chrome	S\$ 73.46
A220873498	FP2LW	200°F	93°C	Poly White	S\$ 87.77
A228113498	FP3LB	286°F	141°C	Brass	S\$ 60.90
A228213498	FP3LC	286°F	141°C	Chrome	S\$ 73.46
A228873498	FP3LW	286°F	141°C	White	S\$ 87.77
A236113498	FP6LB	360°F	182°C	Brass	S\$ 60.90
A236213498	FP6LC	360°F	182°C	Chrome	S\$ 73.46
A236873498	FP6LW	360°F	182°C	White	S\$ 87.77
<b>MODEL F1 LO PENDENT K8.0 (115) BSPT THREADS 3/4" (20MM) R1712</b>					
A213113495	FP0LBM	135°F	57°C	Brass	S\$ 60.90
A213213495	FP0LCM	135°F	57°C	Chrome	S\$ 73.46
A213873495	FP0LWM	135°F	57°C	White	S\$ 87.77
A215113495	FP1LBM	155°F	68°C	Brass	S\$ 60.90
A215213495	FP1LCM	155°F	68°C	Chrome	S\$ 73.46
A215873495	FP1LWM	155°F	68°C	White	S\$ 87.77
A217113495	FP5LBM	175°F	79°C	Brass	S\$ 60.90
A217213495	FP5LCM	175°F	79°C	Chrome	S\$ 73.46
A217873495	FP5LWM	175°F	79°C	Poly White	S\$ 87.77
A220113495	FP2LBM	200°F	93°C	Brass	S\$ 60.90
A220213495	FP2LCM	200°F	93°C	Chrome	S\$ 73.46
A220873495	FP2LWM	200°F	93°C	White	S\$ 87.77
A228113495	FP3LBM	286°F	141°C	Brass	S\$ 60.90
A228213495	FP3LCM	286°F	141°C	Chrome	S\$ 73.46
A228873495	FP3LWM	286°F	141°C	Poly White	S\$ 87.77
A236113495	FP6LBM	360°F	182°C	Brass	S\$ 60.90
A236213495	FP6LCM	360°F	182°C	Chrome	S\$ 73.46
A236873495	FP6LWM	360°F	182°C	Poly White	S\$ 87.77

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



### F1 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1311**
- See Bulletin 066



### F1 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1313**
- See Bulletin 067



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F128 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1311</b>					
AB151124S9	F28P1BN	155°F	68°C	Brass	S\$ 72.74
AB152124S9	F28P1CN	155°F	68°C	Chrome	S\$ 85.65
AB158724S9	F28P1WN	155°F	68°C	Poly White	S\$ 92.04
AB172124S9	F28P5CN	175°F	79°C	Chrome	S\$ 85.65
AB178724S9	F28P5WN	175°F	79°C	Poly White	S\$ 92.04
AB201124S9	F28P2BN	200°F	93°C	Brass	S\$ 72.74
AB202124S9	F28P2CN	200°F	93°C	Chrome	S\$ 85.65
AB208724S9	F28P2WN	200°F	93°C	Poly White	S\$ 92.04
AB281124S9	F28P3BN	286°F	141°C	Brass	S\$ 72.74
AB282124S9	F28P3CN	286°F	141°C	Chrome	S\$ 85.65
AB288724S9	F28P3WN	286°F	141°C	Poly White	S\$ 92.04
<b>MODEL F142 PENDENT K4.2 (60) THREADS 1/2" (15MM) RA1313</b>					
AB131128S9	F42P0BN	135°F	57°C	Brass	S\$ 72.74
AB132128S9	F42POCN	135°F	57°C	Chrome	S\$ 85.65
AB138728S9	F42POWN	135°F	57°C	White	S\$ 92.04
AB151128S9	F42P1BN	155°F	68°C	Brass	S\$ 72.74
AB152128S9	F42P1CN	155°F	68°C	Chrome	S\$ 85.65
AB171128S9		175°F	79°C	Brass	S\$ 72.74
		°F	°C		S\$ Call
AB178728S9	F42P5WN	175°F	79°C	Poly White	S\$ 92.04
AB201128R9	F42P2B	200°F	93°C	Brass	S\$ Call
AB202128S9	F42P2CN	200°F	93°C	Chrome	S\$ 85.65
AB208728S9	F42P2WN	200°F	93°C	White	S\$ 92.04
AB361128S9	F42P6BN	360°F	182°C	Brass	S\$ 78.58
AB362128S9	F42P6CN	360°F	182°C	Chrome	S\$ 91.55
AB368728S9	F42P6WN	360°F	182°C	White	S\$ 98.58
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	S\$ 38.90
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	S\$ 38.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



**F156-300**

- K-Factor = 5.6 (80)
- **SIN RA2514**
- See Bulletin 075
- **300 PSI**



**F1-300**

- K-Factor = 8.0 (115)
- **SIN R5512**
- See Bulletin 076
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2514 300 PSI</b>					
AG131132S9	F56P0B3N	135°F	57°C	Brass	S\$ 52.76
AG132132S9	F56P0C3N	135°F	57°C	Chrome	S\$ 62.03
AG138732S9	F56P0W3N	135°F	57°C	Poly White	S\$ 71.40
AG151132S9	F56P1B3N	155°F	68°C	Brass	S\$ 52.76
AG152132S9	F56P1C3N	155°F	68°C	Chrome	S\$ 62.03
AG158732S9	F56P1W3N	155°F	68°C	Poly White	S\$ 71.40
AG171132S9	F56P5B3N	175°F	79°C	Brass	S\$ 52.76
AG172132S9	F56P5C3N	175°F	79°C	Chrome	S\$ 62.03
AG178732S9	F56P5W3N	175°F	79°C	Poly White	S\$ 71.26
AG201132S9	F56P2B3N	200°F	93°C	Brass	S\$ 52.76
AG202132S9	F56P2C3N	200°F	93°C	Chrome	S\$ 62.03
AG208732S9	F56P2W3N	200°F	93°C	Poly White	S\$ 71.40
AG281132S9	F56P3B3N	286°F	141°C	Brass	S\$ 62.03
AG282132S9	F56P3C3N	286°F	141°C	Chrome	S\$ 62.03
AG288732S9	F56P3W3N	286°F	141°C	Poly White	S\$ 71.40
AG361132S9	F56P6B3N	360°F	182°C	Brass	S\$ 52.76
AG362132S9	F56P6C3N	360°F	182°C	Chrome	S\$ 67.72
AG368732S9	F56P6W3N	360°F	182°C	White	S\$ 77.15
<b>MODEL F180 PENDENT K8.0 (115) THREADS 3/4" (20MM) R5512 300 PSI</b>					
AG13113498	FP0LB3	135°F	57°C	Brass	S\$ 66.31
AG13213498	FP0LC3	135°F	57°C	Chrome	S\$ 79.23
AG13873498	FP0LW3	135°F	57°C	White	S\$ 89.23
AG151134S8	FP1LB3N	155°F	68°C	Brass	S\$ 66.31
AG152134S8	FP1LC3N	155°F	68°C	Chrome	S\$ 79.23
AG158734S8	FP1LW3N	155°F	68°C	Poly White	S\$ 94.26
AG17113498	FP5LB3	175°F	79°C	Brass	S\$ 66.31
AG17213498	FP5LC3	175°F	79°C	Chrome	S\$ 79.23
AG17873498	FP5LW3	175°F	79°C	White	S\$ 89.23
AG20113498	FP2LB3	200°F	93°C	Brass	S\$ 66.31
AG20213498	FP2LC3	200°F	93°C	Chrome	S\$ 79.23
AG20873498	FP2LW3	200°F	93°C	Poly White	S\$ 94.26
AG28113498	FP3LB3	286°F	141°C	Brass	S\$ 66.31
AG28213498	FP3LC3	286°F	141°C	Chrome	S\$ 79.23
AG28873498	FP3LW3	286°F	141°C	White	S\$ 94.26
AG36113498	FP6LB3	360°F	182°C	Brass	S\$ 72.18
AG36213498	FP6LC3	360°F	182°C	Chrome	S\$ 85.76
AG36873498	FP6LW3	360°F	182°C	White	S\$ 95.73

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86



### F1 56

- K-Factor = 5.6 (80)
- **SIN RA1375**
- See Bulletin 013



### F1 LO

- K-Factor = 8.0 (115)
- **SIN R1772**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375</b>					
AC131132S9	F56C0BN	135°F	57°C	Brass	S\$ 48.09
AC132132S9	F56C0CN	135°F	57°C	Chrome	S\$ 56.93
AC138732S9	F56C0WN	135°F	57°C	Poly White	S\$ 67.77
AC151132S9	F56C1BN	155°F	68°C	Brass	S\$ 48.09
AC152132S9	F56C1CN	155°F	68°C	Chrome	S\$ 56.93
AC158732S9	F56C1WN	155°F	68°C	Poly White	S\$ 67.77
AC171132S9	F56C5BN	175°F	79°C	Brass	S\$ 48.09
AC172132S9	F56C5CN	175°F	79°C	Chrome	S\$ 56.93
AC178732S9	F56C5WN	175°F	79°C	Poly White	S\$ 67.77
AC201132S9	F56C2BN	200°F	93°C	Brass	S\$ 48.09
AC202132S9	F56C2CN	200°F	93°C	Chrome	S\$ 56.93
AC208732S9	F56C2WN	200°F	93°C	Poly White	S\$ 67.77
AC281132S9	F56C3BN	286°F	141°C	Brass	S\$ 48.09
AC282132S9	F56C3CN	286°F	141°C	Chrome	S\$ 56.93
AC288732S9	F56C3WN	286°F	141°C	Poly White	S\$ 67.77
AC361132S9	F56C6BN	360°F	182°C	Brass	S\$ 48.09
AC362132S9	F56C6CN	360°F	182°C	Chrome	S\$ 56.93
AC368732S9	F56C6WN	360°F	182°C	Poly White	S\$ 67.77
<b>MODEL F1-80 CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772</b>					
A313113498	FC0LB	135°F	57°C	Brass	S\$ 60.90
A313213498	FC0LC	135°F	57°C	Chrome	S\$ 73.46
A313873498	FC0LW	135°F	57°C	White	S\$ 87.77
A315113498	FC1LB	155°F	68°C	Brass	S\$ 60.90
A315213498	FC1LC	155°F	68°C	Chrome	S\$ 73.46
A315873498	FC1LW	155°F	68°C	White	S\$ 87.77
A317113498	FC5LB	175°F	79°C	Brass	S\$ 60.90
A317213498	FC5LC	175°F	79°C	Chrome	S\$ 73.46
A320113498	FC2LB	200°F	93°C	Brass	S\$ 60.90
A320213498	FC2LC	200°F	93°C	Chrome	S\$ 73.46
A320873498	FC2LW	200°F	93°C	White	S\$ 87.77
A328113498	FC3LB	286°F	141°C	Brass	S\$ 60.90
A328213498	FC3LC	286°F	141°C	Chrome	S\$ 73.46
A328873498	FC3LW	286°F	141°C	White	S\$ 87.77

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86



**F1 56**

- K-Factor = 80 (5.6)
- **SIN RA1375**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375</b>					
AC131132R9	F56C0B	135°F	57°C	Brass	S\$ Call
AC132132R9	F56C0C	135°F	57°C	Chrome	S\$ Call
AC138732R9	F56C0W	135°F	57°C	Poly White	S\$ Call
AC151132R9	F56C1B	155°F	68°C	Brass	S\$ Call
AC152132R9	F56C1C	155°F	68°C	Chrome	S\$ Call
AC158732R9	F56C1W	155°F	68°C	White	S\$ Call
AC171132R9	F56C5B	175°F	79°C	Brass	S\$ Call
AC172132R9	F56C5C	175°F	79°C	Chrome	S\$ Call
AC178732R9	F56C5W	175°F	79°C	Poly White	S\$ 67.77
AC201132R9	F56C2B	200°F	93°C	Brass	S\$ Call
AC202132R9	F56C2C	200°F	93°C	Chrome	S\$ Call
AC208732R9	F56C2W	200°F	93°C	Poly White	S\$ Call
AC281132R9	F56C3B	286°F	141°C	Brass	S\$ Call
AC282132R9	F56C3C	286°F	141°C	Chrome	S\$ Call
		°F	°C		S\$ Call
		°F	°C		S\$ Call
AC362132R9	F56C6C	360°F	182°C	Chrome	S\$ Call
		°F	°C		S\$ Call
<b>MODEL F156 CONVENTIONAL K 5.6 (80) BSPT THREADS 1/2" (15MM) RA1375</b>					
AC131132R2	F56C0BM	135°F	57°C	Brass	S\$ 48.09
AC132132R2	F56C0CM	135°F	57°C	Chrome	S\$ 56.93
AC138732R2	F56C0WM	135°F	57°C	White	S\$ 67.77
AC151132R2	F56C1BM	155°F	68°C	Brass	S\$ 48.09
AC152132R2	F56C1CM	155°F	68°C	Chrome	S\$ 56.93
AC158732R2	F56C1WM	155°F	68°C	Poly White	S\$ 67.77
		°F	°C		S\$ Call
AC172132R2	F56C5CM	175°F	79°C	Chrome	S\$ 56.93
AC178732R2	F56C5WM	175°F	79°C	White	S\$ 67.77
AC201132R2	F56C2BM	200°F	93°C	Brass	S\$ 48.09
AC202132R2	F56C2CM	200°F	93°C	Chrome	S\$ 56.93
AC208732R2	F56C2WM	200°F	93°C	Poly White	S\$ 67.77
AC281132R2	F56C3BM	286°F	141°C	Brass	S\$ 48.09
AC282132R2	F56C3CM	286°F	141°C	Chrome	S\$ 56.93
		°F	°C		S\$ Call

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



## F1 LO

- Conventional
- **SIN R1772**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1 LO CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772</b>					
A313113498	FC0LB	135°F	57°C	Brass	S\$ 60.90
A313213498	FC0LC	135°F	57°C	Chrome	S\$ 73.46
A313873498	FC0LW	135°F	57°C	White	S\$ 87.77
A315113498	FC1LB	155°F	68°C	Brass	S\$ 60.90
A315213498	FC1LC	155°F	68°C	Chrome	S\$ 73.46
A315873498	FC1LW	155°F	68°C	White	S\$ 87.77
A317113498	FC5LB	175°F	79°C	Brass	S\$ 60.90
A317213498	FC5LC	175°F	79°C	Chrome	S\$ 73.46
		°F	°C		S\$ Call
A320113498	FC2LB	200°F	93°C	Brass	S\$ 60.90
A320213498	FC2LC	200°F	93°C	Chrome	S\$ 73.46
A320873498	FC2LW	200°F	93°C	White	S\$ 87.77
A328113498	FC3LB	286°F	141°C	Brass	S\$ 60.90
A328213498	FC3LC	286°F	141°C	Chrome	S\$ 73.46
A328873498	FC3LW	286°F	141°C	White	S\$ 87.77
<b>MODEL F1 LO CONVENTIONAL K8.0 (115) BSPT THREADS 3/4" (20MM) R1772</b>					
A313113495	FC0LBM	135°F	57°C	Brass	S\$ 60.90
A313213495	FC0LCM	135°F	57°C	Chrome	S\$ 73.46
A313873495	FC0LWM	135°F	57°C	White	S\$ 87.77
A315113495	FC1LBM	155°F	68°C	Brass	S\$ 60.90
A315213495	FC1LCM	155°F	68°C	Chrome	S\$ 76.22
A315873495	FC1LWM	155°F	68°C	White	S\$ 87.77
A317113495	FC5LBM	175°F	79°C	Brass	S\$ 60.90
A317213495	FC5LCM	°F	°C		S\$ 73.46
A317873495	FC5LWM	°F	°C		S\$ 87.77
A320113495	FC2LBM	200°F	93°C	Brass	S\$ 60.90
A320213495	FC2LCM	°F	°C		S\$ 73.46
A320873495	EC2LWM	°F	°C		S\$ 87.77
A328113495	FC3LBM	286°F	141°C	Brass	S\$ 60.90
A328213495	FC3LCM	286°F	141°C	Chrome	S\$ 73.46
A328873495	FC3LWM	286°F	141°C	Poly White	S\$ 87.77

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



### F1 56 HSW

- K-Factor = 80 (5.6)
- **SIN RA1375**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1335</b>					
AD131132R9	F56H0B	135°F	57°C	Brass	S\$ Call
AD132132R9	F56H0C	135°F	57°C	Chrome	S\$ Call
AD138732R9	F56H0W	135°F	57°C	Poly White	S\$ Call
AD151132R9	F56H1B	155°F	68°C	Brass	S\$ Call
AD152132R9	F56H1C	155°F	68°C	Chrome	S\$ Call
AD158732R9	F56H1W	155°F	68°C	White	S\$ Call
AD171132R9	F56H5B	175°F	79°C	Brass	S\$ Call
AD172132R9	F56H5C	175°F	79°C	Chrome	S\$ Call
AD178732R9	F56H5W	175°F	79°C	Poly White	S\$ Call
AD201132R9	F56H2B	200°F	93°C	Brass	S\$ Call
AD202132R9	F56H2C	200°F	93°C	Chrome	S\$ Call
		°F	°C		S\$ Call
AD281132R9	F56H3B	286°F	141°C	Brass	S\$ Call
AD282132R9	F56H3C	286°F	141°C	Chrome	S\$ Call
AD288732R9	F56H3W	286°F	141°C	Poly White	S\$ Call
AD361132R9	F56H6B	360°F	182°C	Brass	S\$ Call
AD362132R9	F56H6C	360°F	182°C	Chrome	S\$ Call
AD368732R9	F56H6W	360°F	182°C	Poly White	S\$ Call
<b>MODEL F156 HORIZONTAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1335</b>					
AD131132R2	F56H0BM	135°F	57°C	Brass	S\$ 74.77
AD132132R2	F56H0CM	135°F	57°C	Chrome	S\$ 85.65
AD138732R2	F56H0WM	135°F	57°C	Poly White	S\$ 91.95
AD151132R2	F56H1BM	155°F	68°C	Brass	S\$ 74.77
AD152132R2	F56H1CM	155°F	68°C	Chrome	S\$ 85.65
AD158732R2	F56H1WM	155°F	68°C	Poly White	S\$ 91.95
AD171132R2	F56H5BM	175°F	79°C	Brass	S\$ 74.77
AD172132R2	F56H5CM	175°F	79°C	Bronze	S\$ 85.65
AD178732R2	F56H5WM	175°F	79°C	Bronze	S\$ 91.95
AD201132R2	F56H2BM	200°F	93°C	Brass	S\$ 74.77
AD202132R2	F56H2CM	200°F	93°C	Chrome	S\$ 85.65
AD208732R2	F56H2WM	200°F	93°C	White	S\$ 91.95
AD281132R2	F56H3BM	286°F	141°C	Brass	S\$ 74.77
AD282132R2	F56H3CM	286°F	141°C	Chrome	S\$ 85.65
AD288732R2	F56H3WM	286°F	141°C	Poly White	S\$ 91.95
AD361132R2	F56H6BM	360°F	182°C	Brass	S\$ 74.77
AD362132R2	F56H6CM	360°F	182°C	Chrome	S\$ 85.65
AD368732R2	F56H6WM	360°F	182°C	White	S\$ 91.95
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15MM)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15MM)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15MM)		White	S\$ 20.17

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 604.97





### F1 56

- K-Factor = 5.6 (80)
- Vertical Sidewall
- **SIN RA1385**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 VERTICAL K5.6 (80) THREADS 1/2" (15MM) RA1385</b>					
		°F	°C		S\$ Call
AE132132R9	F56V0C	135°F	57°C	Chrome	S\$ Call
AE138732R9	F56V0W	135°F	57°C	White	S\$ 96.23
AE151132R9	F56V1B	155°F	68°C	Brass	S\$ Call
AE152132R9	F56V1C	155°F	68°C	Chrome	S\$ Call
AE158732R9	F56V1W	155°F	68°C	Poly White	S\$ Call
		°F	°C		S\$ Call
AE172132R9	F56V5C	175°F	79°C	Chrome	S\$ Call
AE178732R9	F56V5W	175°F	79°C	Poly White	S\$ Call
		°F	°C		S\$ Call
AE202132R9	F56V2C	200°F	93°C	Chrome	S\$ Call
AE208732R9	F56V2W	200°F	93°C	Poly White	S\$ Call
		°F	°C		S\$ Call
		°F	°C		S\$ Call
AE288732R9	F56V3W	286°F	141°C	Poly White	S\$ Call
AE361132R9	F56V6B	360°F	182°C	Brass	S\$ Call
AE362132R9	F56V6C	360°F	182°C	Chrome	S\$ Call
AE368732R9	F56V6W	360°F	182°C	White	S\$ 96.23
<b>MODEL F156 VERTICAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1385</b>					
AE131132R2	F56V0BM	135°F	57°C	Brass	S\$ 76.84
AE132132R2	F56V0CM	135°F	57°C	Chrome	S\$ 88.03
AE138732R2	F56V0WM	135°F	57°C	White	S\$ 96.23
AE151132R2		155°F	68°C	Brass	S\$ 76.84
AE152132R2	F56V1CM	155°F	68°C	Chrome	S\$ 88.03
AE158732R2	F56V1WM	155°F	68°C	Poly White	S\$ 96.23
AE171132R2	F56V5BM	175°F	79°C	Brass	S\$ 76.84
AE172132R2	F56V5CM	175°F	79°C	Chrome	S\$ 88.03
AE178732R2	F56V5WM	175°F	79°C	White	S\$ 96.23
AE201132R2	F56V2BM	200°F	93°C	Brass	S\$ 76.84
AE202132R2	F56V2CM	200°F	93°C	Chrome	S\$ 88.03
AE208732R2	F56V2WM	200°F	93°C	Poly White	S\$ 96.23
AE281132R2	F56V3BM	286°F	141°C	Brass	S\$ 76.84
AE282132R2	F56V3CM	286°F	141°C	Chrome	S\$ 88.03
AE288732R2	F56V3WM	286°F	141°C	Poly White	S\$ 96.23
AE361132R2	F56V6BM	360°F	182°C	Brass	S\$ 76.84
AE362132R2	F56V6CM	360°F	182°C	Chrome	S\$ 88.03
AE368732R2	F56V6WM	360°F	182°C	White	S\$ 96.23

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



## G UPRIGHT

- K5.6 = SIN R1025
- K7.96 = SIN R1026 (17/32"x1/2")
- K8.2 = SIN R1027
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025</b>					
5113113299	GU0B	135°F	57°C	Brass	S\$ 71.97
5113213299	GU0C	135°F	57°C	Chrome	S\$ 85.62
5113873299	GU0W	135°F	57°C	White	S\$ 94.17
5116113299	GU1B	165°F	74°C	Brass	S\$ 71.97
5116213299	GU1C	165°F	74°C	Chrome	S\$ 85.62
5116873299	GU1W	165°F	74°C	Poly White	S\$ 94.17
5121113299	GU2B	212°F	100°C	Brass	S\$ 71.97
5121213299	GU2C	212°F	100°C	Chrome	S\$ 85.62
5121873299	GU2W	212°F	100°C	White	S\$ 94.17
5128113299	GU3B	286°F	141°C	Brass	S\$ 71.97
5128213299	GU3C	286°F	141°C	Chrome	S\$ 85.62
5128873299	GU3W	286°F	141°C	White	S\$ 94.17
<b>MODEL G UPRIGHT K8.2 (115) THREADS 3/4" (20MM) R1027</b>					
5113113498	GU0LB	135°F	57°C	Brass	S\$ 86.35
5113213498	GU0LC	135°F	57°C	Chrome	S\$ 103.74
5116113498	GU1LB	165°F	74°C	Brass	S\$ 86.35
5116213498	GU1LC	165°F	74°C	Chrome	S\$ 103.74
5121113498	GU2LB	212°F	100°C	Brass	S\$ 86.35
5121213498	GU2LC	212°F	100°C	Chrome	S\$ 103.74
5128113498	GU3LB	286°F	141°C	Brass	S\$ 86.35
5128213498	GU3LC	286°F	141°C	Chrome	S\$ 103.74
<b>MODEL G UPRIGHT K8.0 (115) THREADS 1/2" (15MM) R1026</b>					
5113113499	GU0LHB	135°F	57°C	Brass	S\$ 110.89
5113213499	GU0LHC	135°F	57°C	Chrome	S\$ 126.99
5116113499	GU1LHB	165°F	74°C	Brass	S\$ 110.89
5116213499	GU1LHC	165°F	74°C	Chrome	S\$ 126.99
5121113499	GU2LHB	212°F	100°C	Brass	S\$ 110.89
5121213499	GU2LHC	212°F	100°C	Chrome	S\$ 126.99
5128113499	GU3LHB	286°F	141°C	Brass	S\$ 110.89
5128213499	GU3LHC	286°F	141°C	Chrome	S\$ 126.99
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86



## G UPRIGHT

- K2.82 = SIN R1021
- K4.24 = SIN R1023
- K4.10 = SIN R1024
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R1021</b>					
5113112499	GU03B	135°F	57°C	Brass	S\$ 98.58
5113212499	GU03C	135°F	57°C	Chrome	S\$ 114.41
5116112499	GU13B	165°F	74°C	Brass	S\$ 98.58
5116212499	GU13C	165°F	74°C	Chrome	S\$ 114.41
5121112499	GU23B	212°F	100°C	Brass	S\$ 98.58
5121212499	GU23C	212°F	100°C	Chrome	S\$ 114.41
5128112499	GU33B	286°F	141°C	Brass	S\$ 98.58
5128212499	GU33C	286°F	141°C	Chrome	S\$ 114.41
<b>MODEL G UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R1023</b>					
5113112899	GU07B	135°F	57°C	Brass	S\$ 98.58
5113212899	GU07C	135°F	57°C	Chrome	S\$ 114.41
5116112899	GU17B	165°F	74°C	Brass	S\$ 98.58
5116212899	GU17C	165°F	74°C	Chrome	S\$ 114.41
5121112899	GU27B	212°F	100°C	Brass	S\$ 98.58
5128112899	GU37B	286°F	141°C	Brass	S\$ 98.58
5128212899	GU37C	286°F	141°C	Chrome	S\$ 114.41

6880050100    WW2    WRENCH,W2(PENDENT,UPRIGHT,HSW)    S\$ 203.86



## G PENDENT

- K5.6 = SIN R1015
- K8.2 = SIN R1017
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015</b>					
5213113299	GP0B	135°F	57°C	Brass	S\$ 71.97
5213213299	GP0C	135°F	57°C	Chrome	S\$ 83.39
5213873299	GP0W	135°F	57°C	White	S\$ 94.17
5216113299	GP1B	165°F	74°C	Brass	S\$ 71.97
5216213299	GP1C	165°F	74°C	Chrome	S\$ 83.39
5216873299	GP1W	165°F	74°C	Poly White	S\$ 94.17
5221113299	GP2B	212°F	100°C	Brass	S\$ 71.97
5221213299	GP2C	212°F	100°C	Chrome	S\$ 83.39
5221873299	GP2W	212°F	100°C	White	S\$ 94.17
5228113299	GP3B	286°F	141°C	Brass	S\$ 71.97
5228213299	GP3C	286°F	141°C	Chrome	S\$ 83.39
5228873299	GP3W	286°F	141°C	White	S\$ 94.17
<b>MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017</b>					
5213113498	GP0LB	135°F	57°C	Brass	S\$ 88.69
5213213498	GP0LC	135°F	57°C	Chrome	S\$ 103.74
5216113498	GP1LB	165°F	74°C	Brass	S\$ 88.69
5216213498	GP1LC	165°F	74°C	Chrome	S\$ 103.74
5221113498	GP2LB	212°F	100°C	Brass	S\$ 88.69
5221213498	GP2LC	212°F	100°C	Chrome	S\$ 103.74
5228113498	GP3LB	286°F	141°C	Brass	S\$ 88.69
5228213498	GP3LC	286°F	141°C	Chrome	S\$ 103.74
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17
6800930000	GF1MB	10mm		Brass	S\$ 37.38
6800900000	GF1MC	10mm		Chrome	S\$ 19.90
6800940003	GF1MW	10mm		Poly White	S\$ 19.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100000	WRC	For Recessed Use RC1 Wrench	S\$ 604.97



### G PENDENT

- K7.96 = SIN R1016
- K2.82 = SIN R1011
- K4.24 = SIN R1013
- K4.10 = SIN R1014
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G PENDENT K2.8 (40) THREADS 1/2" (15MM) R1011</b>					
5213112499	GP03B	135°F	57°C	Brass	S\$ 98.58
5213212499	GP03C	135°F	57°C	Chrome	S\$ 114.41
5216112499	GP13B	165°F	74°C	Brass	S\$ 98.58
5216212499	GP13C	165°F	74°C	Chrome	S\$ 114.41
5221112499	GP23B	212°F	100°C	Brass	S\$ 98.58
5221212499	GP23C	212°F	100°C	Chrome	S\$ 114.41
5228112499	GP33B	286°F	141°C	Brass	S\$ 98.58
5228212499	GP33C	286°F	141°C	Chrome	S\$ 114.41
<b>MODEL G PENDENT K4.2 (60) THREADS 1/2" (15MM) R1013</b>					
5213112899	GP07B	135°F	57°C	Brass	S\$ 98.58
5213212899	GP07C	135°F	57°C	Chrome	S\$ 114.41
5216112899	GP17B	165°F	74°C	Brass	S\$ 98.58
5216212899	GP17C	165°F	74°C	Chrome	S\$ 114.41
5221112899	GP27B	212°F	100°C	Brass	S\$ 98.58
5221212899	GP27C	212°F	100°C	Chrome	S\$ 114.41
5228112899	GP37B	286°F	141°C	Brass	S\$ 98.58
5228212899	GP37C	286°F	141°C	Chrome	S\$ 114.41

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$ 203.86
6880100000	WRC	For Recessed, Use Model RC1 Wrench		S\$ 604.97



**G VSW**

- K-Factor = 5.6 (80)
- **SIN R1285**
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G VERTICAL K5.6 (80) THREADS 1/2" (15MM) R1285</b>					
5413113292	GV0B	135°F	57°C	Brass	S\$ 104.33
5413213292	GV0C	135°F	57°C	Chrome	S\$ 118.01
5416113292	GV1B	165°F	74°C	Brass	S\$ 104.33
5416213292	GV1C	165°F	74°C	Chrome	S\$ 118.01
5421113292	GV2B	212°F	100°C	Brass	S\$ 104.33
5421213292	GV2C	212°F	100°C	Chrome	S\$ 118.01
5428113292	GV3B	286°F	141°C	Brass	S\$ 104.33
5428213292	GV3C	286°F	141°C	Chrome	S\$ 118.01

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      S\$ 203.86




## G HSW

- K5.6 = SIN R1235
- K8.0 w 3/4"NPT = SIN R1237
- K8.0 w 1/2"NPT = SIN R1236
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1235</b>					
5413113299	GH0B	135°F	57°C	Brass	S\$ 101.88
5413213299	GH0C	135°F	57°C	Chrome	S\$ 115.22
5416113299	GH1B	165°F	74°C	Brass	S\$ 101.88
5416213299	GH1C	165°F	74°C	Chrome	S\$ 115.22
5421113299	GH2B	212°F	100°C	Brass	S\$ 101.88
5421213299	GH2C	212°F	100°C	Chrome	S\$ 115.22
5428113299	GH3B	286°F	141°C	Brass	S\$ 101.88
5428213299	GH3C	286°F	141°C	Chrome	S\$ 115.22
<b>MODEL G HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R1237</b>					
5413113498	GH0LB	135°F	57°C	Brass	S\$ 115.07
5413213498	GH0LC	135°F	57°C	Chrome	S\$ 127.33
5416113498	GH1LB	165°F	74°C	Brass	S\$ 115.07
5416213498	GH1LC	165°F	74°C	Chrome	S\$ 127.33
5421113498	GH2LB	212°F	100°C	Brass	S\$ 115.07
5421213498	GH2LC	212°F	100°C	Chrome	S\$ 127.33
5428113498	GH3LB	286°F	141°C	Brass	S\$ 115.07
5428213498	GH3LC	286°F	141°C	Chrome	S\$ 127.33
<b>MODEL G HORIZONTAL K8.0 (115) THREADS 1/2" (15MM) 1236</b>					
5413113499	GH0LHB	135°F	57°C	Brass	S\$ 137.47
5413213499	GH0LHC	135°F	57°C	Chrome	S\$ 149.61
5416113499	GH1LHB	165°F	74°C	Brass	S\$ 137.47
5416213499	GH1LHC	165°F	74°C	Chrome	S\$ 149.61
5421113499	GH2LHB	212°F	100°C	Brass	S\$ 137.47
5421213499	GH2LHC	212°F	100°C	Chrome	S\$ 149.61
5428113499	GH3LHB	286°F	141°C	Brass	S\$ 137.47
5428213499	GH3LHC	286°F	141°C	Chrome	S\$ 149.61
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17
6800930000	GF1MB	10mm		Brass	S\$ 37.38
6800900000	GF1MC	10mm		Chrome	S\$ 19.90
6800940003	GF1MW	10mm		Poly White	S\$ 19.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



## G HSW

- K2.8 = SIN R1231
- K4.2 = SIN R1233
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G HORIZONTAL K2.8 (40) THREADS 1/2" (15MM) R1231</b>					
5413112499	GH03B	135°F	57°C	Brass	S\$ 127.33
5413212499	GH03C	135°F	57°C	Chrome	S\$ 138.94
5416112499	GH13B	165°F	74°C	Brass	S\$ 127.33
5416212499	GH13C	165°F	74°C	Chrome	S\$ 138.94
5421112499	GH23B	212°F	100°C	Brass	S\$ 127.33
5421212499	GH23C	212°F	100°C	Chrome	S\$ 138.94
5428112499	GH33B	286°F	141°C	Brass	S\$ 127.33
5428212499	GH33C	286°F	141°C	Chrome	S\$ 138.94
<b>MODEL G HORIZONTAL K4.2 (60) THREADS 1/2" (15MM) R1233</b>					
5413112899	GH07B	135°F	57°C	Brass	S\$ 127.33
5413212899	GH07C	135°F	57°C	Chrome	S\$ 138.94
5416112899	GH17B	165°F	74°C	Brass	S\$ 127.33
5416212899	GH17C	165°F	74°C	Chrome	S\$ 138.94
5421112899	GH27B	212°F	100°C	Brass	S\$ 127.33
5421212899	GH27C	212°F	100°C	Chrome	S\$ 138.94
5428112899	GH37B	286°F	141°C	Brass	S\$ 127.33
5428212899	GH37C	286°F	141°C	Chrome	S\$ 138.94
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17
6800930000	GF1MB	10mm		Brass	S\$ 37.38
6800900000	GF1MC	10mm		Chrome	S\$ 19.90
6800940003	GF1MW	10mm		Poly White	S\$ 19.90
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97





**G RECESSED**

**Non-Adjustable -**


- K2.8 = SIN R1011
- K4.2 = SIN R1013
- K5.6 = SIN R1015
- K8.0 = SIN R1016
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G RECESSED K5.6 (80) THREADS 1/2" (15MM) R1015</b>					
5513343270	GR0B	135°F	57°C	W/O	S\$ 105.92
5513323270	GR0C	135°F	57°C	W/O	S\$ 97.82
5513463270	GR0W	135°F	57°C	Poly White	S\$ 105.92
5516343270	GR1B	165°F	74°C	Brass	S\$ 105.92
5516323270	GR1C	165°F	74°C	Chrome	S\$ 97.82
5516463270	GR1W	165°F	74°C	Poly White	S\$ 105.92
5521343270	GR2B	212°F	100°C	W/O	S\$ 105.92
5521323270	GR2C	212°F	100°C	Chrome	S\$ 97.82
5521463270	GR2W	212°F	100°C	W/O	S\$ 105.92
<b>MODEL G RECESSED K8.0 (115) THREADS 1/2" (15MM) R1016</b>					
5513343470	GR0LHB	135°F	57°C	W/O	S\$ 128.68
5513323470	GR0LHC	135°F	57°C	W/O	S\$ 125.08
5516343470	GR1LHB	165°F	74°C	Brass	S\$ 128.68
5516323470	GR1LHC	165°F	74°C	Chrome	S\$ 125.08
5521343470	GR2LHB	212°F	100°C	W/O	S\$ 128.68
5521323470	GR2LHC	212°F	100°C	Chrome	S\$ 125.08
<b>MODEL G RECESSED K2.8 (40) THREADS 1/2" (15MM) R1011</b>					
5513342470	GR03B	135°F	57°C	W/O	S\$ 144.21
5513322470	GR03C	135°F	57°C	W/O	S\$ 136.84
5516342470	GR13B	165°F	74°C	Brass	S\$ 144.21
		°F	°C		S\$ Call
5521342470	GR23B	212°F	100°C	W/O	S\$ 144.21
5521322470	GR23C	212°F	100°C	Chrome	S\$ 136.84
<b>MODEL G RECESSED ESCUTCHEONS</b>					
6801361101	GRB	Threaded		Brass	S\$ 59.76
6801362101	GRC	Threaded		Chrome	S\$ 31.26
6801367201	GRW	Threaded		White	S\$ 31.26
6801369001	GRSP	Threaded		Specialty	S\$ 76.86

6880100000      WRC      Requires Model RC1 Sprinkler Wrench      S\$ 604.97

**Notes:**

Sprinklers and Escutcheons sold and packaged separately



**G (CONT.)**

- K4.2 = SIN R1013
- K5.6 1" M AND 1" F SIN R1118
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G RECESSED K4.2 (40) THREADS 1/2" (15MM) R1013</b>					
5513342870	GR07B	135°F	57°C	W/O	S\$ 144.21
5513322870	GR07C	135°F	57°C	W/O	S\$ 136.84
5516342870	GR17B	165°F	74°C	Brass	S\$ 144.21
		°F	°C		S\$ Call
5521342870	GR27B	212°F	100°C	W/O	S\$ 144.21
5521322870	GR27C	212°F	100°C	Chrome	S\$ 136.84
<b>MODEL G RECESSED ESCUTCHEONS</b>					
6801361101	GRB	Threaded		Brass	S\$ 59.76
6801362101	GRC	Threaded		Chrome	S\$ 31.26
6801367201	GRW	Threaded		White	S\$ 31.26
6801369001	GRSP	Threaded		Specialty	S\$ 76.86

6880100000      WRC      For Recessed Use Model RC1 Wrench      S\$ 604.97

**Notes:**

Sprinklers and Escutcheons sold and packaged separately



### G4 CONCEALED

- K2.8 = SIN R2111
- K4.2 = SIN R2113
- K5.6 = SIN R2115
- See Bulletin 121

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G4 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R2115</b>				
5713173299	G40	135°F 57°C	W/O	S\$ 103.65
5716173299	G41	165°F 74°C	W/O	S\$ 100.57
5721173299	G42	212°F 100°C	W/O	S\$ 103.65
<b>MODEL G4 CONCEALED K2.8 (40) THREADS 1/2" (15MM) R2111</b>				
5713172499	G403	135°F 57°C	W/O	S\$ 110.59
5716172499	G413	165°F 74°C	W/O	S\$ 110.59
5721172499	G423	212°F 100°C	W/O	S\$ 110.59
<b>MODEL G4 CONCEALED K4.2 (60) THREADS 1/2" (15MM) R2113</b>				
5713172899	G407	135°F 57°C	W/O	S\$ 110.59
5716172899	G417	165°F 74°C	W/O	S\$ 110.59
5721172899	G427	212°F 100°C	W/O	S\$ 110.59
<b>MODEL G5 COVER PLATES</b>				
6887271321	CG50C	135°F 57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F 57°C	White	S\$ 68.24
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 96.53
6887271374	CG50OW	135°F 57°C	Off-White	S\$ 92.82
6887271316	CG50FB	135°F 57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F 57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F 57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F 57°C	Stainless Steel	S\$ 117.81
6887271311	CG50B	135°F 57°C	Finished Bronze	S\$ 97.32
6887271319	CG50EW	135°F 57°C	Euro White	S\$ 68.24
6887271621	CG51C	165°F 74°C	Chrome	S\$ 74.87
6887271672	CG51W	165°F 74°C	White	S\$ 68.24
6887271690	CG51SP	165°F 74°C	Specialty	S\$ 96.53
6887271674	CG51OW	165°F 74°C	Off-White	S\$ 92.82
6887271690	CG51SP	165°F 74°C	Specialty	S\$ 96.53
6887271616	CG51FB	165°F 74°C	Black Painted	S\$ 92.94
6887271605	CG51BB	165°F 74°C	Bright Brass	S\$ 117.81
6887271623	CG51CD	165°F 74°C	Satin Chrome	S\$ 117.81
6887271610	CG51SS	165°F 74°C	Stainless Steel	S\$ 117.81
6887271619	CG51EW	165°F 74°C	Euro White	S\$ 68.24

6880170000      WG4      Requires Model G4 Sprinkler Wrench      S\$ 602.61

**Notes:**

Sprinklers and coverplates sold and packaged separately



**G4 -11CONCEALED**

- K11.2 = SIN R101
- See Bulletin 086

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G4 -11 CONCEALED K11.2 (160) THREADS 3/4" R101</b>					
1716173698	G4111	165°F	74°C	W/O	S\$ 222.30
1721173698	G4112	212°F	100°C	W/O	S\$ 222.30
<b>MODEL G5 SR GASKET COVER PLATES</b>					
6887031372	CG4S0W	135°F	57°C	White	S\$ 174.54
6887031672	CG4S1W	165°F	74°C	White	S\$ 174.54
<b>MODEL G5 QR GASKET COVER PLATES</b>					
6887201372	CG5S0W	135°F	57°C	White	S\$ 174.54
6887201672	CG5S1W	165°F	74°C	White	S\$ 174.54
<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 96.53
6887271374	CG50OW	135°F	57°C	Off-White	S\$ 92.82
6887271316	CG50FB	135°F	57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F	57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F	57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 117.81
6887271311	CG50B	135°F	57°C	Finished Bronze	S\$ 97.32
6887271319	CG50EW	135°F	57°C	Euro White	S\$ 68.24
6887271621	CG51C	165°F	74°C	Chrome	S\$ 74.87
6887271672	CG51W	165°F	74°C	White	S\$ 68.24
6887271690	CG51SP	165°F	74°C	Specialty	S\$ 96.53
6887271674	CG51OW	165°F	74°C	Off-White	S\$ 92.82
6887271690	CG51SP	165°F	74°C	Specialty	S\$ 96.53
6887271616	CG51FB	165°F	74°C	Black Painted	S\$ 92.94
6887271605	CG51BB	165°F	74°C	Bright Brass	S\$ 117.81
6887271623	CG51CD	165°F	74°C	Satin Chrome	S\$ 117.81
6887271610	CG51SS	165°F	74°C	Stainless Steel	S\$ 117.81
6887271619	CG51EW	165°F	74°C	Euro White	S\$ 68.24
6880170000	WG4	Requires Model G4 Sprinkler Wrench			S\$ 602.61

**Notes:**

Sprinklers and coverplates sold and packaged separately



**G4-300  
 CONCEALED**

- K-Factor = 5.6 (80)
- **SIN R6115**
- See Bulletin 161

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G4 - 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R6115</b>				
57A1173299	G40300	135°F 57°C	W/O	S\$ 107.38
57A2173299	G41300	165°F 74°C	W/O	S\$ 107.38
57A6173299	G42300	212°F 100°C	W/O	S\$ 107.38
<b>MODEL G5 COVER PLATES</b>				
6887271321	CG50C	135°F 57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F 57°C	White	S\$ 68.24
6887271311	CG50B	135°F 57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F 57°C	Off-White	S\$ 92.82
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F 57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F 57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F 57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F 57°C	Stainless Steel	S\$ 117.81
6887271319	CG50EW	135°F 57°C	Euro White	S\$ 68.24
6887271621	CG51C	165°F 74°C	Chrome	S\$ 74.87
6887271672	CG51W	165°F 74°C	White	S\$ 68.24
6887271611	CG51B	165°F 74°C	Finished Bronze	S\$ 97.32
6887271674	CG51OW	165°F 74°C	Off-White	S\$ 92.82
6887271690	CG51SP	165°F 74°C	Specialty	S\$ 96.53
6887271616	CG51FB	165°F 74°C	Black Painted	S\$ 92.94
6887271605	CG51BB	165°F 74°C	Bright Brass	S\$ 117.81
6887271623	CG51CD	165°F 74°C	Satin Chrome	S\$ 117.81
6887271610	CG51SS	165°F 74°C	Stainless Steel	S\$ 117.81
6887271619	CG51EW	165°F 74°C	Euro White	S\$ 68.24

6880170000      WG4      Requires Model G4 Sprinkler Wrench      S\$ 602.61

**Notes:**

Sprinklers and coverplates sold and packaged separately



## G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417</b>					
1916173497	G5801BFM	165°F	74°C	W/O	S\$138.66
1921173497	G5802BFM	212°F	100°C	W/O	S\$138.66
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417</b>					
1916173494	G5801MFM	165°F	74°C	W/O	S\$138.66
1921173494	G5802MFM	212°F	100°C	W/O	S\$138.66
<b>MODEL G5 COVERPLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271311	CG50B	135°F	57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F	57°C	Off-White	S\$ 92.82
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F	57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F	57°C	Bright Brass	S\$117.81
6887271323	CG50CD	135°F	57°C	Satin Chrome	S\$117.81
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$117.81
6887271319	CG50EW	135°F	57°C	Euro White	S\$ 68.24
6887271621	CG51C	165°F	74°C	Chrome	S\$ 74.87
6887271672	CG51W	165°F	74°C	White	S\$ 68.24
6887271611	CG51B	165°F	74°C	Finished Bronze	S\$ 97.32
6887271674	CG51OW	165°F	74°C	Off-White	S\$ 92.82
6887271690	CG51SP	165°F	74°C	Specialty	S\$ 96.53
6887271616	CG51FB	165°F	74°C	Black Painted	S\$ 92.94
6887271605	CG51BB	165°F	74°C	Bright Brass	S\$117.81
6887271610	CG51SS	165°F	74°C	Stainless Steel	S\$117.81
6887271623	CG51CD	165°F	74°C	Satin Chrome	S\$117.81
6887271619	CG51EW	165°F	74°C	Euro White	S\$ 68.24

6880170020	WFC	WRENCH,FC,CONCEALED	S\$ 608.21
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	S\$ 608.21

### Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



### G5-80 SR "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

### G5-80F "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3417**
- See Bulletin 034

### G5-56 SR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

### G5-42 SR "Sealing" Concealed

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

### G5-28 SR "Sealing" Concealed

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G5-80 SR SEALING CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412</b>				
1916173498	G5801B	165°F 74°C	W/O	S\$ 131.45
1921173498	G5802B	212°F 100°C	W/O	S\$ 131.45
<b>MODEL G5-80F SEALING CONCEALED K8.0 (115) 3/4" (20MM) RA3417</b>				
1916173497	G5801BFM	165°F 74°C	W/O	S\$ 138.66
1921173497	G5802BFM	212°F 100°C	W/O	S\$ 138.66
<b>MODEL G5-80F SEALING CONCEALED K8.0 (115) BSPT 3/4" (20MM) RA3417</b>				
1916173494	G5801MFM	165°F 74°C	W/O	S\$ 138.66
1921173494	G5802MFM	212°F 100°C	W/O	S\$ 138.66
<b>MODEL G5-56 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415</b>				
1916173299	G51B	165°F 74°C	W/O	S\$ 106.00
1921173299	G52B	212°F 100°C	W/O	S\$ 106.00
<b>MODEL G5-42 SR SEALING CONCEALED K4.2 (60) THREADS 1/2" RA3413</b>				
1916172899	G5421B	165°F 74°C	W/O	S\$ 131.45
1921172899	G5422B	212°F 100°C	W/O	S\$ 131.45
<b>MODEL G5-28 SR SEALING CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411</b>				
1916172499	G5281B	165°F 74°C	W/O	S\$ 131.45
1921172499	G5282B	212°F 100°C	W/O	S\$ 131.45
<b>MODEL G5 SEALING CONCEALED COVER PLATES</b>				
6887031372	CG4S0W	135°F 57°C	White	S\$ 174.54
6887031672	CG4S1W	165°F 74°C	White	S\$ 174.54
6887031310	CG4S0SS	135°F 57°C	Stainless Steel	S\$ 188.51
6887031610	CG4S1SS	165°F 74°C	Stainless Steel	S\$ 188.51

6880170020	WFC	Requires Model FC Wrench	S\$ 608.21
------------	-----	--------------------------	------------

**Notes:**

Sprinklers and coverplates sold and packaged separately



**G5-56 300 SR  
 "Sealing"  
 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-56 300 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014</b>					
2016173299	G51B3	165°F	74°C	W/O	S\$ 112.02
<b>MODEL G5 SEALING CONCEALED COVER PLATE</b>					
6887031372	CG4S0W	135°F	57°C	White	S\$ 174.54
6887031672	CG4S1W	165°F	74°C	White	S\$ 174.54
6887031310	CG4S0SS	135°F	57°C	Stainless Steel	S\$ 188.51
6887031610	CG4S1SS	165°F	74°C	Stainless Steel	S\$ 188.51
6880170020	WFC	Requires Model FC Wrench			S\$ 608.21

**Notes:**

Sprinklers and coverplates sold and packaged separately





**G6-80 HSW QR EC**


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762</b>					
2116173498	G61B	165°F	74°C	W/O	S\$ 248.08
<b>MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762</b>					
2116173495	G61BM	165°F	74°C	W/O	S\$ 248.08
<b>MODEL G6 PLAIN COVERPLATES</b>					
6887211311	CG60B	135°F	57°C	Finished Bronze	S\$ 98.74
6887211321	CG60C	135°F	57°C	Chrome	S\$ 68.24
6887211372	CG60W	135°F	57°C	White	S\$ 68.24
6887211390	CG60SP	135°F	57°C	Specialty	S\$ 102.96

6880101010      WG6      Requires Model G6 Sprinkler Wrench      S\$ 602.61

**Notes:**


Sprinkler and cover plates packaged and sold separately



## JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326</b>				
L192114198	JL112U1B	165°F 74°C	Brass	S\$ 142.82
L192214198	JL112U1C	165°F 74°C	Chrome	S\$ 148.32
L192874198	JL112U1W	165°F 74°C	White	S\$ 148.32
L194114198	JL112U2B	212°F 100°C	Brass	S\$ 142.82
L194214198	JL112U2C	212°F 100°C	Chrome	S\$ 148.32
L194874198	JL112U2W	212°F 100°C	White	S\$ 148.32
<b>MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326</b>				
L292114198	J112U1B	155°F 68°C	Brass	S\$ 144.71
L292214198	J112U1C	155°F 68°C	Chrome	S\$ 150.12
L292874198	J112U1W	155°F 68°C	White	S\$ 150.12
L292104198	J112U1SS	155°F 68°C	Stainless Steel	S\$ 1,346.32
L294114198	J112U2B	200°F 93°C	Brass	S\$ 144.71
L294214198	J112U2C	200°F 93°C	Chrome	S\$ 150.12
L294874198	J112U2W	200°F 93°C	Poly White	S\$ 150.12
L294104198	J112U2SS	200°F 93°C	Stainless Steel	S\$ 1,346.32



## JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216</b>				
L172114198	JL112P1B	165°F 74°C	Brass	S\$ 142.82
L172214198	JL112P1C	165°F 74°C	Chrome	S\$ 148.32
L172874198	JL112P1W	165°F 74°C	Poly White	S\$ 148.32
L174114198	JL112P2B	212°F 100°C	Brass	S\$ 142.82
L174214198	JL112P2C	212°F 100°C	Chrome	S\$ 148.32
L174874198	JL112P2W	212°F 100°C	Poly White	S\$ 148.32
<b>MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216</b>				
L272114198	J112P1B	155°F 68°C	Brass	S\$ 144.71
L272214198	J112P1C	155°F 68°C	Chrome	S\$ 150.12
L272874198	J112P1W	155°F 68°C	Poly White	S\$ 150.12
L272104198	J112P1SS	155°F 68°C	Stainless Steel	S\$ 1,346.32
L274114198	J112P2B	200°F 93°C	Brass	S\$ 144.71
L274214198	J112P2C	200°F 93°C	Chrome	S\$ 150.12
L274874198	J112P2W	200°F 93°C	White	S\$ 150.12
L274104198	J112P2SS	200°F 93°C	Stainless Steel	S\$ 1,346.32

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>				
6801030000	GF1LB	3/4" (20mm)	Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)	Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)	White	S\$ 20.17
6800970010	GF1LSS	3/4" (20mm)	Stainless Steel	S\$118.78
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>				
6800880004	GF2LB	3/4" (20mm)	Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)	Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)	White	S\$ 20.17
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON</b>				
6801402100	FPLC	3/4" (20mm)	Chrome	S\$ 38.90
6801407200	FPLW	3/4" (20mm)	White	S\$ 38.90
6801401000	FPLSS	3/4" (20mm)	Stainless Steel	S\$178.18

6880090000 WJ1 Upright & Pendent Requires Model J1 Sprinkler Wrench S\$242.47  
6880170032 WRJ Rec Pendent Requires Model J112 Sprinkler Wrench S\$602.61



### F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



### F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BB131130R9	F1FR56EC0B	135°F	57°C	Brass	S\$ 109.66
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome	S\$ 120.21
BB138730R9	F1FR56EC0W	135°F	57°C	Poly White	S\$ 125.73
BB151130R9	F1FR56EC1B	155°F	68°C	Brass	S\$ 109.66
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome	S\$ 120.21
BB158730R9	F1FR56EC1W	155°F	68°C	White	S\$ 125.73
<b>MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BJ131139S8	F1FRECO0LBN	135°F	57°C	Brass	S\$ 116.32
BJ132139S8	F1FRECO0LCN	135°F	57°C	Chrome	S\$ 126.74
BJ138739S8	F1FRECO0LWN	135°F	57°C	White	S\$ 136.80
BJ151139S8	F1FRECO1LBN	155°F	68°C	Brass	S\$ 116.32
BJ152139S8	F1FRECO1LCN	155°F	68°C	Chrome	S\$ 126.74
BJ158739S8	F1FRECO1LWN	155°F	68°C	White	S\$ 136.80
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17
6800890004	GF2MB	10mm		Bronze	S\$ 37.41
6800890001		10mm		Chrome	S\$ 21.60
6800890005	GF2MW	10mm		White	S\$ 19.34

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW		S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 604.97



### F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045</b>					
BH131132R9	F1FR56EC0B3	135°F	57°C	Brass	S\$ 121.08
BH132132R9	F1FR56EC0C3	135°F	57°C	Chrome	S\$ 125.95
BH138732R9	F1FR56EC0W3	135°F	57°C	Poly White	S\$ 137.79
		°F	°C		S\$ Call
BH152132R9	F1FR56EC1C3	155°F	68°C	Chrome	S\$ 125.95
BH158732R9	F1FR56EC1W3	155°F	68°C	Poly White	S\$ 131.58
<b>MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942</b>					
BH131139S8	F1FRECO0LB3N	135°F	57°C	Brass	S\$ 120.73
BH132139S8	F1FRECO0LC3N	135°F	57°C	Chrome	S\$ 131.58
BH138739S8	F1FRECO0LW3N	135°F	57°C	Poly White	S\$ 142.06
BH151139S8	F1FRECO1LB3N	155°F	68°C	Brass	S\$ 120.73
BH152139S8	F1FRECO1LC3N	155°F	68°C	Chrome	S\$ 131.58
BH158739S8	F1FRECO1LW3N	155°F	68°C	Poly White	S\$ 142.06
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17



### F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 604.97



**FIFR80-300 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



**F1FR80-300 QREC RECESSED HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962</b>					
		°F	°C		S\$ Call
		°F	°C		S\$ Call
		°F	°C		S\$ Call
BH151135S8	F1FREC91B3N	155°F	68°C	Brass	S\$ 112.14
BH152135S8	F1FREC91C3N	155°F	68°C	Chrome	S\$ 119.04
BH158735S8	F1FREC91W3N	155°F	68°C	White	S\$ 126.53
BH171135S8	F1FREC95B3N	175°F	79°C	Brass	S\$ 112.14
BH172135S8	F1FREC95C3N	175°F	79°C	Chrome	S\$ 119.04
BH178735S8	F1FREC95W3N	175°F	79°C	Poly White	S\$ 126.53
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 604.97



**F1FR56 QREC  
 HORIZONTAL  
 SIDEWALL (EC-8  
 DEFLECTOR)**

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



**F1FR80 QREC  
 HORIZONTAL  
 SIDEWALL (EC-9  
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865</b>				
BD131130R9	F1FR56EC80B	135°F 57°C	Brass	S\$ 99.58
BD132130R9	F1FR56EC80C	135°F 57°C	Chrome	S\$ 105.82
BD138730R9	F1FR56EC80W	135°F 57°C	Poly White	S\$ 113.52
BD151130R9	F1FR56EC81B	155°F 68°C	Brass	S\$ 99.58
BD152130R9	F1FR56EC81C	155°F 68°C	Chrome	S\$ 105.82
BD158730R9	F1FR56EC81W	155°F 68°C	White	S\$ 113.52
BD171130R9	F1FR56EC85B	175°F 79°C	Brass	S\$ 99.58
BD172130R9	F1FR56EC85C	175°F 79°C	Chrome	S\$ 105.82
BD178730R9	F1FR56EC85W	175°F 79°C	Poly White	S\$ 113.52
<b>MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862</b>				
BK13113598	F1FRECC90B	135°F 57°C	Brass	S\$ 106.86
BK132135S8	F1FRECC90CN	135°F 57°C	Chrome	S\$ 113.52
BK138735S8	F1FRECC90WN	135°F 57°C	Poly White	S\$ 120.70
BK151135S8	F1FRECC91BN	155°F 68°C	Brass	S\$ 106.86
BK152135S8	F1FRECC91CN	155°F 68°C	Chrome	S\$ 113.52
BK158735S8	F1FRECC91WN	155°F 68°C	Poly White	S\$ 120.70
BK171135S8	F1FRECC95BN	175°F 79°C	Brass	S\$ 106.86
BK172135S8	F1FRECC95CN	175°F 79°C	Chrome	S\$ 113.52
BK178735S8	F1FRECC95WN	175°F 79°C	White	S\$ 120.70
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.17
6800880004	GF2LB	3/4" (20mm)	Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)	Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)	White	S\$ 20.17
6800890004	GF2MB	10mm	Bronze	S\$ 37.41
6800890001		10mm	Chrome	S\$ 21.60
6800890005	GF2MW	10mm	White	S\$ 19.34

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



### F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

### F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

### F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- SIN RA3045
- See Bulletin 030
- **300 PSI**

### F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BM131730R9	F1FR56CE0	135°F	57°C	W/O	S\$ 94.12
BM151730R9	F1FR56CE1	155°F	68°C	W/O	S\$ 94.12
<b>MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BM131739S8	F1FRCEL0N	135°F	57°C	W/O	S\$ 92.52
BM151739S8	F1FRCEL1N	155°F	68°C	W/O	S\$ 92.52
<b>MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045</b>					
BH131730R9	F1FR56CE03	135°F	57°C	W/O	S\$ 97.75
BH151730R9	F1FR56CE13	155°F	68°C	W/O	S\$ 97.75
<b>MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942</b>					
		°F	°C		S\$ Call
BH151739S8	F1FRCE1L3N	155°F	68°C	W/O	S\$ 97.75
<b>REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
<b>REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT</b>					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.79

6880100000      WRC      Requires Model RC1 Sprinkler Wrench      S\$ 604.97

**Notes:**

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



**DH56**

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



**DH56 CONCEALED**

**DH56 CONCEALED**

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BU151132S9	DH561BN	155°F	68°C	Brass	S\$ 117.70
BU152132S9	DH561CN	155°F	68°C	Chrome	S\$ 129.10
BU158732S9	DH561WN	155°F	68°C	Poly White	S\$ 129.10
BU201132S9	DH562BN	200°F	93°C	Brass	S\$ 117.70
BU202132S9	DH562CN	200°F	93°C	Chrome	S\$ 129.10
BU208732S9	DH562WN	200°F	93°C	Poly White	S\$ 129.10
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17

<b>MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BT15173299	DH56C1	155°F	68°C	W/O	S\$ 125.28
BT20173299	DH56C2	200°F	93°C	W/O	S\$ 125.28
<b>REQUIRED SWC COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131618	CHWNS1	165°F	74°C	Flat White	S\$ 64.51

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
------------	-----	---------------------------------	--	--	------------

**Notes:**

Sprinkler and cover plates sold and packaged separately





### DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



### DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BU151139S8	DH1BN	155°F	68°C	Brass	S\$ 126.65
BU152139S8	DH1CN	155°F	68°C	Chrome	S\$ 136.86
BU158739S8	DH1WN	155°F	68°C	White	S\$ 136.86
<b>FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	S\$ 38.90
6801407200	FPLW	3/4" (20mm)		White	S\$ 38.90
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17
<b>MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BT15173998	DHC1	155°F	68°C	W/O	S\$ 134.38
<b>MODEL SWC-NS COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97

**Notes:**

Sprinkler and coverplates sold and packaged separately



**G4XLO EC QUICK RESPONSE**

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

**NEW**



**KFR-CCS Combustible Concealed Space**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature	Finish	List Price
-------------	------------	-------------	--------	------------

**MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146**

1716174198	G4XLO	165°F 74°C	W/O	S\$ 141.77
1721174198	G4XLO2	212°F 100°C	W/O	S\$ 141.77

**MODEL G5 COVER PLATES**

6887271321	CG50C	135°F 57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F 57°C	White	S\$ 68.24
6887271311	CG50B	135°F 57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F 57°C	Off-White	S\$ 92.82
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F 57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F 57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F 57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F 57°C	Stainless Steel	S\$ 117.81
6887271321	CG50C	135°F 57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F 57°C	White	S\$ 68.24
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 96.53

6880170000 WG4 Wrench, W4, Recessed, Concealed S\$ 602.61

Part Number	Short Code	Temperature	Finish	List Price
-------------	------------	-------------	--------	------------

**MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454**

MN211132R9	KFRCCS	212°F 100°C	Brass	S\$ 130.19
------------	--------	-------------	-------	------------

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW S\$ 203.86



**SWC QREC**

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962</b>					
BM13173498	CEC9	135°F	57°C	W/O	S\$ 111.66
BM15173498	CEC91	155°F	68°C	W/O	S\$ 111.66
<b>MODEL SWC-NS COVERPLATES</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 96.73

6880100120      WW4                      Wrench, W4, Recessed, Concealed                      S\$ 604.97

**Notes:**

Covers can not be plated - only painted.  
 Sprinkler and coverplates sold and packaged separately



### F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



### F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745</b>					
AB131130R9	F56ECP0B	135°F	57°C	Brass	S\$ 98.05
AB138730R9	F56ECP0W	135°F	57°C	White	S\$ 105.76
AB151130R9	F56ECP1B	155°F	68°C	Brass	S\$ Call
AB152130R9	F56ECP1C	155°F	68°C	Chrome	S\$ Call
		°F	°C		S\$ Call
<b>MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742</b>					
AJ13113998	FECF0LB	135°F	57°C	Brass	S\$ 106.98
AJ13213998	FECF0LC	135°F	57°C	Chrome	S\$ 106.98
AJ13873998	FECF0LW	135°F	57°C	Poly White	S\$ 114.95
AJ15113998	FECF1LB	155°F	68°C	Brass	S\$ 106.98
AJ15213998	FECF1LC	155°F	68°C	Chrome	S\$ 106.98
AJ15873998	FECF1LW	155°F	68°C	White	S\$ 114.95
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17
6800930000	GF1MB	10mm		Bronze	S\$ 37.38
6800900000	GF1MC	10mm		Chrome	S\$ 19.90
6800940003	GF1MW	10mm		Poly White	S\$ 19.90
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.41
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.17
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.17

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 604.97



### F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



### F1-300 EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI</b>					
		°F	°C		S\$ Call
AH13213299	FEC3P0C3	135°F	57°C	Chrome	S\$ 104.96
		°F	°C		S\$ Call
AH15113299	FEC3P1B3	155°F	68°C	Brass	S\$ 95.71
		°F	°C		S\$ Call
		°F	°C		S\$ Call
<b>MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI</b>					
AH13113998	FEC3P0LB3	135°F	57°C	Brass	S\$ 104.96
AH13213998	FEC3P0LC3	135°F	57°C	Chrome	S\$ 114.06
AH13873998	FEC3P0LW3	135°F	57°C	White	S\$ 122.13
AH15113998	FEC3P1LB3	155°F	68°C	Brass	S\$ 104.96
AH15213998	FEC3P1LC3	155°F	68°C	Chrome	S\$ 114.06
AH15873998	FEC3P1LW3	155°F	68°C	White	S\$ 122.13
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.41
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.17
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.17

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 604.97



### GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553</b>					
0116114598	GFRUV1B	165°F	74°C	Brass	S\$ 220.93
0116214598	GFRUV1C	165°F	74°C	Chrome	S\$ 229.69
0121114598	GFRUV2B	212°F	100°C	Brass	S\$ 220.93
0121214598	GFRUV2C	212°F	100°C	Chrome	S\$ 229.69

6880070000 WH Requires Model H Sprinkler Wrench S\$ 242.47

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043</b>					
FB16114598	GFRPV1B	165°F	74°C	Brass	S\$169.01
FB16214598	GFRPV1C	165°F	74°C	Chrome	S\$175.81
FB16874598	GFRPV1W	165°F	74°C	White	S\$183.35
FB21114598	GFRPV2B	212°F	100°C	Brass	S\$169.01
FB21214598	GFRPV2C	212°F	100°C	Chrome	S\$175.81
FB21874598	GFRPV2W	212°F	100°C	White	S\$183.35

6880070000 WH Requires Model H Sprinkler Wrench S\$ 242.47

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing S\$ 317.77

\*Recessing available.



### GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160



**MBEC-14**

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932</b>					
4816114597	MB1B	165°F	74°C	Brass	S\$ 183.63
4816214597	MB1C	165°F	74°C	Chrome	S\$ 210.68
4816874597	MB1W	165°F	74°C	White	S\$ 210.68
4821114597	MB2B	212°F	100°C	Brass	S\$ 183.63
4821214597	MB2C	212°F	100°C	Chrome	S\$ 210.68
4821874597	MB2W	212°F	100°C	White	S\$ 210.68

6880070000	WH	Requires Model H Sprinkler Wrench	S\$ 242.47
------------	----	-----------------------------------	------------



### F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



### F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



### KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511</b>				
CM15172199	30CCP1	155°F 68°C	W/O	S\$ 97.17
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>				
6887161321	CCP0C76	135°F 57°C	Chrome	S\$161.66
6887161318	CCP0W76	135°F 57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F 57°C	Specialty	S\$105.79
6887171321	CCP05C76	135°F 57°C	Chrome	S\$161.66
6887171318	CCP05W76	135°F 57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F 57°C	Specialty	S\$105.79
<b>MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511</b>				
CV151121S9	30BN	155°F 68°C	Brass	S\$109.28
CV152121S9	30CN	155°F 68°C	Chrome	S\$106.12
CV158721S9	30WN	155°F 68°C	Poly White	S\$106.12
CV171121S9	30B5N	175°F 79°C	Brass	S\$109.28
CV172121S9	30C5N	175°F 79°C	Chrome	S\$106.12
CV178721S9	30W5N	175°F 79°C	White	S\$106.12
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED		S\$ 604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)		S\$ 203.86
<b>MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591</b>				
MV161121R9	KRES301B	165°F 74°C	Brass	S\$109.28
MV162121R9	KRES301C	165°F 74°C	Chrome	S\$106.12
MV168721R9	KRES301W	165°F 74°C	Poly White	S\$106.12
MV211121R9	KRES302B	212°F 100°C	Brass	S\$109.28
MV212121R9	KRES302C	212°F 100°C	Chrome	S\$106.12
MV218721R9	KRES302W	212°F 100°C	Poly White	S\$106.12
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)		S\$ 203.86
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)		S\$ 604.97
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED		S\$ 604.97
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.17





**F1RES 49 Pendant & Recessed Pendant**

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135



**KRES49 Pendant & Recessed Pendant**

- K-Factor = 4.9 (71)
- **SIN R3596**
- See Bulletin 935
- Link Version



**F1RES 49 CCP**

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516</b>					
CV151128S9	49BN	155°F	68°C	Brass	\$S\$109.28
CV152128S9	49CN	155°F	68°C	Chrome	\$S\$106.12
CV158728S9	49WN	155°F	68°C	White	\$S\$106.12
CV171128S9	49B5N	175°F	79°C	Brass	\$S\$109.28
CV172128S9	49C5N	175°F	79°C	Chrome	\$S\$106.12
CV178728S9	49W5N	175°F	79°C	White	\$S\$106.12

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$S\$ 604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$S\$ 203.86

<b>MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK</b>					
MV161128R9	KRES491B	165°F	74°C	Brass	\$S\$109.28
MV162128R9	KRES491C	165°F	74°C	Chrome	\$S\$106.12
MV168728R9	KRES491W	165°F	74°C	Poly White	\$S\$106.12
MV211128R9	KRES492B	212°F	100°C	Brass	\$S\$109.28
MV212128R9	KRES492C	212°F	100°C	Chrome	\$S\$106.12
MV218728R9	KRES492W	212°F	100°C	Poly White	\$S\$106.12

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$S\$ 604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$S\$ 203.86
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			\$S\$ 604.97

<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	\$S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	\$S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	\$S\$ 20.17

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	\$S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	\$S\$ 20.17

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	\$S\$ 38.90
6801417200	FPW	Push-On Thread Off		White	\$S\$ 38.90

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516</b>					
CM151728S9	49CCP1N	155°F	68°C	W/O	\$S\$ 97.17

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$S\$ 604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$S\$ 203.86

<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	\$S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	\$S\$ 105.79
6887171321	CCP05C76	135°F	57°C	Chrome	\$S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	\$S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	\$S\$ 105.79



**F1RES 44 HSW & REC HSW**

- See Bulletins 135



**KRES44 HSW & REC HSW**

- See Bulletins 935
- **SIN RA3591**
- Link version



**F1RES 44 SWC**

- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531</b>					
CV521125S9	44BN	155°F	68°C	Brass	S\$112.71
CV522125S9	44CN	155°F	68°C	Chrome	S\$110.77
CV528725S9	44WN	155°F	68°C	Poly White	S\$110.77
CV531125S9	44B5N	175°F	79°C	Brass	S\$112.71
CV532125S9	44C5N	175°F	79°C	Chrome	S\$110.77
CV538725S9	44W5N	175°F	79°C	Poly White	S\$110.77

6880100120	WW4	WRENCH, W4, RECESSED, CONCEALED			S\$604.97
6880050100	WW2	WRENCH, W2(PENDENT, UPRIGHT, HSW)			S\$203.86

<b>MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591</b>					
MV521125R9	KRES441B	165°F	74°C	Brass	S\$112.71
MV522125R9	KRES441C	165°F	74°C	Chrome	S\$110.77
MV528725R9	KRES441W	165°F	74°C	Poly White	S\$110.77

6880100120	WW4	WRENCH, W4, RECESSED, CONCEALED			S\$604.97
6880050100	WW2	WRENCH, W2(PENDENT, UPRIGHT, HSW)			S\$203.86
6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)			S\$604.97

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.90
6801417200	FPW	Push-On Thread Off		White	S\$ 38.90

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531</b>					
CM521725S9	SWC44N	155°F	68°C	W/O	S\$ 107.56
CM531725S9	SWC445N	175°F	79°C	W/O	S\$ 107.56
<b>REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 96.73
<b>REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2</b>					
6887251318	SWC2W	135°F	57°C	Flat White	S\$ 64.51



### F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176



### F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176



### KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version



### F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513</b>				
CM15173199	58CCP1	155°F 68°C	W/O	S\$ 97.17
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>				
6887161321	CCP0C76	135°F 57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F 57°C	Specialty	S\$ 105.79
6887171321	CCP05C76	135°F 57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F 57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F 57°C	Specialty	S\$ 105.79

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED S\$ 604.97

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533</b>				
CV521131S9	58H1BN	155°F 68°C	Brass	S\$112.71
CV522131S9	58H1CN	155°F 68°C	Chrome	S\$110.77
CV528731S9	58H1WN	155°F 68°C	White	S\$110.77
CV531131S9	58H5BN	175°F 79°C	Brass	S\$112.71
CV532131S9	58H5CN	175°F 79°C	Chrome	S\$110.77
CV538731S9	58H5WN	175°F 79°C	White	S\$110.77
<b>MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK</b>				
MV521131R9	KRES58H1B	165°F 74°C	Brass	S\$112.71
MV522131R9	KRES58H1C	165°F 74°C	Chrome	S\$110.77
MV528731R9	KRES58H1W	165°F 74°C	Poly White	S\$110.77
<b>MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513</b>				
CV151131S9	58P1BN	155°F 68°C	Brass	S\$109.28
CV152131S9	58P1CN	155°F 68°C	Chrome	S\$106.12
CV158731S9	58P1WN	155°F 68°C	White	S\$106.12
CV17113199	58P5B	175°F 79°C	Brass	S\$109.28
CV172131S9	58P5CN	175°F 79°C	Chrome	S\$106.12
CV178731S9	58P5WN	175°F 79°C	White	S\$106.12
<b>MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK</b>				
MV161131R9	KRES58P1B	165°F 74°C	Brass	S\$109.28
MV162131R9	KRES58P1C	165°F 74°C	Chrome	S\$106.12
MV168731R9	KRES58P1W	165°F 74°C	Poly White	S\$106.12
MV211131R9	KRES58P2B	212°F 100°C	Brass	S\$109.28
MV212131R9	KRES58P2C	212°F 100°C	Chrome	S\$106.12
MV218731R9	KRES58P2W	212°F 100°C	Poly White	S\$106.12
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.17
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>				
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 38.90
6801417200	FPW	Push-On Thread Off	White	S\$ 38.90

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) S\$ 203.86  
 6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED S\$ 604.97  
 6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) S\$ 604.97



### F1RES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



### KRES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533</b>					
CV621131S9	58H1BXN	155°F	68°C	Brass	S\$ 145.95
CV622131S9	58H1CXN	155°F	68°C	Chrome	S\$ 156.59
CV628731S9	58H1WXN	155°F	68°C	Poly White	S\$ 156.59
CV63113199	58H5BX	175°F	79°C	Brass	S\$ 145.95
CV632131S9	58H5CXN	175°F	79°C	Chrome	S\$ 156.59
CV638731S9	58H5WXN	175°F	79°C	Poly White	S\$ 156.59
<b>MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593</b>					
MV62113199	K58H1BX	165°F	74°C	Brass	S\$ 145.95
MV62213199	K58H1CX	165°F	74°C	Chrome	S\$ 156.59
MV62873199	K58H1WX	165°F	74°C	Poly White	S\$ 156.59
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FV RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801720600	FVB	1/2" (15mm)		Brass	S\$ 35.32
6801722100	FVC	1/2" (15mm)		Chrome	S\$ 23.52
6801728700	FVW	1/2" (15mm)		Poly White	S\$ 23.52

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW			S\$ 604.97

\* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft<sup>2</sup> over the listed coverage areas



### F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



### F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618</b>					
CV15113298	76P1B	155°F	68°C	Brass	S\$ 111.17
CV15213298	76P1C	155°F	68°C	Chrome	S\$ 113.89
CV15873298	76P1W	155°F	68°C	White	S\$ 113.89
CV17113298	76P5B	175°F	79°C	Brass	S\$ 111.17
CV17213298	76P5C	175°F	79°C	Chrome	S\$ 113.89
CV17873298	76P5W	175°F	79°C	White	S\$ 113.89
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801030000	GF1LB	3/4"Adjustment		Brass	S\$ 37.41
6801000000	GF1LC	3/4"Adjustment		Chrome	S\$ 20.17
6801040000	GF1LW	3/4"Adjustment		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	1/2"Adjustment		Brass	S\$ 37.41
6800880001	GF2LC	1/2"Adjustment		Chrome	S\$ 20.17
6800880005	GF2LW	1/2"Adjustment		White	S\$ 20.17
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801402100	FPLC	Push-On Thread Off		Chrome	S\$ 38.90
6801407200	FPLW	Push-On Thread Off		White	S\$ 38.90

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW			S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618</b>					
CM15173298	76CCP1	155°F	68°C	W/O	S\$ 136.50
CM17173298	76CCP5	175°F	79°C	W/O	S\$ 136.50
<b>MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT</b>					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.79
<b>MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
------------	-----	---------------------------------	--	--	------------

**Notes:**

Sprinkler and coverplates sold and packaged separately



**RFC Series  
 Residential  
 Sprinklers Flat Cover  
 Plate, Concealed  
 Pendant Sprinklers**



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611</b>					
1816172197	RFC30	165°F	74°C	W/O	\$S\$137.37
1821172197	RFC302	212°F	100°C	W/O	\$S\$137.37
<b>MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612</b>					
1816172597	RFC43	165°F	74°C	W/O	\$S\$137.37
1821172597	RFC432	212°F	100°C	W/O	\$S\$137.37
<b>MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616</b>					
1816172697	RFC49	165°F	74°C	W/O	\$S\$137.37
1821172697	RFC492	212°F	100°C	W/O	\$S\$137.37
<b>MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613</b>					
1816172997	RFC581	165°F	74°C	W/O	\$S\$137.37
1821172997	RFC582	212°F	100°C	W/O	\$S\$137.37
<b>MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618</b>					
1816173198	RFC761	165°F	74°C	W/O	\$S\$216.31
1821173198	RFC762	212°F	100°C	W/O	\$S\$216.31

**RFC30**

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

6880170020	WFC	WRENCH,FC,CONCEALED		\$S\$ 608.21
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP		\$S\$ 608.21
6880103000	W8	WRENCH,W8, RFC PLASTIC SERVICE WRENCH		\$S\$ 377.14

**RFC43**

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

**RFC49**

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

**RFC58**

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

**RFC76**

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	\$S\$ 74.87
6887271372	CG50W	135°F	57°C	White	\$S\$ 68.24
6887271311	CG50B	135°F	57°C	Finished Bronze	\$S\$ 97.32
6887271374	CG50OW	135°F	57°C	Off-White	\$S\$ 92.82
6887271390	CG50SP	135°F	57°C	Specialty	\$S\$ 96.53
6887271316	CG50FB	135°F	57°C	Black Painted	\$S\$ 92.94
6887271305	CG50BB	135°F	57°C	Bright Brass	\$S\$117.81
6887271323	CG50CD	135°F	57°C	Satin Chrome	\$S\$117.81
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$S\$117.81
6887271621	CG51C	165°F	74°C	Chrome	\$S\$ 74.87
6887271672	CG51W	165°F	74°C	White	\$S\$ 68.24
6887271611	CG51B	165°F	74°C	Finished Bronze	\$S\$ 97.32
6887271674	CG51OW	165°F	74°C	Off-White	\$S\$ 92.82
6887271690	CG51SP	165°F	74°C	Specialty	\$S\$ 96.53
6887271616	CG51FB	165°F	74°C	Black Painted	\$S\$ 92.94
6887271605	CG51BB	165°F	74°C	Bright Brass	\$S\$117.81
6887271623	CG51CD	165°F	74°C	Satin Chrome	\$S\$117.81
6887271610	CG51SS	165°F	74°C	Stainless Steel	\$S\$117.81



### RFC49plus

- K-Factor = 4.9 (70)
- **SIN R401 and R402 (Low Lead)**
- See Bulletin 188

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R401</b>					
1816172799	RFC491P	165°F	74°C	W/O	S\$157.57
1821172799	RFC492P	212°F	100°C	W/O	S\$157.57
<b>MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS 1/2" R401</b>					
1816172792	RFC491M	165°F	74°C	W/O	S\$157.57
1821172792	RFC492PM	212°F	100°C	W/O	S\$157.57
<b>MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R402</b>					
18161727P9	RFC491PLL	165°F	74°C	W/O	S\$242.92
18211727P9	RFC492PLL	212°F	100°C	W/O	S\$242.92
<b>MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS R402</b>					
18161727P2		165°F	74°C	W/O	S\$242.92
18211727P2		212°F	100°C	W/O	S\$242.92
<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.87
6887271621	CG51C	165°F	74°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271672	CG51W	165°F	74°C	White	S\$ 68.24

6880105000	W10	WRENCH,W10,WITH PROTECTIVE CAP,RFC49+	S\$ 608.21
6880107000	W11	WRENCH,W11,PLASTIC,RFC49+	S\$ 377.14



**RFS42 Residential  
 Flat Plate  
 Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835</b>					
2216172499	RFS42	165°F	74°C	W/O	S\$ 271.71

6880101010      WG6      WRENCH,G6 HSW SOCKET      S\$ 602.61

<b>MODEL RFS42 COVERPLATES</b>					
6887231311	CRFS0B	135°F	57°C	Finished Bronze	S\$ 98.74
6887231321	CRFS0C	135°F	57°C	Chrome	S\$ 95.15
6887231372	CRFS0W	135°F	57°C	White	S\$ 95.15

**Notes:**

Sprinklers and coverplates sold and packaged separately

**NEW**





### F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231</b>			
HP[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 753.28
HP[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 753.28
HP[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 753.28
HP[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 776.82
HP[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 776.82
HP[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 776.82
HP[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 800.34
HP[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 800.34
HP[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 800.34
HP[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 823.88
HP[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 823.88
HP[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 823.88
HP[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 847.42
HP[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 847.42
HP[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 847.42
HP[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 870.98
HP[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 870.98
HP[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 870.98
HP[TEMP]11[DIM]	21" to 24"	Brass	S\$ 894.50
HP[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 894.50
HP[TEMP]08[DIM]	21" to 24"	White	S\$ 894.50
<b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HP5[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 753.28
HP5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 753.25
HP5[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 753.28
HP5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 776.80
HP5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 776.82
HP5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 776.82
HP5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 800.34
HP5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 800.34
HP5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 800.34
HP5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 823.90
HP5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 823.88
HP5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 823.88
HP5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 847.44
HP5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 847.44
HP5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 847.44
HP5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 870.98
HP5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 870.98
HP5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 870.98
HP5[TEMP]11[DIM]	21" to 24"	Brass	S\$ 894.50
HP5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 894.50
HP5[TEMP]08[DIM]	21" to 24"	White	S\$ 894.50

6880130001      WF3R      Requires Model F3R Wrench      S\$      320.12

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F3RES44 DRY  
 RECESSED HSW /  
 F2**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

**PRICING  
 INCLUDES F2  
 ESCUTCHEON**

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231</b>			
HR[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 687.17
HR[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 677.19
HR[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 677.19
HR[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 734.25
HR[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 724.25
HR[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 724.25
HR[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 762.48
HR[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 752.51
HR[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 752.51
HR[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 790.71
HR[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 780.78
HR[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 780.78
HR[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 823.68
HR[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 813.73
HR[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 813.73
HR[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 851.92
HR[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 841.97
HR[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 841.97
HR[TEMP]11[DIM]	21" to 24"	Brass	S\$ 880.17
HR[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 870.21
HR[TEMP]08[DIM]	21" to 24"	White	S\$ 870.21
<b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HR5[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 687.17
HR5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 659.10
HR5[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 677.19
HR5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 734.25
HR5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 724.25
HR5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 706.17
HR5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 762.48
HR5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 734.44
HR5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 734.44
HR5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 790.71
HR5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 780.78
HR5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 762.66
HR5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 823.68
HR5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 795.61
HR5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 795.61
HR5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 851.92
HR5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 823.90
HR5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 823.90
HR5[TEMP]11[DIM]	21" to 24"	Brass	S\$ 880.17
HR5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 852.13
HR5[TEMP]08[DIM]	21" to 24"	White	S\$ 852.13
6880070100	WXLO	Requires Model XLO2 Wrench	S\$ 317.77



**F3RES44 DRY HSW / HB**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231</b>			
HQ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 682.64
HQ[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	S\$ 682.64
HQ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 715.58
HQ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 715.58
HQ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 743.85
HQ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 743.85
HQ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 772.09
HQ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 772.09
HQ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 800.34
HQ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 800.34
HQ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 828.58
HQ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 828.58
HQ[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 856.82
HQ[TEMP]08[DIM]	21" to 24"	White	S\$ 856.82
<b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HQ5[TEMP]21[DIM]	4-1/4" to 5-3/4"	Chrome	S\$ 682.64
HQ5[TEMP]08[DIM]	4-1/4" to 5-3/4"	White	S\$ 682.64
HQ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 715.58
HQ5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 715.58
HQ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 743.85
HQ5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 743.83
HQ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 772.09
HQ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 772.09
HQ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 800.34
HQ5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 800.34
HQ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 828.58
HQ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 828.58
HQ5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 856.82
HQ5[TEMP]08[DIM]	21" to 24"	White	S\$ 856.82
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001      WF3R      Requires Model F3R Wrench      S\$ 320.12

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F1RES 30 LL  
 Pendant &  
 Recessed Pendant**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033



**F1RES 30 LL CCP**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311</b>					
CV151121P9	30BLL	155°F	68°C	Brass Low Lead	S\$ 170.27
CV152121P9	30CLL	155°F	68°C	Chrome	S\$ 181.58
CV158721P9	30WLL	155°F	68°C	Poly White Low Lead	S\$ 181.58
CV171121P9	30B5LL	175°F	79°C	Brass Low Lead	S\$ 170.27
CV172121P9	30C5LL	175°F	79°C	Chrome	S\$ 181.58
CV178721P9	30W5LL	175°F	79°C	Poly White Low Lead	S\$ 181.58
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.90
6801417200	FPW	Push-On Thread Off		White	S\$ 38.90

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311</b>					
CM151721P9	30CCP1LL	155°F	68°C	Brass	S\$ 181.58
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 105.79
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.79

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
------------	-----	---------------------------------	--	--	------------



**F1RES 49 LL  
 Pendant &  
 Recessed Pendant**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



**F1RES 49 LL CCP**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316</b>					
CV151128P9	49BLL	155°F	68°C	Brass Low Lead	S\$ 170.27
CV152128P9	49CLL	155°F	68°C	Chrome Low Lead	S\$ 181.58
CV158728P9	49WLL	155°F	68°C	Poly White Low Lead	S\$ 181.58
CV171128P9	49B5LL	175°F	79°C	Brass Low Lead	S\$ 170.27
CV172128P9	49C5LL	175°F	79°C	Chrome Low Lead	S\$ 181.58
CV178728P9	49W5LL	175°F	79°C	Poly White Low Lead	S\$ 181.58
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.90
6801417200	FPW	Push-On Thread Off		White	S\$ 38.90

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316</b>					
CM151728P9	49CCP1LL	155°F	68°C	Brass	S\$ 181.58
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 105.79
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.79

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
------------	-----	---------------------------------	--	--	------------



### F1RES 44 LL HSW & REC HSW

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033



### F1RES 44 LL SWC

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331</b>					
CV521125P9	44BLL	155°F	68°C	Brass Low Lead	S\$ 175.96
CV522125P9	44CLL	155°F	68°C	Chrome Low Lead	S\$ 184.42
CV528725P9	44WLL	155°F	68°C	Poly White Low Lead	S\$ 184.42
CV531125P9	44B5LL	175°F	79°C	Brass Low Lead	S\$ 175.96
CV532125P9	44C5LL	175°F	79°C	Chrome Low Lead	S\$ 184.42
CV538725P9	44W5LL	175°F	79°C	Poly White Low Lead	S\$ 184.42
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.17
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.90
6801417200	FPW	Push-On Thread Off		White	S\$ 38.90

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331</b>					
CM521725P9	SWC44LL	155°F	68°C	Brass	S\$ 184.42
<b>MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 96.73
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97



**F1RES 58 LL  
 Pendent &  
 Recessed Pendant**

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



**F1RES 58 LL CCP**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



**F1RES 58 LL HSW  
 & REC HSW**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313</b>				
CV151131P9	58P1BLL	155°F 68°C	Brass Low Lead	S\$ 170.27
CV152131P9	58P1CLL	155°F 68°C	Chrome Low Lead	S\$ 181.58
CV158731P9	58P1WLL	155°F 68°C	Poly White Low Lead	S\$ 181.58
CV171131P9	58P5BLL	175°F 79°C	Brass Low Lead	S\$ 170.27
CV172131P9	58P5CLL	175°F 79°C	Chrome Low Lead	S\$ 181.58
CV178731P9	58P5WLL	175°F 79°C	Poly White Low Lead	S\$ 181.58
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800630001	GF1B	1/2" (15mm)	Brass	S\$ 37.41
6800600001	GF1C	1/2" (15mm)	Chrome	S\$ 20.17
6800640001	GF1W	1/2" (15mm)	White	S\$ 20.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.17
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>				
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 38.90
6801417200	FPW	Push-On Thread Off	White	S\$ 38.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333</b>				
CM151731P9	58CCP1LL	155°F 68°C	Brass	S\$ 181.58
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>				
6887161321	CCP0C76	135°F 57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F 57°C	Specialty	S\$ 105.79
6887171321	CCP05C76	135°F 57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F 57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F 57°C	Specialty	S\$ 105.79

6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
------------	-----	---------------------------------	------------

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333</b>				
CV521131P9	58H1BLL	155°F 68°C	Brass Low Lead	S\$ 175.96
CV522131P9	58H1CLL	155°F 68°C	Chrome Low Lead	S\$ 184.42
CV528731P9	58H1WLL	155°F 68°C	Poly White Low Lead	S\$ 184.42
CV531131P9	58H5BLL	175°F 79°C	Brass Low Lead	S\$ 175.96
CV532131P9	58H5CLL	175°F 79°C	Chrome Low Lead	S\$ 184.42
CV538731P9	58H5WLL	175°F 79°C	Poly White Low Lead	S\$ 184.42
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.41
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.17
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.17
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 38.90
6801417200	FPW	Push-On Thread Off	White	S\$ 38.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
6880100100	WW1	Wrench, W1, Recessed, Pendent, CCP & HSW	S\$ 604.97



**RFC30 LL Flat Concealed**

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211</b>					
18161721P7	RFC30LL	165°F	74°C	Brass	S\$ 212.83
<b>MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212</b>					
18161725P7	RFC43LL	165°F	74°C	Brass	S\$ 212.83
<b>MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216</b>					
18161726P7	RFC49LL	165°F	74°C	Brass	S\$ 212.83
18211726P7	RFC492LL	212°F	100°C	Brass	S\$ 212.83
<b>REQUIRED COVERPLATES</b>					
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 117.81

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



**RFC43 LL Flat Concealed**

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



**RFC49 LL Flat Concealed**

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006





### JL-14 ESFR

- K-Factor = 14 (200)
- **SIN RA1812**
- See Bulletin 018

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL JL-14 ESFR K14.0 (200) THREADS 3/4" (20MM) RA1812</b>				
DB16114298	JL141B	165°F	74°C	Brass S\$202.66
DB21114298	JL142B	212°F	100°C	Brass S\$202.66

6880090000 WJ1 Requires Model J1 Sprinkler Wrench S\$ 242.47

<b>MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS</b>				
88709003	S3SHIELD	MODEL S-3 SHIELD,3.75,3/4-14NPS, GALV	GALV	S\$ 24.49



### JL-17 ESFR

- K-Factor = 16.8 (240)
- **SIN RA1914**
- See Bulletin 019

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL JL-17 ESFR K16.8 (240) THREADS 3/4" (20MM) RA1914</b>				
DB16114998	JL171B	165°F	74°C	Brass S\$110.10
DB21114998	JL172B	212°F	100°C	Brass S\$110.10

6880090000 WJ1 Requires Model J1 Sprinkler Wrench S\$ 242.47

<b>MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS</b>				
88709003	S3SHIELD	MODEL S-3 SHIELD,3.75,3/4-14NPS, GALV	GALV	S\$ 24.49



### JL-14 ESFR

- SIN RA1812
- K-Factor = 200 (14)
- See Bulletin 018



### JL-17 ESFR

- SIN RA1914
- K-Factor = 241.9 (16.8)
- Pendent Only
- See Bulletin 019



### JL-17 ESFR

- SIN RA 1914
- k-Factor = 241.9 (16.8)
- See Bulletin 019
- With Victaulic IGS™ V9 Coupling

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL JL-14 ESFR K14.0 (200) THREADS 3/4" (20MM) RA1812</b>					
DB16114298	JL141B	165°F	74°C	Brass	S\$ 202.66
DB21114298	JL142B	212°F	100°C	Brass	S\$ 202.66
<b>MODEL JL-14 ESFR K14.0 (200) BSPT THREADS 3/4" (20MM) RA1812</b>					
DB16114295	JL141BM	165°F	74°C	Brass	S\$ 202.66
DB21114295	JL142BM	212°F	100°C	Brass	S\$ 202.66
6880090000	WJ1	Requires Model J1 Sprinkler Wrench			S\$ 242.47
<b>MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS</b>					
88709003	S3SHIELD	°F	°C	GALV	S\$ 24.49

\* The JL-14 ESFR has replaced our HL-14 ESFR  
 Victaulic® and IGS™ are trademarks of Victaulic Company  
 A complimentary installation bit is included in ea box of 25 sprinklers.

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL JL-17 ESFR K16.8 (240) THREADS 3/4" (20MM) RA1914</b>					
DB16114998	JL171B	165°F	74°C	Brass	S\$ 110.10
DB21114998	JL172B	212°F	100°C	Brass	S\$ 110.10
<b>MODEL JL-17 ESFR K16.8 (240) BSPT THREADS 3/4" (20MM) RA1914</b>					
DB16114995	JL171BM	165°F	74°C	Brass	S\$ 110.10
DB21114995	JL172BM	212°F	100°C	Brass	S\$ 110.10
6880090000	WJ1	Requires Model J1 Sprinkler Wrench			S\$ 242.47
<b>MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS</b>					
88709003	S3SHIELD	°F	°C	GALV	S\$ 24.49
<b>MODEL JL-17 ESFR K16.8 (240) IGS GROOVED 1" (25 MM) RA1914</b>					
DB1611499G	JL171BG	165°F	74°C	Brass	S\$ 211.66
DB1611499G	JL171BG	165°F	74°C	Brass	S\$ 211.66
DB2111499G	JL172BG	212°F	100°C	Brass	S\$ 211.66



### P22 ESFR

- K Factor 22.0
- **SIN # R601**
- See Bulletin 069

Part Number	Short Code	Temperature	Finish	List Price	
<b>MODEL P22, ESFR, PENDENT, K22, THREADS 1" (25MM) THREADED</b>					
DB16115491	P221	165°F	74°C	Brass	S\$275.77
DB21115491	P222	212°F	100°C	Brass	S\$275.77
<b>MODEL P22, ESFR, PENDENT, K22, BSPT THREADS 1" INTERNATIONAL ONLY</b>					
DB16115493	P221M	165°F	74°C	Brass	S\$275.77
DB21115493	P222M	212°F	100°C	Brass	S\$275.77
<b>MODEL D14 GUARD KIT</b>					
6802622514	GD14	D14,GUARD KIT,ZINC,SP,FM P22/P25		Zinc	S\$ 64.04



### P25 ESFR

- K Factor 25.2
- **SIN # R602**
- See Bulletin 070

Part Number	Short Code	Temperature	Finish	List Price	
<b>MODEL P25, ESFR PENDENT, K25, THREADS 1" (25MM) THREADED</b>					
DB16115971	P251N	165°F	74°C	Brass	S\$275.77
DB21115971	P252N	212°F	100°C	Brass	S\$275.77
<b>MODEL P25, ESFR, PENDENT, K25, BSPT THREADS 1" INTERNATIONAL ONLY</b>					
DB16115993	P251M	165°F	74°C	Brass	S\$275.77
DB21115993	P252M	212°F	100°C	Brass	S\$275.77
<b>MODEL D14 GUARD KIT</b>					
6802622514	GD14	D14,GUARD KIT,ZINC,SP,FM P22/P25		Zinc	S\$ 64.04
6880108300	W16	WRENCH,W16			S\$ 242.47
6880050105	WW5	°F	°C		S\$242.47
<b>P25,ESFR,P-I/GUARD</b>					
					S\$ Call



**N28T3**

- K Factor 28.0
- Sin # R604
- Bulletin 082



**N28T6**

- K Factor 28.0
- Sin # R603
- Bulletin 082

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL N28T3,PENDENT, 212, K28, NPT THREADS, 1" (25MM) R604</b>					
DB21116691	N28T3	212°F	100°C	Brass	S\$617.66
<b>MODEL N28T3,PENDENT,212,K28, BSPT THREADS,1" (25MM) R604</b>					
DB21116693	N28T3M	212°F	100°C	Brass	S\$617.66
<b>MODEL N28T6,PENDENT,212,K28,NPT THREADS,1" (25MM) R603</b>					
DB21116591	N28T6	212°F	100°C	Brass	S\$ 278.11
<b>MODEL N28T6,PENDENT,212,K28,BSPT THREADS,1" (25MM) R603</b>					
DB21116593	N28T6M	212°F	100°C	Brass	S\$ 278.11

6880050105    WW5    WRENCH,W5,HL-22,N25,N252,TNL280,P22/25    S\$ 242.47



### GXLO UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R2921 = Upright**
- See Bulletin 129



### GXLO PENDENT

- K-Factor = 11.2 (160)
- **SIN R2916=Pendent**
- See Bulletin 129



### GXLO INTERMEDIATE

- K-Factor = 11.2 (160)
- **SIN R2921 = Upright**
- See Bulletin 129

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GXLO UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R2921</b>					
1716114098	GUX1LB	165°F	74°C	Brass	\$S\$ 111.12
1716214098	GUX1LC	165°F	74°C	Chrome	\$S\$161.19
1721114098	GUX2LB	212°F	100°C	Brass	\$S\$ 111.12
1721214098	GUX2LC	212°F	100°C	Chrome	\$S\$161.19
1728114098	GUX3LB	286°F	141°C	Brass	\$S\$ 111.12
1728214098	GUX3LC	286°F	141°C	Chrome	\$S\$161.19
<b>MODEL GXLO UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R2921</b>					
1716114095	GUX1LBM	165°F	74°C	Brass	\$S\$ 111.12
1721114095	GUX2LBM	212°F	100°C	Brass	\$S\$ 111.12
1728114095	GUX3LBM	286°F	141°C	Brass	\$S\$ 111.12
<b>MODEL GXLO UPRIGHT K11.2 (160) THREADS 1/2" (15MM) R2921 RETROFIT</b>					
5116113799	GUX1B	165°F	74°C	Brass	\$S\$171.74
5116213799	GUX1C	165°F	74°C	Chrome	\$S\$179.08
5121113799	GUX2B	212°F	100°C	Brass	\$S\$171.74
5121213799	GUX2C	212°F	100°C	Chrome	\$S\$179.08
5128113799	GUX3B	286°F	141°C	Brass	\$S\$171.74
5128213799	GUX3C	286°F	141°C	Chrome	\$S\$179.08
<b>MODEL GXLO PENDENT K11.2 (160) THREADS 3/4" (20MM) R2916</b>					
5216114198	GPX1LB	165°F	74°C	Brass	\$S\$ 111.12
5221114198	GPX2LB	212°F	100°C	Brass	\$S\$ 111.12
5228114198	GPX3LB	286°F	141°C	Brass	\$S\$ 111.12
<b>MODEL GXLO PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R2916</b>					
5216114195	GPX1LBM	165°F	74°C	Brass	\$S\$ 111.12
5221114195	GPX2LBM	212°F	100°C	Brass	\$S\$ 111.12
5228114195	GPX3LBM	286°F	141°C	Brass	\$S\$ 111.12
<b>MODEL GXLO INTERMEDIATE UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R2921</b>					
1716114298	GUXI1LB	165°F	74°C	Brass	\$S\$198.18
1721114298	GUXI2LB	212°F	100°C	Brass	\$S\$198.18
1728114298	GUXI3LB	286°F	141°C	Brass	\$S\$198.18
<b>MODEL GXLO INTERMEDIATE UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R2921</b>					
1716114295	GUXI1LBM	165°F	74°C	Brass	\$S\$198.18
1721114295	GUXI2LBM	212°F	100°C	Brass	\$S\$198.18
1728114295	GUXI3LBM	286°F	141°C	Brass	\$S\$198.18
6880070000	WH	Requires Model H Sprinkler Wrench			\$S\$ 242.47
<b>MODEL S2 SHIELD</b>					
88709002	S2SHIELD	MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV		GALV	\$S\$ 24.49

**Notes:**

1. Intermediate upright sprinklers have a factory installed water shield.
2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model JV wrench is required.



### LB11 HSW

- K-Factor =11.2
- **SIN R505**
- See Bulletins 083

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL LB11 HORIZONTAL SIDEWALL K11.2 (160) NPT THREADS,3/4" (20MM) R505</b>					
L421114198	LB112	212°F	100°C	Brass	S\$ 795.27
<b>MODEL LB11 HORIZONTAL SIDEWALL K11.2 (160) BSPT THREADS,3/4 (20MM) R505</b>					
L421114195	LB112M	212°F	100°C	Brass	S\$ 795.27
6880090000	WJ1	WRENCH,J1,SPKR J112,J14,J17,ZINC.			S\$ 242.47



### GL 112 UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R3226 = Upright**
- See Bulletin 132



### GL 112 PENDENT

- K-Factor = 11.2 (160)
- **SIN R3216**
- See Bulletin 132



### GL 112 INTERMEDIATE UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R3226**
- See Bulletin 132



### G VELO PEND

- K-Factor = 14.0 (200)
- **SIN R4613**
- See Bulletin 146

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL GL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R3226</b>				
0116114098	GL112U1B	165°F	74°C	Brass S\$126.47
0121114098	GL112U2B	212°F	100°C	Brass S\$126.47
<b>MODEL GL112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226</b>				
0116114095	GL112U1BM	165°F	74°C	Brass S\$126.47
0121114095	GL112U2BM	212°F	100°C	Brass S\$126.47
<b>MODEL GL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R3216</b>				
0216114098	GL112P1B	165°F	74°C	Brass S\$126.47
0221114098	GL112P2B	212°F	100°C	Brass S\$126.47
<b>MODEL GL112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R3216</b>				
0216114095	GL112P1BM	165°F	74°C	Brass S\$126.47
0221114095	GL112P2BM	212°F	100°C	Brass S\$126.47
<b>MODEL GL112 INTERMEDIATE UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R3226</b>				
0116114298	GL112UI1B	165°F	74°C	Brass S\$198.18
0121114298	GL112UI2B	212°F	100°C	Brass S\$198.18
<b>MODEL GL112 INTERMEDIATE UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226</b>				
0116114295	GL112UI1BM	165°F	74°C	Brass S\$198.18
0121114295	GL112UI2BM	212°F	100°C	Brass S\$198.18
<b>MODEL S-2 WATER SHIELD</b>				
88709002	S2SHIELD	MODEL S-2 SHIELD, 3.25, 3/4-14NPS, GALV		GALV S\$ 24.49

6880070000 WH WRENCH,H,XLO/GL112,BLUE S\$ 242.47

**Notes:**

1. Intermediate upright sprinklers have a factory installed water shield.
2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model JV wrench is required.

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G VELO PENDENT K14.0 (200) THREADS 3/4" (20MM) R4613</b>				
5216114398	GPV1B	165°F	74°C	Brass S\$ 117.71
5216214398	GPV1C	165°F	74°C	Chrome S\$ 164.23
5221114398	GPV2B	212°F	100°C	Brass S\$ 117.71
5221214398	GPV2C	212°F	100°C	Chrome S\$ 164.23
5228114398	GPV3B	286°F	141°C	Brass S\$ 117.71
5228214398	GPV3C	286°F	141°C	Chrome S\$ 164.23

6880070000 WH Requires Model H Sprinkler Wrench S\$ 242.47



### G XLO

- K-Factor = 160 (11.2)
- **SIN R2921 = Upright**
- **SIN R2916 = Pendent**
- See Bulletin 129



### GL 112

- K-Factor = 160 (11.2)
- **SIN R3226 = Upright**
- **SIN R3216 = Pendent**
- See Bulletin 132



### G VELO PEND

- K-Factor = 200 (14.0)
- **SIN R4613**
- See Bulletin 146

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL GXLO UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R2921</b>				
1716114098	GUX1LB	165°F 74°C	Brass	S\$ 111.12
1716214098	GUX1LC	165°F 74°C	Chrome	S\$ 161.19
1721114098	GUX2LB	212°F 100°C	Brass	S\$ 111.12
1721214098	GUX2LC	212°F 100°C	Chrome	S\$ 161.19
1728114098	GUX3LB	286°F 141°C	Brass	S\$ 111.12
1728214098	GUX3LC	286°F 141°C	Chrome	S\$ 161.19
<b>MODEL GXLO UPRIGHT K11.2 (160) THREADS 1/2" (15MM) R2921</b>				
5116113799	GUX1B	165°F 74°C	Brass	S\$ 171.74
5116213799	GUX1C	165°F 74°C	Chrome	S\$ 179.08
5121113799	GUX2B	212°F 100°C	Brass	S\$ 171.74
5121213799	GUX2C	212°F 100°C	Chrome	S\$ 179.08
5128113799	GUX3B	286°F 141°C	Brass	S\$ 171.74
5128213799	GUX3C	286°F 141°C	Chrome	S\$ 179.08
<b>MODEL GXLO PENDENT K11.2 (160) THREADS 3/4" (20MM) R2916</b>				
5216114198	GPX1LB	165°F 74°C	Brass	S\$ 111.12
5221114198	GPX2LB	212°F 100°C	Brass	S\$ 111.12
5228114198	GPX3LB	286°F 141°C	Brass	S\$ 111.12
<b>MODEL GXLO PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R2916</b>				
5216114195	GPX1LBM	165°F 74°C	Brass	S\$ 111.12
5221114195	GPX2LBM	212°F 100°C	Brass	S\$ 111.12
5228114195	GPX3LBM	286°F 141°C	Brass	S\$ 111.12

6880070000 WH Requires Model H Sprinkler Wrench S\$ 242.47

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL GL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R3226</b>				
0116114098	GL112U1B	165°F 74°C	Brass	S\$ 126.47
0121114098	GL112U2B	212°F 100°C	Brass	S\$ 126.47
<b>MODEL GL112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226</b>				
0116114095	GL112U1BM	165°F 74°C	Brass	S\$ 126.47
0121114095	GL112U2BM	212°F 100°C	Brass	S\$ 126.47
<b>MODEL GL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R3226</b>				
0216114098	GL112P1B	165°F 74°C	Brass	S\$ 126.47
0221114098	GL112P2B	212°F 100°C	Brass	S\$ 126.47
<b>MODEL GL112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226</b>				
0216114095	GL112P1BM	165°F 74°C	Brass	S\$ 126.47
0221114095	GL112P2BM	212°F 100°C	Brass	S\$ 126.47

6880070000 WH Requires Model H Sprinkler Wrench S\$ 242.47

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G PENDENT VELO K14.0 (200) THREADS 3/4" (20MM) R4613</b>				
5216114398	GPV1B	165°F 74°C	Brass	S\$ 117.71
5216214398	GPV1C	165°F 74°C	Chrome	S\$ 164.23
5221114398	GPV2B	212°F 100°C	Brass	S\$ 117.71
5221214398	GPV2C	212°F 100°C	Chrome	S\$ 164.23
5228114398	GPV3B	286°F 141°C	Brass	S\$ 117.71
5228214398	GPV3C	286°F 141°C	Chrome	S\$ 164.23

6880070000 WH Requires Model H Sprinkler Wrench S\$ 242.47





### GSR112 Upright

- K-Factor = 11.2
- **SIN R608 = Upright**
- See Bulletin 080



### GSR112 Pendent

- K-Factor = 11.2 (160)
- **SIN R607**
- See Bulletin 80



### GSR112 Intermediate Upright

- K-Factor = 11.2 (160)
- **SIN R608**
- See Bulletin 80

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL GSR112 UPRIGHT K11.2 (160) NPT THREADS 3/4" (20MM) R608</b>				
1A15114298		155°F	68°C	Brass S\$126.47
1A20114298		200°F	93°C	Brass S\$126.47
<b>MODEL GSR112 PENDENT K11.2 (160) NPT THREADS 3/4" (20MM) R607</b>				
1B15114298		155°F	68°C	Brass S\$126.47
1B20114298		200°F	93°C	Brass S\$126.47
<b>MODEL GSR112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R608</b>				
1A15114295		155°F	68°C	Brass S\$126.47
1A20114295		200°F	93°C	Brass S\$126.47
<b>MODEL GSR112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R607</b>				
1B15114295		155°F	68°C	Brass S\$126.47
1B20114295		200°F	93°C	Brass S\$126.47
<b>MODEL GSR112 INTERMEDIATE UPRIGHT K11.2 NPT THREADS 3/4" (20MM) R608</b>				
1A15114498		155°F	68°C	Brass S\$198.18
1A20114498		200°F	93°C	Brass S\$198.18
<b>MODEL GSR112 INTERMEDIATE UPRIGHT K11.2 BSPT THREADS 3/4" (20MM) R608</b>				
1A15114495		155°F	68°C	Brass S\$198.18
1A20114495		200°F	93°C	Brass S\$198.18
<b>MODEL S-2 WATER SHIELD</b>				
88709002	S2SHIELD	MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV	GALV	S\$ 24.49

6880070000	WH	WRENCH,H,XLO/GL112,BLUE	S\$ 242.47
6880108200	W15	WRENCH,W15 (USE WITH GUARD)	S\$ 287.19

#### Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
  2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
  3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model W15 wrench is required.
- \*\*\*We also have ENT and Chrome finish available upon request



### GQR112 Upright

- K-Factor = 11.2
- **SIN R606 = Upright**
- See Bulletin 081



### GQR112 Pendent

- K-Factor = 11.2 (160)
- **SIN R605**
- See Bulletin 81



### GQR112 Intermediate Upright

- K-Factor = 11.2 (160)
- **SIN R606**
- See Bulletin 81

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL GQR112 UPRIGHT K11.2 (160) NPT THREADS 3/4" (20MM) R606</b>				
1C15114298		155°F	68°C	Brass S\$126.47
1C20114298		200°F	93°C	Brass S\$126.47
1C28114298		286°F	141°C	Brass S\$126.47
<b>MODEL GQR112 PENDENT K11.2 (160) NPT THREADS 3/4" (20MM) R605</b>				
1D15114298		155°F	68°C	Brass S\$126.47
1D20114298		200°F	93°C	Brass S\$126.47
1D28114298		286°F	141°C	Brass S\$126.47
<b>MODEL GQR112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R606</b>				
1C15114295		155°F	68°C	Brass S\$126.47
1C20114295		200°F	93°C	Brass S\$126.47
1C28114295		286°F	141°C	Brass S\$126.47
<b>MODEL GQR112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R605</b>				
1D15114295		155°F	68°C	Brass S\$126.47
1D20114295		200°F	93°C	Brass S\$126.47
1D28114295		286°F	141°C	Brass S\$126.47
<b>MODEL GQR112 INTERMEDIATE UPRIGHT K11.2 NPT THREADS 3/4" (20MM) R606</b>				
1C15114498		155°F	68°C	Brass S\$198.18
1C20114498		200°F	93°C	Brass S\$198.18
1C28114498		286°F	141°C	Brass S\$198.18
<b>MODEL GQR112 INTERMEDIATE UPRIGHT K11.2 BSPT THREADS 3/4" (20MM) R606</b>				
1C15114495		155°F	68°C	Brass S\$198.18
1C20114495		200°F	93°C	Brass S\$198.18
1C28114495		286°F	141°C	Brass S\$198.18
<b>MODEL S-2 WATER SHIELD</b>				
88709002	S2SHIELD	MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV	GALV	S\$ 24.49

6880070000	WH	WRENCH,H,XLO/GL112,BLUE	S\$ 242.47
6880108200	W15	WRENCH,W15 (USE WITH GUARD)	S\$ 287.19

#### Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
  2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
  3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model W15 wrench is required.
- \*\*\*We also have ENT and Chrome finish available upon request



**F1FR56  
 INTERMEDIATE**

- K-Factor = 5.6 (80)
- Upright = SIN RA3195
- Pendant = SIN RA1414
- See Bulletin 031



**F1FR  
 INTERMEDIATE**

- K-Factor = 8.0 (115)
- Upright = SIN RA6322
- Pendant = SIN RA6312
- See Bulletin 063

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3195</b>					
BA131142R9	F1FR56UI0B	135°F	57°C	Brass	S\$ 151.37
BA151142S9	F1FR56UI1BN	155°F	68°C	Brass	S\$ 151.37
BA171142R9	F1FR56UI5B	175°F	79°C	Brass	S\$ 151.37
BA201142R9	F1FR56UI2B	200°F	93°C	Brass	S\$ 151.37
BA281142R9	F1FR56UI3B	286°F	141°C	Brass	S\$ 151.37
<b>MODEL F1FR INTERMEDIATE K8.0 (115) THREADS 3/4" (20MM) R7092</b>					
BA15114298	F1FRUI1LB	155°F	68°C	Brass	S\$ 157.68

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
B213114299	F1FR56PI0B	135°F	57°C	Brass	S\$ 151.37
B2151142S9	F1FR56PI1BN	155°F	68°C	Brass	S\$ 151.37
B217114299	F1FR56PI5B	175°F	79°C	Brass	S\$ 151.37
B220114299	F1FR56PI2B	200°F	93°C	Brass	S\$ 151.37
B228114299	F1FR56PI3B	286°F	141°C	Brass	S\$ 151.37
<b>MODEL F1FR INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R3612</b>					
BB13114298	F1FRPI0LB	135°F	57°C	Brass	S\$ 157.68
BB15114298	F1FRPI1LB	155°F	68°C	Brass	S\$ 157.68
BB17114298	F1FRPI5LB	175°F	79°C	Brass	S\$ 157.68
BB20114298	F1FRPI2LB	200°F	93°C	Brass	S\$ 157.68
BB28114298	F1FRPI3LB	286°F	141°C	Brass	S\$ 157.68

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW		S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 604.97



**F156  
INTERMEDIATE**

- K-Factor = 5.6 (80)
- Upright = SIN RA RA1325
- Pendent = SIN RA1314
- See Bulletin 071

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3125</b>					
		°F	°C		S\$ Call
AA151142S9	F56UI1BN	155°F	68°C	Brass	S\$ 80.88
AA171142S9	F56UI5BN	175°F	79°C	Brass	S\$ 80.88
AA201142S9	F56UI2BN	200°F	93°C	Brass	S\$ 80.88
AA281142R9	F56UI3B	286°F	141°C	Brass	S\$ 80.88
		°F	°C		S\$ Call
<b>MODEL F156 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314</b>					
A213114299	F56PI0B	135°F	57°C	Brass	S\$ 80.88
A215114299	F56PI1B	155°F	68°C	Brass	S\$ 80.88
A217114299	F56PI5B	175°F	79°C	Brass	S\$ 80.88
A220114299	F56PI2B	200°F	93°C	Brass	S\$ 80.88
A228114299	F56PI3B	286°F	141°C	Brass	S\$ 80.88
		°F	°C		S\$ Call



**F1 INTERMEDIATE**

- K-Factor = 8.0 (115)
- Upright = SIN RA6222
- Pendent = SIN RA6212
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R7022</b>					
AA28114298	FUI3LB	286°F	141°C	Brass	S\$ 89.74
<b>MODEL F1 INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712</b>					
AB13114298	FPI0LB	135°F	57°C	Brass	S\$ 89.74
AB15114298	FPI1LB	155°F	68°C	Brass	S\$ 89.74
AB17114298	FPI5LB	175°F	79°C	Brass	S\$ 89.74
AB20114298		200°F	93°C	Brass	S\$ 89.74
AB28114298	FPI3LB	286°F	141°C	Brass	S\$ 89.74
AB36114298	FPI6LB	360°F	182°C	Brass	S\$ 96.32

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed		S\$ 604.97



**KFR56 UPRIGHT  
 INTERMEDIATE  
 LEVEL**

- K-Factor = 5.6 (80)
- **SIN RA3624**
- See Bulletin 042

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3624</b>					
MA16114299	KFR56UI1B	165°F	74°C	Brass	S\$ 151.37
MA21114299	KFR56UI2B	212°F	100°C	Brass	S\$ 149.96

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW S\$ 203.86

<b>MODEL KFR80 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA5422</b>					
M1161142S8	KFR80UI1B	165°F	74°C	Brass	S\$ 157.68

**KFR80 UPRIGHT  
 INTERMEDIATE  
 LEVEL**

- K Factor = 8.0 (115)
- **SIN RA5422**
- See Bulletin 054





**KFR56 PENDENT  
 INTERMEDIATE  
 LEVEL**

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 042

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3614</b>					
M216114299	KFR56PI1B	165°F	74°C	Brass	S\$ 149.96
M221114299	KFR56PI2B	212°F	100°C	Brass	S\$ 149.96

6880100120 WW4 Wrench, W4, Recessed, Concealed S\$ 604.97



### D3 & D5 GUARDS

- F1FR56 Int. Level Spk W/ Guard and Shield Assembled
- Thread Size = 1/2"
- See Bulletins 031 & 208

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM)-D3</b>					
BA1A1142R9	F1FR56U0BD3	135°F	57°C	Brass	S\$ 124.64
BA2A1142R9	F1FR56U1BD3	155°F	68°C	Brass	S\$ 124.64
BA4A1142R9	F1FR56U5BD3	175°F	79°C	Brass	S\$ 124.64
BA5A1142R9	F1FR56U2BD3	200°F	93°C	Brass	S\$ 124.64
<b>MODEL F1FR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM)-D5</b>					
B21A114299	F1FR56P0BD5	135°F	57°C	Brass	S\$ 124.64
B22A114299	F1FR56P1BD5	155°F	68°C	Bronze	S\$ 124.64
B24A114299	F1FR56P5BD5	175°F	79°C	Brass	S\$ 124.64
B25A114299	F1FR56P2BD5	200°F	93°C	Brass	S\$ 124.64
<b>MODEL F1FR LO INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM)-D5</b>					
BB1A114298	F1FRP0LBD5	135°F	57°C	Bronze	S\$ 140.32
BB2A114298	F1FRP1LBD5	155°F	68°C	Bronze	S\$ 140.32
BB4A114298	F1FRP5LBD5	175°F	79°C	Bronze	S\$ 140.32
BB5A114298	F1FRP2LBD5	200°F	93°C	Bronze	S\$ 140.32

### Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



## D1 SPK & GUARD ASSEMBLY

- For F1FR56 Sprinklers
- Thread Size = 1/2"
- See Bulletins 031 & 208
- For F1FR - See Bulletin 170

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM)</b>					
BA1A1132R9	F1FR56U0BD1	135°F	57°C	Bronze	S\$ 115.94
BA2A1132R9	F1FR56U1BD1	155°F	68°C	Bronze	S\$ 115.94
BA4A1132R9	F1FR56U5BD1	175°F	79°C	Brass	S\$ 115.94
BA5A1132R9	F1FR56U2BD1	200°F	93°C	Brass	S\$ 115.94
BA8A1132R9	F1FR56U3BD1	286°F	141°C	Brass	S\$ 115.94
<b>MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM)</b>					
B21A113299	F1FR56P0BD1	135°F	57°C	Brass	S\$ 115.94
B22A113299	F1FR56P1BD1	155°F	68°C	Bronze	S\$ 115.94
B24A113299	F1FR56P5BD1	175°F	79°C	Brass	S\$ 115.94
B25A113299	F1FR56P2BD1	200°F	93°C	Brass	S\$ 115.94
B28A113299	F1FR56P3BD1	286°F	141°C	Brass	S\$ 115.94
<b>MODEL F1FR UPRIGHT K8.0 (115) THREADS 3/4" (20MM)</b>					
BA1A113498	F1FRU0LBD1	135°F	57°C	Bronze	S\$ 130.96
BA2A113498	F1FRU1LBD1	155°F	68°C	Bronze	S\$ 130.96
BA4A113498	F1FRU5LBD1	175°F	79°C	Brass	S\$ 130.96
BA5A113498	F1FRU2LBD1	200°F	93°C	Bronze	S\$ 130.96
BA8A113498	F1FRU3LBD1	286°F	141°C	Bronze	S\$ 130.96
<b>MODEL F1FR PENDENT K8.0 (115) THREADS 3/4" (20MM)</b>					
BB1A113498	F1FRP0LBD1	135°F	57°C	Bronze	S\$ 130.96
BB2A113498	F1FRP1LBD1	155°F	68°C	Bronze	S\$ 130.96
BB4A113498	F1FRP5LBD1	175°F	79°C	Bronze	S\$ 130.96
BB5A113498	F1FRP2LBD1	200°F	93°C	Bronze	S\$ 130.96
BB8A113498	F1FRP3LBD1	286°F	141°C	Bronze	S\$ 130.96
<b>GUARDS ONLY</b>					
6802251400	GC1	C-1 Universal		Zinc	S\$ 20.63
6802201400	GC2	C-2 Dry Pendent		Zinc	S\$ 28.59
6802251410	GD1	D-1 Universal		Zinc	S\$ 28.30
<b>GUARDS AND SHIELDS</b>					
6802501410	GD3	D-3 (Upright)		Zinc	S\$ 33.46
6802631412	GD51	D-5 (1/2" or 15mm)		Zinc	S\$ 64.26
6802631434	GD53	D-5 (3/4" or 20mm)		Zinc	S\$ 64.26
6802621412	GD41	D-4 (1/2" or 15mm)		Zinc	S\$ 72.00
6802621434	GD43	D-4 (3/4" or 20mm)		Zinc	S\$ 72.00
6802501400	GC3	C-3 (SU INT)		Zinc	S\$ 42.21
6802611412	GC51	C-5 (1/2" or 15mm)		Zinc	S\$ 59.00
6802611434	GC53	C-5 (3/4" or 20mm)		Zinc	S\$ 59.00

### Notes:

Sprinklers with D1 guards attached



- GFR INTERMEDIATE**
- K5.6 = SIN R3195
  - K8.0 = SIN R3197
  - See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R3195</b>					
0116114299	GFRUI1B	165°F	74°C	Brass	S\$ 201.90
0116214299	GFRUI1C	165°F	74°C	Chrome	S\$ 224.41
<b>MODEL GFR INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3197</b>					
0116114498	GFRUI1LB	165°F	74°C	Brass	S\$ 221.23
0116214498	GFRUI1LC	165°F	74°C	Chrome	S\$ 230.22



- GFR INTERMEDIATE**
- K5.6 = SIN R3115
  - K8.0 = SIN R3117
  - See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R3115</b>					
0216114299	GFRPI1B	165°F	74°C	Brass	S\$ 201.90
0216214299	GFRPI1C	165°F	74°C	Chrome	S\$ 224.41
<b>MODEL GFR INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R3117</b>					
0216114498	GFRPI1LB	165°F	74°C	Brass	S\$ 221.23
0216214498	GFRPI1LC	165°F	74°C	Chrome	S\$ 230.22

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97

**Notes:**  
 GFR Uprights have factory installed shields





**G INTERMEDIATE LEVEL**

- K5.6 = SIN R1425
- K8.0 = SIN R1427
- See Bulletin 114

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1425</b>					
5113114299	GUI0B	135°F	57°C	Brass	S\$ 108.47
5116114299	GUI1B	165°F	74°C	Brass	S\$ 108.47
5121114299	GUI2B	212°F	100°C	Brass	S\$ 108.47
5128114299	GUI3B	286°F	141°C	Brass	S\$ 108.47
<b>MODEL G INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1427</b>					
5113114498	GUI0LB	135°F	57°C	Brass	S\$ 119.49
5116114498	GUI1LB	165°F	74°C	Brass	S\$ 119.49
5121114498	GUI2LB	212°F	100°C	Brass	S\$ 119.49
5128114498	GUI3LB	286°F	141°C	Brass	S\$ 119.49




**G INTERMEDIATE LEVEL**

- K5.6 = SIN R1015
- K8.0 = SIN R1017
- See Bulletin 114

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015</b>					
5213114299	GPI0B	135°F	57°C	Brass	S\$108.47
5216114299	GPI1B	165°F	74°C	Brass	S\$108.47
5221114299	GPI2B	212°F	100°C	Brass	S\$108.47
5228114299	GPI3B	286°F	141°C	Brass	S\$108.47
<b>MODEL G INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017</b>					
5213114498	GPI0LB	135°F	57°C	Brass	S\$ 117.27
5221114498	GPI2LB	212°F	100°C	Brass	S\$ 119.49
5228114498	GPI3LB	286°F	141°C	Brass	S\$ 119.49

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100000	WRC	Requires Model RC1 Sprinkler Wrench (pendent)			S\$ 604.97



### D3 & D5 GUARDS



- F156 Int. Level Spk W/ Guard & Shield Assembled
- Thread Size = 1/2"
- See Bulletins 031 & 208

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3125</b>					
AA1A1142R9	F56U0BD3	135°F	57°C	Brass	S\$ 83.82
AA2A1142R9	F56U1BD3	155°F	68°C	Bronze	S\$ Call
AA4A1142R9	F56U5BD3	175°F	79°C	Brass	S\$ 83.82
		°F	°C		S\$ Call
		°F	°C		S\$ Call
AA9A1142R9	F56U6BD3	360°F	182°C	Brass	S\$ 89.74
<b>MODEL F1 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R7022</b>					
AA1A114298	FU0LBD3	135°F	57°C	Brass	S\$ 93.41
AA2A114298	FU1LBD3	155°F	68°C	Brass	S\$ 93.41
AA4A114298	FU5LBD3	175°F	79°C	Brass	S\$ 93.41
AA5A114298	FU2LBD3	200°F	93°C	Brass	S\$ 93.41
AA8A114298	FU3LBD3	286°F	141°C	Brass	S\$ 93.41
AA9A114298	FU6LBD3	360°F	182°C	Brass	S\$ 99.27
<b>MODEL F156 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314</b>					
A21A114299	F56P0BD5	135°F	57°C	Brass	S\$ 83.82
A22A114299	F56P1BD5	155°F	68°C	Bronze	S\$ 83.82
A28A114299	F56P3BD5	286°F	141°C	Bronze	S\$ 83.82
<b>MODEL F1 INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712</b>					
AB1A114298	FP0LBD5	135°F	57°C	Bronze	S\$ 93.41
AB2A114298	FP1LBD5	155°F	68°C	Bronze	S\$ 93.41
AB4A114298	FP5LBD5	175°F	79°C	Bronze	S\$ 93.41
AB5A114298	FP2LBD5	200°F	93°C	Bronze	S\$ 93.41
		°F	°C		S\$ Call
AB9A114298	FP6LBD5	360°F	182°C	Bronze	S\$ 94.49

### Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



### D3 & D5 GUARDS

- G Int. Level Sprinkler & Guard Assembly
- UL, cUL & NYC MEA Approved! (C Guards FM Approved)
- See Bulletin 208

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1425</b>					
511A114299	GU0BD3	135°F	57°C	Brass	S\$ 104.36
513A114299	GU1BD3	165°F	74°C	Brass	S\$ 104.36
516A114299	GU2BD3	212°F	100°C	Brass	S\$ 104.36
518A114299	GU3BD3	286°F	141°C	Brass	S\$ 104.36
<b>MODEL G INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1427</b>					
511A114498	GU0LBD3	135°F	57°C	Brass	S\$ 115.07
513A114498	GU1LBD3	165°F	74°C	Brass	S\$ 115.07
516A114498	GU2LBD3	212°F	100°C	Brass	S\$ 115.07
518A114498	GU3LBD3	286°F	141°C	Brass	S\$ 115.07
<b>MODEL G INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015</b>					
521A114299	GP0BD5	135°F	57°C	Brass	S\$ 104.36
523A114299	GP1BD5	165°F	74°C	Bronze	S\$ 104.36
526A114299	GP2BD5	212°F	100°C	Bronze	S\$ 104.36
528A114299	GP3BD5	286°F	141°C	Bronze	S\$ 104.36
<b>MODEL G INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017</b>					
521A114498	GP0LBD5	135°F	57°C	Bronze	S\$ 115.07
523A114498	GP1LBD5	165°F	74°C	Bronze	S\$ 115.07
526A114498	GP2LBD5	212°F	100°C	Bronze	S\$ 115.07
528A114498	GP3LBD5	286°F	141°C	Bronze	S\$ 115.07

### Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



## D1 SPK & GUARD ASSEMBLY

- For F156 & F1 LO Sprinklers
- Thread Size = 1/2" & 3/4"
- See Bulletins 031 & 208

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM)</b>					
AA1A1132R9	F56U0BD1	135°F	57°C	Brass	S\$ 84.58
AA2A1132R9	F56U1BD1	155°F	68°C	Bronze	S\$ 84.58
		°F	°C		S\$ Call
		°F	°C		S\$ Call
AA8A1132R9	F56U3BD1	286°F	141°C	Brass	S\$ 84.58
<b>MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM)</b>					
AB1A1132R9	F56P0BD1	135°F	57°C	Brass	S\$ 84.58
AB2A1132R9	F56P1BD1	155°F	68°C	Brass	S\$ 84.58
AB4A1132R9	F56P5BD1	175°F	79°C	Brass	S\$ 84.58
AB5A1132R9	F56P2BD1	200°F	93°C	Brass	S\$ 84.58
AB8A1132R9	F56P3BD1	286°F	141°C	Brass	S\$ 84.58
<b>MODEL F1 UPRIGHT K8.0 (115) THREADS 3/4" (20MM)</b>					
AA1A113498	FU0LBD1	135°F	57°C	Bronze	S\$ 93.82
AA2A113498	FU1LBD1	155°F	68°C	Bronze	S\$ 93.82
AA4A113498	FU5LBD1	175°F	79°C	Bronze	S\$ 93.82
AA5A113498	FU2LBD1	200°F	93°C	Bronze	S\$ 93.82
AA8A113498	FU3LBD1	286°F	141°C	Bronze	S\$ 93.82
<b>MODEL F1 PENDENT K8.0 (115) THREADS 3/4" (20MM)</b>					
AB1A113498	FP0LBD1	135°F	57°C	Bronze	S\$ 93.82
AB2A113498	FP1LBD1	155°F	68°C	Bronze	S\$ 93.82
AB4A113498	FP5LBD1	175°F	79°C	Bronze	S\$ 93.82
AB5A113498	FP2LBD1	200°F	93°C	Bronze	S\$ 93.82
AB8A113498	FP3LBD1	286°F	141°C	Brass	S\$ 93.82
<b>GUARDS ONLY</b>					
6802251400	GC1	C-1 Universal		Zinc	S\$ 20.63
6802201400	GC2	C-2 Dry Pendent		Zinc	S\$ 28.59
6802251410	GD1	D-1 Universal		Zinc	S\$ 28.30
<b>GUARDS AND SHIELDS</b>					
6802501410	GD3	D-3 (Upright)		Zinc	S\$ 33.46
6802631412	GD51	D-5 (1/2" or 15mm)		Zinc	S\$ 64.26
6802631434	GD53	D-5 (3/4" or 20mm)		Zinc	S\$ 64.26
6802621412	GD41	D-4 (1/2" or 15mm)		Zinc	S\$ 72.00
6802621434	GD43	D-4 (3/4" or 20mm)		Zinc	S\$ 72.00
6802501400	GC3	C-3 (SU INT)		Zinc	S\$ 42.21
6802611412	GC51	C-5 (1/2" or 15mm)		Zinc	S\$ 59.00
6802611434	GC53	C-5 (3/4" or 20mm)		Zinc	S\$ 59.00

**Notes:**

Sprinklers Factory installed with D1 Guards



## D1 SPK & GUARD ASSEMBLY

- For Model G Sprinklers
- UL, cUL & NYC MEA Approved! (C Guards FM Approved)
- See Bulletin 208

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025</b>				
511A113299	GU0BD1	135°F 57°C	Brass	S\$ 108.47
513A113299	GU1BD1	165°F 74°C	Brass	S\$ 108.47
516A113299	GU2BD1	212°F 100°C	Bronze	S\$ 108.47
518A113299	GU3BD1	286°F 141°C	Brass	S\$ 108.47
<b>MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015</b>				
521A113299	GP0BD1	135°F 57°C	Brass	S\$ 108.47
523A113299	GP1BD1	165°F 74°C	Brass	S\$ 108.47
526A113299	GP2BD1	212°F 100°C	Brass	S\$ 108.47
528A113299	GP3BD1	286°F 141°C	Brass	S\$ 108.47
<b>MODEL G UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1027</b>				
511A113498	GU0LBD1	135°F 57°C	Bronze	S\$ 119.49
513A113498	GU1LBD1	165°F 74°C	Bronze	S\$ 119.49
516A113498	GU2LBD1	212°F 100°C	Bronze	S\$ 119.49
518A113498	GU3LBD1	286°F 141°C	Bronze	S\$ 119.49
<b>MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017</b>				
521A113498	GP0LBD1	135°F 57°C	Bronze	S\$ 119.49
523A113498	GP1LBD1	165°F 74°C	Bronze	S\$ 119.49
526A113498	GP2LBD1	212°F 100°C	Bronze	S\$ 98.98
528A113498	GP3LBD1	286°F 141°C	Brass	S\$ 98.98
<b>GUARDS ONLY</b>				
6802251400	GC1	C-1 Universal	Zinc	S\$ 20.63
6802201400	GC2	C-2 Dry Pendent	Zinc	S\$ 28.59
6802251410	GD1	D-1 Universal	Zinc	S\$ 28.30
<b>GUARDS AND SHIELDS</b>				
6802501410	GD3	D-3 (Upright)	Zinc	S\$ 33.46
6802631412	GD51	D-5 (1/2" or 15mm)	Zinc	S\$ 64.26
6802631434	GD53	D-5 (3/4" or 20mm)	Zinc	S\$ 64.26
6802621412	GD41	D-4 (1/2" or 15mm)	Zinc	S\$ 72.00
6802621434	GD43	D-4 (3/4" or 20mm)	Zinc	S\$ 72.00
6802501400	GC3	C-3 (SU INT)	Zinc	S\$ 42.21
6802611412	GC51	C-5 (1/2" or 15mm)	Zinc	S\$ 59.00
6802611434	GC53	C-5 (3/4" or 20mm)	Zinc	S\$ 59.00

Sprinklers factory installed with D1 guards

## Reliable Attic Sprinklers

- See Bulletin 056
- Specific Application
- Sprinklers for Sloped
- Combustible and Noncombustible
- Light Hazard Concealed Spaces



**AH42 / AH56**



**DD56-6 / DD56-27**



**DS56**



**GP56**



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL AH42 UPRIGHT K4.2 (60) THREAD 1/2" RA5623 • Roof Slope = 4:12 to 8:12</b>					
MN21112699	AH42	212°F	100°C	Brass	S\$118.98
<b>MODEL AH56 UPRIGHT K5.6 (80) THREAD 1/2" RA5626 • Roof Slope = 4:12 to 8:12</b>					
MN21112799	AH56	212°F	100°C	Brass	S\$118.98
<b>MODEL DD56-6 UPRIGHT K5.6 (80) THREAD 1/2" RA5624 • Roof Slope = 4:12 to &lt;6:12</b>					
MN21113099	DD566	212°F	100°C	Brass	S\$645.06
<b>MODEL DD56-27 UPRIGHT K5.6 (80) THREAD 1/2" RA5694 • Roof Slope = 6:12 to 8:12</b>					
MN21113199	DD5627	212°F	100°C	Brass	S\$645.06
<b>MODEL DS56 UPRIGHT K5.6 (80) THREAD 1/2" RA5625 • Roof Slope = 4:12 to 8:12</b>					
MN21112899	DS56	212°F	100°C	Brass	S\$645.06
<b>MODEL GP56 UPRIGHT K5.6 (80) THREAD 1/2" RA5695 • Roof Slope = 4:12 to 8:12</b>					
MN21112999	GP56	212°F	100°C	Brass	S\$109.02
<b>MODEL DD80-6 UPRIGHT K8.0 (115) THREAD 3/4" RA5622 • Roof Slope = 4:12 to &lt;6:12</b>					
MN21113398	DD806	212°F	100°C	Brass	S\$645.06
<b>MODEL DD80-27 UPRIGHT K8.0 (115) THREAD 3/4" RA5692 • Roof Slope = 6:12 to 8:12</b>					
MN21113498	DD8027	212°F	100°C	Brass	S\$645.06

6880130002	WDS56	Model DS56 Sprinkler Wrench - Model DS56	S\$423.71
6880050100	WW2	Model W2 Sprinkler Wrench - Models: AH42, AH56,DD56,DD80, & GP56	S\$203.86



### LT56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA5814**
- See Bulletin 058
- Glass Bulb



### LT56L PENDENT

- K-Factor = 5.6 (80)
- **SIN R5814**
- See Bulletin 058
- Link

### LT56 300 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA5914**
- See Bulletin 058
- Glass Bulb

### LT56L-300 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5914**
- See Bulletin 058
- Link

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL LT56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA5814</b>					
BY151132S9	LT56P1BN	155°F	68°C	Brass	S\$ 113.55
BY152132S9	LT56P1CN	155°F	68°C	Chrome	S\$ 124.92
BY158732S9	LT56P1WN	155°F	68°C	Poly White	S\$ 124.92
BY201132S9	LT56P2BN	200°F	93°C	Brass	S\$ 113.55
BY202132S9	LT56P2CN	200°F	93°C	Chrome	S\$ 124.92
BY208732S9	LT56P2WN	200°F	93°C	Poly White	S\$ 124.92
<b>MODEL LT56L PENDENT K5.6 (80) THREADS 1/2" (15MM) R5814</b>					
MY16113299	LT56LP1B	165°F	74°C	Brass	S\$ 113.55
MY16213299	LT56LP1C	165°F	74°C	Chrome	S\$ 124.92
MY16873299	LT56LP1W	165°F	74°C	Poly White	S\$ 124.92
MY21113299	LT56LP2B	212°F	100°C	Brass	S\$ 113.55
MY21213299	LT56LP2C	212°F	100°C	Chrome	S\$ 124.92
MY21873299	LT56LP2W	212°F	100°C	Poly White	S\$ 124.92
<b>MODEL LT56-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA5914</b>					
B0151132S9	LT56P1B3N	155°F	68°C	Brass	S\$ 113.55
B0152132S9	LT56P1C3N	155°F	68°C	Chrome	S\$ 124.92
B0158732S9	LT56P1W3N	155°F	68°C	Poly White	S\$ 124.92
B020113299	LT56P2B3	200°F	93°C	Brass	S\$ 113.55
B020213299	LT56P2C3	200°F	93°C	Chrome	S\$ 124.92
B020873299	LT56P2W3	200°F	93°C	Poly White	S\$ 124.92
<b>MODEL LT56L-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) R5914</b>					
M016113299	LT56LP1B3	165°F	74°C	Brass	S\$ 113.55
M016213299	LT56LP1C3	165°F	74°C	Chrome	S\$ 124.92
M016873299	LT56LP1W3	165°F	74°C	Poly White	S\$ 124.92
M021113299	LT56LP2B3	212°F	100°C	Brass	S\$ 113.55
M021213299	LT56LP2C3	212°F	100°C	Chrome	S\$ 124.92
M021873299	LT56LP2W3	212°F	100°C	Poly White	S\$ 124.92
<b>MODEL FV TWO-PIECE RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801720600	FVB	1/2" (15mm)		Brass	S\$ 35.32
6801722100	FVC	1/2" (15mm)		Chrome	S\$ 23.52
6801728700	FVW	1/2" (15mm)		Poly White	S\$ 23.52
<b>MODEL FP TWO-PIECE RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801412100	FPC	1/2" (15mm)		Chrome	S\$ 38.90
6801417200	FPW	1/2" (15mm)		White	S\$ 38.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



### LT56 CCP

- K-Factor = 5.6 (80)
- **SIN RA5814**
- See Bulletin 058
- Glass Bulb

### LT56L CCP

- K-Factor = 5.6 (80)
- **SIN R5814**
- See Bulletin 058
- Fusible Link

### LT56 300 CCP

- K-Factor = 5.6 (80)
- **SIN RA5914**
- See Bulletin 058
- Glass Bulb

### LT56L-300 CCP

- K-Factor = 5.6 (80)
- **SIN R5914**
- See Bulletin 058
- Fusible Link

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL LT56 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5814</b>					
BZ15173299	LT56CCP1	155°F	68°C	W/O	S\$ 136.27
BZ20173299	LT56CCP2	200°F	93°C	W/O	S\$ 136.27
<b>MODEL LT56-300 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5914</b>					
BI15173299	LT56CCP13	155°F	68°C	W/O	S\$ 136.27
BI20173299	LT56CCP23	200°F	93°C	Brass	S\$ 136.27
<b>MODEL LT56L CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) R5814</b>					
MZ16173299	LT56LCCP1	165°F	74°C	W/O	S\$ 136.27
MZ21173299	LT56LCCP2	212°F	100°C	Brass	S\$ 136.27
<b>MODEL LT56L-300 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) R5914</b>					
MI16173299	LT56LCCP13	165°F	74°C	W/O	S\$ 136.27
MI21173299	LT56LCCP23	212°F	100°C	Brass	S\$ 136.27
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 105.79
6887161621	CCP1C76	165°F	74°C	Chrome	S\$ 161.66
6887161618	CCP1W76	165°F	74°C	Flat White	S\$ 63.00
6887161690	CCP1SP76	165°F	74°C	Specialty	S\$ 105.79
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97





**LT56C FLAT  
 CONCEALED**

- K-Factor = 5.6 (80)
- **SIN RA5994**
- See Bulletin 058

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL LT56C CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5994</b>				
M916173299	LTC1	165°F 74°C	W/O	S\$ 158.99
M921173299	LTC2	212°F 100°C	W/O	S\$ 158.99
<b>MODEL LT56C CONCEALED BSPT THREADS 1/2" (15MM) RA5994</b>				
M916173292	LTC1M	165°F 74°C	W/O	S\$ 158.99
M921173292	LTC2M	212°F 100°C	W/O	S\$ 158.99
<b>MODEL G5 COVERPLATES</b>				
6887271321	CG50C	135°F 57°C	Chrome	S\$ 74.87
6887271372	CG50W	135°F 57°C	White	S\$ 68.24
6887271311	CG50B	135°F 57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F 57°C	Off-White	S\$ 92.82
6887271390	CG50SP	135°F 57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F 57°C	Black Painted	S\$ 92.94
6887271305	CG50BB	135°F 57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F 57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F 57°C	Stainless Steel	S\$ 117.81
6887271319	CG50EW	135°F 57°C	EW	S\$ 68.24
6887271621	CG51C	165°F 74°C	Chrome	S\$ 74.87
6887271672	CG51W	165°F 74°C	White	S\$ 68.24
6887271611	CG51B	165°F 74°C	Finished Bronze	S\$ 97.32
6887271674	CG51OW	165°F 74°C	Off-White	S\$ 92.82
6887271690	CG51SP	165°F 74°C	Specialty	S\$ 96.53
6887271616	CG51FB	165°F 74°C	Black Painted	S\$ 92.94
6887271605	CG51BB	165°F 74°C	Bright Brass	S\$ 117.81
6887271623	CG51CD	165°F 74°C	Satin Chrome	S\$ 117.81
6887271610	CG51SS	165°F 74°C	Stainless Steel	S\$ 117.81
6887271619	CG51EW	165°F 74°C	EW	S\$ 68.24

**Notes:**

Sprinklers and coverplates sold and packaged separately



## XL INSTITUTIONAL

- K-Factor = 5.6 (80)
- Pendent EC= SIN R1344
- HSW EC = SIN R1364
- Pendent = SIN R1314
- HSW = SIN R1334
- See Bulletin 113

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL XL EC INST PENDENT K5.6 (80) THREADS 1/2" (15MM) R1344</b>					
1572213299	XLEPC	165°F	74°C	Chrome	S\$387.30
<b>MODEL XL INST PENDENT K5.6 (80) THREADS 1/2" (15MM) R1314</b>					
1512213299	XLPC	165°F	74°C	Chrome	S\$361.65
<b>MODEL XL INST HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1334</b>					
1452213299	XLHC	165°F	74°C	Chrome	S\$376.96
<b>REPLACEMENT PARTS</b>					
6801321223	IKEC	EC HSW ESCUTCHEON KIT, SATIN			S\$ Call
6801321272	IKEW	EC HSW ESCUTCHEON KIT, WHITE PAINT			S\$ Call
6801320123	IKPC	PENDENT, EC PENDENT ESCUTCHEON KIT, SATIN			S\$ Call
6801320172	IKPW	PENDENT, EC PENDENT ESCUTCHEON KIT, WHITE PAINT			S\$ Call
6801322223	IXLHC	HSW ESCUTCHEON KIT, SATIN			S\$ Call
6801322272	IXLHW	HSW ESCUTCHEON KIT, WHITE PAINT			S\$ Call
6801350001		Retainer Flange			S\$ 56.56
88795014		Escutcheon Retaining Ring			S\$ 21.70
88007901		Tamper Resistant Fasteners			S\$ 11.52
6880160020	ZXT	Tamper Resistant Tool Bit			S\$ 68.08
6880160000	WZXP	Requires Model ZX (Pendent) Sprinkler Wrench			S\$ 602.61
6880160010	WZXH	Requires Model ZX (Horizontal) Sprinkler Wrench			S\$ 602.61



**Non-Ferrous**

**F4FR-NF**

- K-Factor = 5.6 (80)
- **SIN RA0212**
- See Bulletin 002

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F4FR-NF CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA0212</b>					
0615723299	F4FRNF1W	155°F	68°C	White	S\$ 386.60
0615213299	F4FRNF1C	155°F	68°C	Chrome	S\$ 386.60

6880170000      WG4      Requires Model G4 Sprinkler Wrench      S\$ 602.61

<b>MODEL KFR- CCS K5.6 (80) THREADS 1/2"(15MM) RA4454</b>					
MN211132R9	KFRCCS	212°F	100°C	Brass	S\$ 130.19

6880050100      WW2      Wrench, W2, Pendant, Upright, HSW      S\$ 203.86



**KFR CCS**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044



### WP56 PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #501 (Bulb)**
- See Bulletin 181



### WP56L PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #R502 (Link)**
- See Bulletin 181



### WP56C CONCEALED PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #R504**
- See Bulletin 181

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL WP56 PENDENT VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" (15MM) R501 BULB</b>					
BW151132S9	WP561B	155°F	68°C	Bronze	S\$ 1,020.37
BW152132S9	WP561C	155°F	68°C	Chrome	S\$ 1,061.17
BW158732S9	WP561W	155°F	68°C	White	S\$ 1,061.17
BW151032S9	WP561SS	155°F	68°C	Stainless Steel	S\$ 2,099.51
BW201132S9	WP562B	200°F	93°C	Brass	S\$ 1,020.37
BW202132S9	WP562C	200°F	93°C	Chrome	S\$ 1,061.17
BW208732S9	WP562W	200°F	93°C	White	S\$ 1,061.17
BW201032S9	WP562SS	200°F	93°C	Stainless Steel	S\$ 2,099.51
<b>MODEL WP56L PENDENT VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" (15MM) R502 LINK</b>					
MW161132S9	WP56L1B	165°F	74°C	Bronze	S\$ 1,020.37
MW162132S9	WP56L1C	165°F	74°C	Chrome	S\$ 1,061.17
MW168732S9	WP56L1W	165°F	74°C	White	S\$ 1,061.17
MW211132S9	WP56L2B	212°F	100°C	Bronze	S\$ 1,020.37
MW212132S9	WP56L2C	212°F	100°C	Chrome	S\$ 1,061.17
MW218732S9	WP56L2W	212°F	100°C	White	S\$ 1,061.17
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
<b>MODEL WP56C WINDOW CONCEALER K5.6 (80) THREADS 1/2" NPT R504</b>					
1W16173299	WP56C1B	165°F	74°C	W/O	S\$ 1,224.43
1W21173299	WP56C2B	212°F	100°C	W/O	S\$ 1,224.43
<b>MODEL WP56C WINDOW CONCEALER K5.6 (80) THREADS 1/2" BSPT R504</b>					
1W16173292	WP56C1BM	165°F	74°C	W/O	S\$ 1,224.43
1W21173292	WP56C2BM	212°F	100°C	W/O	S\$ 1,224.43
6880170020	WFC	WRENCH,FC,CONCEALED			S\$ 608.21
<b>MODEL G5 COVERPLATES FOR WP56C CONCEALED SPRINKLERS</b>					
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.87
6887271672	CG51W	165°F	74°C	White	S\$ 68.24
6887271621	CG51C	165°F	74°C	Chrome	S\$ 74.87

### Features

- cULus Listed to provide complete wetting of various glass surfaces
- Fast Response Specific Applications Pendent Vertical Sidewall sprinkler
- Listed corrosion resistant finishes available (WP56 only)

### Notes:

Other Coverplate finishes available upon request.



**F1S5-FS56 FLAT  
 SPRAY SPECIAL  
 RESPONSE**

- SIN RA2314
- K-Factor = 80 (5.6)
- Thread Size = 15mm (1/2")
- Bulletin 023

**F1S5-FS42 FLAT  
 SPRAY SPECIAL  
 RESPONSE**

- SIN RA2315
- K-Factor = 57 (4.2)
- Thread Size = 15mm (1/2")
- Bulletin 023



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1S5-FS56-I K5.6 (80) BSPT THREADS 1/2" (15MM) RA2314</b>					
		°F	°C		S\$ Call
KB15114392	KB15114392	155°F	68°C	Brass	S\$ 104.05
		°F	°C		S\$ Call
		°F	°C		S\$ Call
KB28114392		286°F	141°C	Brass	S\$ 104.05
<b>MODEL F1S5-FS42-I K4.2 (57) BSPT THREADS 1/2" (15MM) RA2315</b>					
		°F	°C		S\$ Call
KB15114592	KB15114592	155°F	68°C	Brass	S\$ 104.05
		°F	°C		S\$ Call
		°F	°C		S\$ Call
		°F	°C		S\$ Call
<b>REQUIRED PENDENT SHIELD</b>					
		°F	°C	Galvanized	S\$ Call

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	With Shield Use Model GFR2 Wrench	S\$ 604.97

**Notes:**

Sprinkler and Shield packaged and sold separately



**F1S5 SERIES  
 SPECIAL  
 RESPONSE  
 STANDARD SPRAY**

- K-Factor = 80 (5.6)
- Thread Size = 15mm (1/2")
- Bulletin 024

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1S5-56 UPRIGHT K5.6 (80) BSPT THREADS 1/2" (15MM)</b>					
		135°F	°C	Brass	S\$ Call
KA151132R2	KA151132R2	155°F	68°C	Brass	S\$ 52.03
KA171132R2		175°F	79°C	Brass	S\$ 52.03
KA201132R2		200°F	93°C	Brass	S\$ 52.03
KA281132R2	KA281132R2	286°F	141°C	Brass	S\$ 52.03
		°F	°C		S\$ Call
KA152132R2		155°F	68°C	Chrome	S\$ 62.58
KA172132R2		175°F	79°C	Chrome	S\$ 52.03
KA202132R2		200°F	93°C	Chrome	S\$ 62.58
KA282132R2		286°F	141°C	Chrome	S\$ 62.58
<b>MODEL F1S5-56 PENDENT K5.6 (80) BSPT THREADS 1/2" (15MM)</b>					
KB131132R2		135°F	57°C	Brass	S\$ 52.03
KB151132R2		155°F	68°C	Brass	S\$ 52.03
KB171132R2		175°F	79°C	Brass	S\$ 52.03
KB201132R2	KB201132R2	200°F	93°C	Brass	S\$ 52.03
KB281132R2		286°F	141°C	Brass	S\$ 52.03
		°F	°C		S\$ Call
KB152132R2	KB152132R2	155°F	68°C	Chrome	S\$ 62.58
		°F	°C		S\$ Call
KB202132R2	KB202132R2	200°F	93°C	Chrome	S\$ 62.58
KB282132R2		286°F	141°C	Chrome	S\$ 62.58
KB138732R2		135°F	57°C	White	S\$ 62.58
KB158732R2		155°F	68°C	White	S\$ 62.58
		°F	°C		S\$ Call
		°F	°C		S\$ Call
		°F	°C		S\$ Call
<b>F1 ESCUTCHEONS</b>					
6800630001	GF1B	GF1B		Brass	S\$ 37.41
6800600001	GF1C	GF1C		Chrome	S\$ 20.17
6800640001	GF1W	GF1W		White	S\$ 20.17
<b>F2 ESCUTCHEONS</b>					
6800830000	GF2B	GF2B		Brass	S\$ 37.41
6800800000	GF2C	GF2C		Chrome	S\$ 20.17
6800840000	GF2W	GF2W		White	S\$ 20.17
<b>FP PUSH-ON/THREADS-OFF ESCUTCHEONS</b>					
6801412100	FPC	FPC		Chrome	S\$ 38.90
6801417200	FPW	FPW		White	S\$ 38.90

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 203.86
6880060000	WGFR	Recessed Use Model GFR2 Sprinkler Wrench	S\$ 604.97



**F1S5 SERIES  
 SPECIAL  
 RESPONSE  
 STANDARD SPRAY**

- K-Factor = 80 (5.6)
- Thread Size = 15mm (1/2")
- Bulletin 024

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1S5-56 CONVENTIONAL K5.6 (80) BSPT THREADS 1/2" (15MM)</b>					
KC131132R2		135°F	57°C	Brass	S\$ 52.03
KC151132R2		155°F	68°C	Brass	S\$ 52.03
		°F	°C		S\$ Call
KC201132R2		200°F	93°C	Brass	S\$ 52.03
		°F	°C		S\$ Call
KC132132R2		135°F	57°C	Chrome	S\$ 58.50
KC152132R2		155°F	68°C	Chrome	S\$ 58.50
		°F	°C		S\$ Call
KC202132R2		200°F	93°C	Chrome	S\$ 58.50
		°F	°C		S\$ Call

6880050100      WW2      Requires Model W2 Sprinkler Wrench      S\$ 203.86



**F1S5 LO LARGE  
 ORIFICE SPECIAL  
 RESPONSE  
 STANDARD SPRAY**

- K-Factor = 115 (8.0)
- Thread Size = R1/2
- Bulletin 024



Part Number	Short Code	Temperature		Finish	List Price	
<b>MODEL F1S5 LO UPRIGHT K8.0( 115) THREADS 1/2"(15MM ) BSPT THREADS</b>						
		°F	°C		S\$	Call
KA15113492		155°F	68°C	Brass	S\$	65.31
KA17113492		175°F	79°C	Brass	S\$	65.31
KA20113492		200°F	93°C	Brass	S\$	65.31
KA28113492		286°F	141°C	Brass	S\$	65.31
KA13213492		135°F	57°C	Chrome	S\$	76.22
KA15213492		155°F	68°C	Chrome	S\$	76.22
<b>MODEL F1S5 LO PENDENT K8.0( 115) THREADS 1/2"(15MM ) BSPT THREADS</b>						
		°F	°C		S\$	Call
KB15113492		155°F	68°C	Brass	S\$	65.31
KB17113492		175°F	79°C	Brass	S\$	65.31
		°F	°C		S\$	Call
		°F	°C		S\$	Call
KB28213492		286°F	141°C	Chrome	S\$	76.22
<b>F1 ESCUTCHEONS</b>						
6800630001	GF1B	15mm (1/2")		Brass	S\$	37.41
6800600001	GF1C	15mm (1/2")		Chrome	S\$	20.17
6800640001	GF1W	15mm (1/2")		White	S\$	20.17
<b>F2 ESCUTCHEONS</b>						
6800830000	GF2B	15mm (1/2")		Brass	S\$	37.41
6800800000	GF2C	15mm (1/2")		Chrome	S\$	20.17
6800840000	GF2W	15mm (1/2")		White	S\$	20.17
<b>FP PUSH-ON/THREADS-OFF ESCUTCHEONS</b>						
6801412100	FPC	FP PUSH-ON/THREADS-OFF		Chrome	S\$	38.90
6801417200	FPW	FP PUSH-ON/THREADS-OFF		White	S\$	38.90

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97





### F3QR56 DRY UPRIGHT

- K-Factor = 5.6 (80)
- **SIN R5724**
- 1" Size
- See Bulletin 157
- Finish is Brass only
- Available lengths 5" to 48"

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY UPRIGHT K5.6 (80) THREADS 1" (25MM) R5724</b>			
H1[TEMP]11[DIM]	5" to 8-3/4"	Brass	S\$ 522.72
H1[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 553.25
H1[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 583.83
H1[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 614.46
H1[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 644.96
H1[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 675.53
H1[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 706.15
H1[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 736.58
H1[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 767.30
H1[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 797.89
H1[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 828.44
H1[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 859.02
H1[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 889.51
H1[TEMP]11[DIM]	45" to 48"	Brass	S\$ 920.18

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214



## F3QR56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY PENDENT K5.6 (80) THREADS 3/4" (20MM) R5714</b>			
H25[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 563.47
H25[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 563.47
H25[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 575.62
H25[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 593.97
H25[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 593.97
H25[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 606.28
H25[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 624.54
H25[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 624.54
H25[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 636.81
H25[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 655.10
H25[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 655.10
H25[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 667.42
H25[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H25[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 685.69
H25[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 697.91
H25[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 716.23
H25[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 716.23
H25[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 728.51
H25[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 746.78
H25[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 746.78
H25[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 759.15
H25[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 777.39
H25[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 777.39
H25[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 789.62
H25[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 807.81
H25[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 807.81
H25[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 820.21
H25[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 838.55
H25[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 838.55
H25[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 850.70
H25[TEMP]11[DIM]	33" to 36"	Brass	S\$ 869.16
H25[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 869.16
H25[TEMP]08[DIM]	33" to 36"	White	S\$ 881.34

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**F3QR56 DRY  
 PENDENT**

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY PENDENT K5.6 (80) THREADS 1" (25MM) R5714</b>			
H2[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 492.22
H2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 492.22
H2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 504.33
H2[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 522.72
H2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 522.72
H2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 534.98
H2[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 553.25
H2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 553.25
H2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 565.58
H2[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 583.83
H2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 583.83
H2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 596.13
H2[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 614.46
H2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 614.46
H2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 626.69
H2[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 644.96
H2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 644.96
H2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 657.21
H2[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 675.53
H2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 675.53
H2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 687.85
H2[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 706.15
H2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 706.15
H2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 718.34
H2[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 736.58
H2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 736.58
H2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 748.93
H2[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 767.30
H2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 767.30
H2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 779.44
H2[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 797.89
H2[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 797.89
H2[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 810.08
H2[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 828.44
H2[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 828.44
H2[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 840.66
H2[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 859.02
H2[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 859.02
H2[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 871.14
H2[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 889.51
H2[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 889.51
H2[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 901.83
H2[TEMP]11[DIM]	45" to 48"	Brass	S\$ 920.18
H2[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 920.18
H2[TEMP]08[DIM]	45" to 48"	White	S\$ 932.34

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3QR56 DRY PENDENT /HB

- K-Factor = 5.6 (80)
- **SIN R5714**
- NEW 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY PENDENT / HB K5.6 (80) THREADS 3/4" (15MM) R5714</b>			
HJ5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 616.99
HJ5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 629.57
HJ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 648.41
HJ5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 660.98
HJ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 679.86
HJ5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 692.46
HJ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 711.38
HJ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 723.96
HJ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 742.82
HJ5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 755.37
HJ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 774.31
HJ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 786.86
HJ5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 805.75
HJ5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 818.38
HJ5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 837.25
HJ5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 849.75
HJ5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 868.65
HJ5[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
HJ5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 900.12
HJ5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 912.71
HJ5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 931.64
HJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 944.21
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**F3QR56 DRY  
 PENDENT / HB**

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY PENDENT / HB K5.6 (80) THREADS 1" (25MM) R5714</b>			
HJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 545.71
HJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 558.28
HJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 577.16
HJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 589.70
HJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 608.58
HJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 621.18
HJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 640.11
HJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 652.68
HJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 671.58
HJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 684.14
HJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 703.04
HJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 715.58
HJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 734.47
HJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 747.09
HJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 765.97
HJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 778.45
HJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 797.38
HJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 810.03
HJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 828.84
HJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 841.43
HJ[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 860.38
HJ[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 872.98
HJ[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 891.82
HJ[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 904.44
HJ[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 935.97
HJ[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 935.97
HJ[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 954.73
HJ[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 967.34
HJ[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 986.22
HJ[TEMP]08[DIM]	45" to 48"	White	S\$ 998.79
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61




**F3QR56 DRY REC  
 FP PENDENT**

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY PENDENT REC FP K5.6 (80) THREADS 3/4" (20MM) R5714</b>			
H65[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 639.96
H65[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 639.96
H65[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 652.56
H65[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
H65[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 671.38
H65[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
H65[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
H65[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 702.83
H65[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
H65[TEMP]11[DIM]	12" to 14-3/4"		S\$ Call
H65[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 734.34
H65[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 746.92
H65[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H65[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 765.79
H65[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 778.36
H65[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 797.28
H65[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 797.28
H65[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 809.80
H65[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H65[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 828.69
H65[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 841.34
H65[TEMP]11[DIM]	24" to 26-3/4"		S\$ Call
H65[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 860.21
H65[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 872.73
H65[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ Call
H65[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 891.60
H65[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
H65[TEMP]11[DIM]	30" to 32-3/4"		S\$ Call
H65[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 923.09
H65[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
H65[TEMP]11[DIM]	33" to 36"	Brass	S\$ 954.60
H65[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 954.60
H65[TEMP]08[DIM]	33" to 36"	White	S\$ 967.18

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61




## F3QR56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY REC FP PENDENT K5.6 (80) THREADS 1" (25MM) R5714</b>			
H6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 568.66
H6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 568.66
H6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 581.26
H6[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 600.12
H6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 600.12
H6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 612.66
H6[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 631.56
H6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 631.56
H6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 644.16
H6[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 663.06
H6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 663.06
H6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 675.65
H6[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 694.55
H6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 694.55
H6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 707.08
H6[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 726.01
H6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 726.01
H6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 738.57
H6[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 757.44
H6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 757.44
H6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 770.05
H6[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 788.96
H6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 788.96
H6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 801.44
H6[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 820.35
H6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 820.35
H6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 832.99
H6[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 851.83
H6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 851.83
H6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 864.38
H6[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 883.35
H6[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 883.35
H6[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 895.93
H6[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 914.79
H6[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 914.79
H6[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 927.42
H6[TEMP]11[DIM]	39" to 41-3/4"		S\$ Call
H6[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 946.31
H6[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 958.94
H6[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 977.69
H6[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 977.69
H6[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 990.31
H6[TEMP]11[DIM]	45" to 48"	Brass	S\$ 1,009.19
H6[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,009.19
H6[TEMP]08[DIM]	45" to 48"	White	S\$ 1,021.76

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**F3QR56 DRY REC  
 F1 PENDENT**

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY PENDENT REC F1 K5.6 (80) THREADS 3/4" (20MM) R5714</b>			
H95[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 645.50
H95[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 629.23
H95[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 641.80
H95[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
H95[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 660.65
H95[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 673.23
H95[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
H95[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 692.09
H95[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
H95[TEMP]11[DIM]	12" to 14-3/4"		S\$ Call
H95[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 723.64
H95[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 736.21
H95[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H95[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 755.08
H95[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
H95[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 802.81
H95[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 786.54
H95[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 799.09
H95[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H95[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 818.00
H95[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 830.61
H95[TEMP]11[DIM]	24" to 26-3/4"		S\$ Call
H95[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 849.48
H95[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 861.98
H95[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ Call
H95[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
H95[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 893.51
H95[TEMP]11[DIM]	30" to 32-3/4"		S\$ Call
H95[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 912.37
H95[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
H95[TEMP]11[DIM]	33" to 36"	Brass	S\$ 960.17
H95[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 943.89
H95[TEMP]08[DIM]	33" to 36"	White	S\$ 956.48

6880070100	WXLO	Requies Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61





## F3QR56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157
- **Pricing includes F1 Escutcheon**

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY PENDENT REC F1 K5.6 (80) THREAD 1" (25MM) R5714</b>			
H9[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 574.24
H9[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 557.95
H9[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 570.52
H9[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 605.65
H9[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 589.38
H9[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 601.94
H9[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 637.11
H9[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 620.84
H9[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 633.42
H9[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 668.64
H9[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 652.36
H9[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 664.93
H9[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 700.07
H9[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 683.82
H9[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 696.36
H9[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 731.56
H9[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 715.27
H9[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 727.84
H9[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H9[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 746.70
H9[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 759.33
H9[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 794.49
H9[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 778.20
H9[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 790.70
H9[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 825.90
H9[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 809.63
H9[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 822.28
H9[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 857.37
H9[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 841.07
H9[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 853.69
H9[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 888.89
H9[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 872.61
H9[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 885.19
H9[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 920.33
H9[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 904.07
H9[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 916.68
H9[TEMP]11[DIM]	39" to 41-3/4"		S\$ Call
H9[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 935.62
H9[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 948.22
H9[TEMP]11[DIM]	42" to 44-3/4"		S\$ Call
H9[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 966.97
H9[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 979.57
H9[TEMP]11[DIM]	45" to 48"		S\$ Call
H9[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 998.50
H9[TEMP]08[DIM]	45" to 48"	White	S\$ 1,011.04

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3QR56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5734</b>			
H45[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 609.41
H45[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 609.41
H45[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 621.96
H45[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 617.16
H45[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 617.16
H45[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 660.98
H45[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 672.42
H45[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 672.42
H45[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 684.92
H45[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 703.78
H45[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 703.78
H45[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 716.40
H45[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 735.32
H45[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 735.32
H45[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 747.79
H45[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 766.70
H45[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 766.70
H45[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 779.25
H45[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 798.26
H45[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 798.26
H45[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 810.86
H45[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 829.72
H45[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 829.72
H45[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 842.26
H45[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 861.10
H45[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 861.10
H45[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 873.83
H45[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 892.57
H45[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 892.57
H45[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 905.19
H45[TEMP]11[DIM]	33" to 35 3/4"	Bronze	S\$ 924.06
H45[TEMP]21[DIM]	33" to 35 3/4"	Chrome	S\$ 924.06
H45[TEMP]08[DIM]	33" to 35 3/4"	White	S\$ 936.68
H45[TEMP]11[DIM]	36"to 38-3/4"	Bronze	S\$ 955.78
H45[TEMP]21[DIM]	36"to 38-3/4"	Chrome	S\$ 955.78
H45[TEMP]08[DIM]	36"to 38-3/4"	White	S\$ 968.48
H45[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 987.50
H45[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 987.50
H45[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,000.20
H45[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,019.22
H45[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,019.22
H45[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,031.92
H45[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 1,050.94
H45[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,050.94
H45[TEMP]08[DIM]	45" to 48"	White	S\$ 1,063.62

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3QR56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5734</b>			
H4[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 538.14
H4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 538.14
H4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 550.68
H4[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 569.61
H4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 569.61
H4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 589.70
H4[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 601.15
H4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 601.15
H4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 613.67
H4[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 632.50
H4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 632.50
H4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 645.18
H4[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 664.02
H4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 664.02
H4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 676.51
H4[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 695.45
H4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 695.45
H4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 707.96
H4[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 726.98
H4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 726.98
H4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 739.58
H4[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 758.42
H4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 758.42
H4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 770.98
H4[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 789.84
H4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 789.84
H4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 802.54
H4[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 821.29
H4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 821.29
H4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 833.93
H4[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ Call
H4[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 852.78
H4[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 865.38
H4[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 884.25
H4[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 884.25
H4[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 896.89
H4[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ Call
H4[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 978.71
H4[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 991.32
H4[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 1,010.16
H4[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,010.16
H4[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,019.58
H4[TEMP]11[DIM]	45" to 48"		S\$ Call
H4[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,022.69
H4[TEMP]08[DIM]	45" to 48"	White	S\$ 1,035.26

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3QR56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY HORIZONTAL / HB K5.6 (80) THREADS 3/4" (20MM) R5734</b>			
HK5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 648.41
HK5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 660.98
HK5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 679.86
HK5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 692.46
HK5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 711.38
HK5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 716.84
HK5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 742.82
HK5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 755.37
HK5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 774.31
HK5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 786.86
HK5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 805.75
HK5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 818.38
HK5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 837.25
HK5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 849.75
HK5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 868.65
HK5[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
HK5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 900.12
HK5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 912.71
HK5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 931.64
HK5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 944.21
HK5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 963.12
HK5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 975.72
HK5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 994.82
HK5[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 1,007.45
HK5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,026.55
HK5[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,039.16
HK5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,058.27
HK5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,070.88
HK5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,089.98
HK5[TEMP]08[DIM]	45" to 48"	White	S\$ 1,102.58
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3QR56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) R5734</b>			
HK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 577.16
HK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 589.70
HK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 608.58
HK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 621.18
HK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 640.11
HK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 652.68
HK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 671.58
HK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 684.14
HK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 703.04
HK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 715.58
HK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 734.47
HK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 747.09
HK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 765.97
HK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 778.45
HK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 797.38
HK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 810.03
HK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 828.84
HK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 841.43
HK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 860.38
HK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 872.98
HK[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 891.82
HK[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 904.44
HK[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 923.34
HK[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 935.97
HK[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,017.73
HK[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,030.25
HK[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,049.20
HK[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,061.77
HK[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,080.64
HK[TEMP]08[DIM]	45" to 48"	White	S\$ 1,093.24
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$	320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$	64.61



## F3QR56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY HORIZONTAL REC FP K5.6 (80) THREADS 3/4" (20MM) R5734</b>			
H55[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 671.38
H55[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 671.38
H55[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 683.95
H55[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ Call
H55[TEMP]21[DIM]	6" to 8-3/4"		S\$ Call
H55[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
H55[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ Call
H55[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
H55[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
H55[TEMP]11[DIM]	12" to 14-3/4"		S\$ Call
H55[TEMP]21[DIM]	12" to 14-3/4"		S\$ Call
H55[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 778.36
H55[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H55[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
H55[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
H55[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 828.69
H55[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 828.69
H55[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 841.34
H55[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H55[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
H55[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
H55[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ Call
H55[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
H55[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
H55[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
H55[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
H55[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
H55[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 954.60
H55[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 954.60
H55[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
H55[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 986.08
H55[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 986.08
H55[TEMP]08[DIM]	33" to 36"	White	S\$ 998.69

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3QR56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY HORIZONTAL REC FP K5.6 (80) THREADS 1" (25MM) R5734</b>			
H5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 600.12
H5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 600.12
H5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 612.66
H5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 631.56
H5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 631.56
H5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 644.16
H5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 663.06
H5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 663.06
H5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 675.65
H5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 694.55
H5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 694.55
H5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 707.08
H5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 726.01
H5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 726.01
H5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 738.57
H5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 757.44
H5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 757.44
H5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 770.05
H5[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 788.96
H5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 788.96
H5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 801.44
H5[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 820.35
H5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 820.35
H5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 832.99
H5[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 851.83
H5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 851.83
H5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 864.38
H5[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 883.35
H5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 883.35
H5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 895.93
H5[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 914.79
H5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 914.79
H5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 927.42
H5[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 946.31
H5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 946.31
H5[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 958.94
H5[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 1,040.71
H5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,040.71
H5[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,053.21
H5[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,072.15
H5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,072.15
H5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,084.74
H5[TEMP]11[DIM]	45" to 48"	Brass	S\$ 1,103.61
H5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,103.61
H5[TEMP]08[DIM]	45" to 48"	White	S\$ 1,116.21

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3QR56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY HORIZONTAL REC F1 K5.6 (80) THREADS 3/4" (20MM) R5734</b>			
H05[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 676.93
H05[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 660.65
H05[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 673.23
H05[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ Call
H05[TEMP]21[DIM]	6" to 8-3/4"		S\$ Call
H05[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
H05[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ Call
H05[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
H05[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
H05[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 771.33
H05[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 755.08
H05[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 767.65
H05[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
H05[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
H05[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
H05[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 834.23
H05[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 818.00
H05[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 830.61
H05[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
H05[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
H05[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
H05[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ Call
H05[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 880.90
H05[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
H05[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
H05[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
H05[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
H05[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ Call
H05[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
H05[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
H05[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 991.60
H05[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 975.33
H05[TEMP]08[DIM]	33" to 36"	White	S\$ 916.68

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61





## F3QR56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY HORIZONTAL REC F1 K5.6 (80) THREADS 1" (25MM) R5734</b>			
H0[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ Call
H0[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 589.38
H0[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 601.94
H0[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 637.11
H0[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 620.84
H0[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 633.42
H0[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 668.64
H0[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 652.36
H0[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 664.93
H0[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 700.07
H0[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 683.82
H0[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 696.36
H0[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 731.56
H0[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 715.27
H0[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 727.84
H0[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 762.94
H0[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 746.70
H0[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 759.33
H0[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ Call
H0[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 778.20
H0[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 790.70
H0[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 825.90
H0[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 809.63
H0[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 822.28
H0[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 857.37
H0[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 841.07
H0[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ Call
H0[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 888.89
H0[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 872.61
H0[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 885.19
H0[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 920.33
H0[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 904.07
H0[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 916.68
H0[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ Call
H0[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 935.62
H0[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 948.22
H0[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ Call
H0[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,030.01
H0[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,042.48
H0[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,077.72
H0[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,061.45
H0[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ Call
H0[TEMP]11[DIM]	45" to 48"	Bronze	S\$ Call
H0[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,092.91
H0[TEMP]08[DIM]	45" to 48"	White	S\$ 1,105.49

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**F3QR56 DRY CONCEALED**

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY CONCEALED K5.6 (80) THREADS 3/4" (20MM) R5714</b>			
HG5[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 785.69
HG5[TEMP]17[DIM]	6" to 8-3/4"		S\$ Call
HG5[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 848.53
HG5[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 880.02
HG5[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 911.48
HG5[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 943.04
HG5[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 974.44
HG5[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,005.87
HG5[TEMP]17[DIM]	27" to 29-3/4"		S\$ Call
HG5[TEMP]17[DIM]	30" to 32-3/4"		S\$ Call
HG5[TEMP]17[DIM]	33" to 36"	Brass	S\$ 1,029.07
<b>MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED</b>			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White S\$ 63.00
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 161.66
6887161618	CCP1W76	165°F 74°C	Flat White S\$ 63.00

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3QR56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN 5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) 5714</b>			
HG TEMP 17 DIM	3-1/2" to 5-3/4"	Brass	S\$ 714.41
HG TEMP 17 DIM	6" to 8-3/4"	Brass	S\$ 745.88
HG TEMP 17 DIM	9" to 11-3/4"	Brass	S\$ 777.28
HG TEMP 17 DIM	12" to 14-3/4"	Brass	S\$ 808.78
HG TEMP 17 DIM	15" to 17-3/4"	Brass	S\$ 840.21
HG TEMP 17 DIM	18" to 20-3/4"	Brass	S\$ 871.75
HG TEMP 17 DIM	21" to 23-3/4"	Brass	S\$ 903.16
HG TEMP 17 DIM	24" to 26-3/4"	Brass	S\$ 934.58
HG TEMP 17 DIM	27" to 29-3/4"	Brass	S\$ 966.07
HG TEMP 17 DIM	30" to 32-3/4"	Brass	S\$ 997.50
HG TEMP 17 DIM	33" to 35-3/4"	Brass	S\$ 1,029.07
HG TEMP 17 DIM	36" to 38-3/4"	Brass	S\$ 1,060.46
HG TEMP 17 DIM	39" to 41-3/4"	Bronze	S\$ 1,091.95
HG TEMP 17 DIM	42" to 44-3/4"	Brass	S\$ 1,123.42
HG TEMP 17 DIM	45" to 48"	Brass	S\$ 1,154.93
<b>MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED</b>			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White S\$ 63.00
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 161.66
6887161618	CCP1W76	165°F 74°C	Flat White S\$ 63.00

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3QR80 DRY PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR80 DRY PENDENT K8.0 (115) THREADS 1" (25MM) RA6112</b>			
Q2[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 617.70
Q2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 617.70
Q2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 631.95
Q2[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 653.31
Q2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 653.31
Q2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 703.46
Q2[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 691.35
Q2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 691.35
Q2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 743.36
Q2[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 731.73
Q2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 731.73
Q2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 745.98
Q2[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 769.72
Q2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 769.72
Q2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 823.20
Q2[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 807.75
Q2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 807.75
Q2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 863.09
Q2[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 845.79
Q2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 845.79
Q2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 898.26
Q2[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 883.76
Q2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 883.76
Q2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 942.92
Q2[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 921.78
Q2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 921.78
Q2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 936.03
Q2[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 959.79
Q2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 959.79
Q2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,022.75
Q2[TEMP]11[DIM]	33" to 36"	Brass	S\$ 997.81
Q2[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 997.81
Q2[TEMP]08[DIM]	33" to 36"	White	S\$ 1,062.68

6880130001      WF3R      Requires F3R Sprinkler Wrench      S\$      320.12



### F3QR80 DRY PENDENT /HB

- K-Factor = 8.0 (115)
- SIN RA6112
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR80 DRY PENDENT / HB K8.0 (115) THREADS 1" (25MM) RA6112</b>			
QJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 764.99
QJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 781.61
QJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 807.75
QJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 826.76
QJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 852.89
QJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 869.53
QJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 895.64
QJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 914.65
QJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 940.81
QJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 957.42
QJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 985.93
QJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,002.55
QJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,028.71
QJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,047.71
QJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,073.83
QJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,090.49
QJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,116.60
QJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,135.58
QJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,161.71
QJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,178.37
QJ[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,204.50
QJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 1,223.48
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001      WF3R      Requires F3R Sprinkler Wrench      S\$      320.12



### F3QR80 REC FP PENDENT

- K-Factor = 8.0 (115)
- SIN RA6112
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR80 PENDENT REC FP K8.0 (115) THREADS 1" (25MM) RA6112</b>			
Q6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 759.44
Q6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 759.44
Q6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 778.44
Q6[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 802.21
Q6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 802.21
Q6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 818.84
Q6[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 844.97
Q6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 844.97
Q6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 861.62
Q6[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 887.72
Q6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 887.72
Q6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 904.36
Q6[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 930.49
Q6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 930.49
Q6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 947.12
Q6[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 973.25
Q6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 973.25
Q6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 989.89
Q6[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 1,016.00
Q6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,016.00
Q6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,032.66
Q6[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 1,058.78
Q6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,058.78
Q6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,075.41
Q6[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 1,099.18
Q6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,099.18
Q6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,118.16
Q6[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 1,141.93
Q6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,141.93
Q6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,158.55
Q6[TEMP]11[DIM]	33" to 36"	Brass	S\$ 1,184.69
Q6[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,184.69
Q6[TEMP]08[DIM]	33" to 36"	White	S\$ 1,201.33

6880070100      WXLO      Requires Model XL02 Sprinkler Wrench      S\$      317.77



## F3QR80 DRY HSW

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR80 DRY HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6132</b>			
Q4[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 617.70
Q4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 617.70
Q4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 631.95
Q4[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 653.31
Q4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 653.31
Q4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 669.98
Q4[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 691.35
Q4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 691.35
Q4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 707.94
Q4[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 731.73
Q4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 731.73
Q4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 745.98
Q4[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 769.72
Q4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 769.72
Q4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 784.01
Q4[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 807.75
Q4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 807.75
Q4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 821.99
Q4[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 845.79
Q4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 845.79
Q4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 860.02
Q4[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 883.76
Q4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 883.76
Q4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 898.01
Q4[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 921.78
Q4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 921.78
Q4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 936.03
Q4[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 959.79
Q4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 959.79
Q4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 974.05
Q4[TEMP]11[DIM]	33" to 36"	Brass	S\$ 997.81
Q4[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 997.81
Q4[TEMP]08[DIM]	33" to 36"	White	S\$ 1,012.06

6880130001      WF3R      Requires F3R Sprinkler Wrench      S\$      320.12



## F3QR80 DRY HSW / HB

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR80 DRY HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA6132</b>			
QK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 764.99
QK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 781.61
QK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 807.75
QK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 826.76
QK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 852.89
QK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 869.53
QK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 895.64
QK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 914.65
QK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 940.81
QK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 957.42
QK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 985.93
QK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,002.55
QK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,028.71
QK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,047.71
QK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,073.83
QK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,090.49
QK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,116.60
QK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,135.58
QK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,161.71
QK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,178.37
QK[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,204.50
QK[TEMP]08[DIM]	33" to 36"	White	S\$ 1,223.48
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001      WF3R      Requires F3R Sprinkler Wrench      S\$      320.12





## F3QR80 DRY REC FP HSW

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR80 DRY HORIZONTAL REC FP K8.0 (115) THREADS 1" (25MM) RA6132</b>			
Q5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 759.44
Q5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 759.44
Q5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 778.44
Q5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 802.21
Q5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 802.21
Q5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 818.84
Q5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 844.97
Q5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 844.97
Q5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 861.62
Q5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 887.72
Q5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 887.72
Q5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 904.36
Q5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 930.49
Q5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 930.49
Q5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 947.12
Q5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 973.25
Q5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 973.25
Q5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 989.89
Q5[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 1,016.00
Q5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,016.00
Q5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,032.66
Q5[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 1,058.78
Q5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,058.78
Q5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,075.41
Q5[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 1,099.18
Q5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,099.18
Q5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,118.16
Q5[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 1,141.93
Q5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,141.93
Q5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,158.55
Q5[TEMP]11[DIM]	33" to 36"	Brass	S\$ 1,184.69
Q5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,184.69
Q5[TEMP]08[DIM]	33" to 36"	White	S\$ 1,201.33

6880070100      WXLO      Requires Model XL02 Sprinkler Wrench      S\$      317.77



### F3QR80 DRY CONCEALED

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3QR80 DRY CONCEALED K8.0 (115) THREADS 1" (25MM) RA6112</b>			
QG[TEMP]17[DIM]	3-1/2" to 5-3/4"	W/O	S\$ 1,000.17
QG[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 1,045.32
QG[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 1,088.05
QG[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 1,133.22
QG[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 1,175.99
QG[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 1,221.12
QG[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 1,266.29
QG[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,309.01
QG[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 1,354.18
QG[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 1,396.93
QG[TEMP]17[DIM]	33" to 36"	Brass	S\$ 1,442.07
<b>REQUIRED COVERPLATES</b>			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White S\$ 63.00
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 161.66
6887161618	CCP1W76	165°F 74°C	Flat White S\$ 63.00

6880070100 WXLO Requires Model XLO2 Sprinkler Wrench S\$ 317.77



### G5-56 DRY

- K-Factor = 5.6 (80)
- **SIN RA5114**
- 1" Size
- See Bulletin 051
- **Sprinkler available in 165 & 212 Degree**

Part Number	Size	Finish	List Price
<b>MODEL G5-56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) RA5114</b>			
HN[TEMP]17[DIM]	4-1/4" to 5-3/4"	Brass	S\$ 997.81
HN[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 1,033.43
HN[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 1,061.94
HN[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 1,092.81
HN[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 1,123.72
HN[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 1,154.59
HN[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 1,183.09
HN[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,216.36
HN[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 1,247.27
HN[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 1,282.90
HN[TEMP]17[DIM]	33" to 35-3/4"	Brass	S\$ 1,330.38
HN[TEMP]17[DIM]	36" to 38-3/4"	Brass	S\$ 1,354.18
HN[TEMP]17[DIM]	39" to 41-3/4"	Brass	S\$ 1,389.78
HN[TEMP]17[DIM]	42" to 44-3/4"	Brass	S\$ 1,415.96
HN[TEMP]17[DIM]	45" to 48"	Brass	S\$ 1,437.32
<b>MODEL G5 COVER PLATES</b>			
6887271321	CG50C	135°F 57°C	Chrome S\$ 74.87
6887271372	CG50W	135°F 57°C	White S\$ 68.24
6887271311	CG50B	135°F 57°C	Finished Bronze S\$ 97.32
6887271374	CG50OW	135°F 57°C	Off-White S\$ 92.82
6887271390	CG50SP	135°F 57°C	Specialty S\$ 96.53
6887271316	CG50FB	135°F 57°C	Black Painted S\$ 92.94
6887271305	CG50BB	135°F 57°C	Bright Brass S\$ 117.81
6887271323	CG50CD	135°F 57°C	Satin Chrome S\$ 117.81
6887271310	CG50SS	135°F 57°C	Stainless Steel S\$ 117.81
6887271319	CG50EW	135°F 57°C	Euro White S\$ 68.24
6887271621	CG51C	165°F 74°C	Chrome S\$ 74.87
6887271672	CG51W	165°F 74°C	White S\$ 68.24
6887271611	CG51B	165°F 74°C	Finished Bronze S\$ 97.32
6887271674	CG51OW	165°F 74°C	Off-White S\$ 92.82
6887271690	CG51SP	165°F 74°C	Specialty S\$ 96.53
6887271616	CG51FB	165°F 74°C	Black Painted S\$ 92.94
6887271605	CG51BB	165°F 74°C	Bright Brass S\$ 117.81
6887271623	CG51CD	165°F 74°C	Satin Chrome S\$ 117.81
6887271610	CG51SS	165°F 74°C	Stainless Steel S\$ 117.81
6887271619	CG51EW	165°F 74°C	Euro White S\$ 68.24
6880170020	WFC	Requires Model FC Wrench	S\$ 608.21



### DH56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL DH56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) RA1664</b>			
H7[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 678.44
H7[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 678.44
H7[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 696.12
H7[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 722.53
H7[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 722.53
H7[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 740.17
H7[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 766.48
H7[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 766.48
H7[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 784.17
H7[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 810.62
H7[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 810.62
H7[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 828.19
H7[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 854.69
H7[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 854.69
H7[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 872.30
H7[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 897.40
H7[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 897.40
H7[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 916.34
H7[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 942.67
H7[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 942.67
H7[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 960.40
H7[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 986.82
H7[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 986.82
H7[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,004.34
H7[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 1,030.91
H7[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,030.91
H7[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,048.48
H7[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 1,074.96
H7[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,074.96
H7[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,092.54
H7[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 1,118.96
H7[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 1,118.96
H7[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 1,136.55
H7[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 1,162.97
H7[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 1,162.97
H7[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 1,180.56
H7[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 1,206.95
H7[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,206.95
H7[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,224.58
H7[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,250.95
H7[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,250.95
H7[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,268.57
H7[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 1,294.96
H7[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,294.96
H7[TEMP]08[DIM]	45" to 48"	White	S\$ 1,312.60

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## DH56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL DH56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) RA1664</b>			
HM[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 733.08
HM[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 750.78
HM[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 777.23
HM[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 794.78
HM[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 821.08
HM[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 838.78
HM[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 865.31
HM[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 882.85
HM[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 909.30
HM[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 926.91
HM[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 953.39
HM[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 971.00
HM[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 997.39
HM[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,015.06
HM[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,041.44
HM[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,059.04
HM[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,085.60
HM[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,103.18
HM[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,129.62
HM[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,147.16
HM[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 1,173.52
HM[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 1,191.27
HM[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 1,217.66
HM[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 1,235.28
HM[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 1,261.80
HM[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 1,279.37
HM[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,305.82
HM[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,323.34
HM[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,349.88
HM[TEMP]08[DIM]	45" to 48"	White	S\$ 1,367.52
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

688013001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## DH56 DRY REC HSW

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL DH56 DRY HORIZONTAL FP REC K5.6 (80) THREADS 1" (25MM) RA1664</b>			
H8[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 756.04
H8[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 756.04
H8[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 773.75
H8[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 800.19
H8[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 800.19
H8[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 817.77
H8[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
H8[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 844.05
H8[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 861.72
H8[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 888.28
H8[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 888.28
H8[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 905.82
H8[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 932.26
H8[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 932.26
H8[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 949.87
H8[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 976.36
H8[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 976.36
H8[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 993.94
H8[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 1,020.33
H8[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,020.33
H8[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,038.02
H8[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 1,064.41
H8[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,064.41
H8[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,082.04
H8[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 1,108.57
H8[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,108.57
H8[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,126.12
H8[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 1,152.56
H8[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,152.56
H8[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,170.13
H8[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ Call
H8[TEMP]21[DIM]	33" to 35-3/4"		S\$ Call
H8[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 1,214.22
H8[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 1,240.63
H8[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 1,240.63
H8[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 1,258.25
H8[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ Call
H8[TEMP]21[DIM]	39" to 41-3/4"		S\$ Call
H8[TEMP]08[DIM]	39" to 41-3/4"		S\$ Call
H8[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 1,328.79
H8[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 1,328.79
H8[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 1,346.29
H8[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 1,372.85
H8[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 1,372.85
H8[TEMP]08[DIM]	45" to 48"		S\$ Call

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**DH56 DRY CONCEALED**

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL DH56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) RA1664</b>			
HH[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 924.31
HH[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 968.43
HH[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 1,012.41
HH[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 1,056.43
HH[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 1,100.59
HH[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 1,144.56
HH[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 1,188.70
HH[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,233.54
HH[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 1,320.74
HH[TEMP]17[DIM]	30" to 32-3/4"		S\$ Call
HH[TEMP]17[DIM]	33" to 35-3/4"	Brass	S\$ 1,497.00
HH[TEMP]17[DIM]	36" to 38-3/4"	Brass	S\$ 1,541.02
HH[TEMP]17[DIM]	39" to 41-3/4"		S\$ Call
HH[TEMP]17[DIM]	42" to 44-3/4"		S\$ Call
HH[TEMP]17[DIM]	45" to 48"		S\$ Call
<b>MODEL SWC COVERPLATE - REQUIRED</b>			
6887131318	CHWNS	135°F 57°C	White S\$ 64.51
6887131390	CHSPNS	135°F 57°C	Specialty S\$ 96.73

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**DH80 DRY HSW  
 Extended Coverage  
 HSW**

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL DH80 DRY HORIZONTAL EC K8.0 (115) THREADS 1" (25MM) RA5532</b>			
Q7[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 807.30
Q7[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 807.30
Q7[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 828.38
Q7[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 859.81
Q7[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 859.81
Q7[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 880.77
Q7[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 912.14
Q7[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 912.14
Q7[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 933.14
Q7[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 964.61
Q7[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 964.61
Q7[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 985.56
Q7[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 1,017.08
Q7[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 1,017.08
Q7[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 1,038.02
Q7[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 1,067.92
Q7[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 1,067.92
Q7[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,090.44
Q7[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 1,121.81
Q7[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,121.81
Q7[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,142.88
Q7[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 1,174.34
Q7[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,174.34
Q7[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,195.17
Q7[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 1,226.79
Q7[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,226.79
Q7[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,247.65
Q7[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 1,279.22
Q7[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,279.22
Q7[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,300.14
Q7[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 1,331.58
Q7[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,331.58
Q7[TEMP]08[DIM]	33" to 36"	White	S\$ 1,352.53

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61





**DH80 DRY HSW / HB Extended Coverage HSW**

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL DH80 DRY EC HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA5532</b>			
QM[TEMP]21[DIM]	3 1/2" to 5-3/4"	Chrome	S\$ 952.99
QM[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	S\$ 976.04
QM[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 1,010.43
QM[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 1,033.21
QM[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 1,067.44
QM[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 1,090.39
QM[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 1,124.92
QM[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 1,147.75
QM[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 1,182.10
QM[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 1,204.96
QM[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 1,239.38
QM[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,262.27
QM[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,296.58
QM[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,319.60
QM[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,353.84
QM[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,376.78
QM[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,411.26
QM[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,434.12
QM[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,468.49
QM[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,491.34
QM[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,525.58
QM[TEMP]08[DIM]	33" to 36"	White	S\$ 1,548.63
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**DH80 DRY REC  
 HSW Extended  
 Coverage HSW**

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL DH80 DRY EC HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA5532</b>			
Q8[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 902.65
Q8[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 902.65
Q8[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 923.88
Q8[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 955.63
Q8[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 955.49
Q8[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 976.70
Q8[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 1,008.28
Q8[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 1,008.28
Q8[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 1,029.48
Q8[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 1,061.36
Q8[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 1,061.36
Q8[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 1,082.40
Q8[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 1,114.15
Q8[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 1,114.15
Q8[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 1,135.22
Q8[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 1,167.02
Q8[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 1,167.02
Q8[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 1,188.11
Q8[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 1,219.82
Q8[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 1,219.82
Q8[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 1,241.06
Q8[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 1,272.66
Q8[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 1,272.66
Q8[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 1,293.84
Q8[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 1,325.67
Q8[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,325.67
Q8[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,346.77
Q8[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 1,378.51
Q8[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,378.51
Q8[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,399.58
Q8[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 1,431.21
Q8[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,431.21
Q8[TEMP]08[DIM]	33" to 36"	White	S\$ 1,452.50

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**DH80 DRY  
 CONCEALED  
 Extended Coverage  
 HSW**

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL DH80 DRY EC HORIZONTAL CONCEALED K8.0 (115) THREADS 1" (25MM) RA5532</b>			
QH[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 1,118.39
QH[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 1,171.77
QH[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 1,225.02
QH[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 1,278.28
QH[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 1,331.74
QH[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 1,384.95
QH[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 1,438.28
QH[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,492.61
QH[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 1,598.06
QH[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 1,704.67
QH[TEMP]17[DIM]	33" to 36"	Brass	S\$ 1,811.38
<b>MODEL SWC COVERPLATE-REQUIRED</b>			
6887131318	CHWNS	135°F 57°C White	S\$ 64.51
6887131390	CHSPNS	135°F 57°C Specialty	S\$ 96.73

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3-56 DRY UPRIGHT

- K-Factor = 5.6 (80)
- **SIN R5324**
- 1" Size
- See Bulletin 153
- Finish is Brass only
- Available lengths 5" to 48"

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY UPRIGHT K5.6 (80) THREADS 1" (25MM) R5324</b>			
F1[TEMP]11[DIM]	5" to 8-3/4"	Brass	S\$ 470.76
F1[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 501.40
F1[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 531.89
F1[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 562.48
F1[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 593.06
F1[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 623.53
F1[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 654.18
F1[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 684.69
F1[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 715.37
F1[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 745.96
F1[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 776.42
F1[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 807.06
F1[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 837.59
F1[TEMP]11[DIM]	45" to 48"	Brass	S\$ 868.14

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214



## F3-56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314</b>			
F25[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 511.44
F25[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 511.44
F25[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 523.68
F25[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 542.05
F25[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 542.05
F25[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 554.24
F25[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 572.70
F25[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 572.70
F25[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 584.80
F25[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 603.17
F25[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 603.17
F25[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 615.40
F25[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 633.76
F25[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 633.76
F25[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 645.96
F25[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 664.31
F25[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 664.31
F25[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 676.51
F25[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 694.83
F25[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 694.83
F25[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 707.06
F25[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 725.43
F25[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 725.43
F25[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 737.67
F25[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 755.99
F25[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 755.99
F25[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 768.21
F25[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 786.65
F25[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 786.65
F25[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 798.77
F25[TEMP]11[DIM]	33" to 36"	Brass	S\$ 817.24
F25[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 817.24
F25[TEMP]08[DIM]	33" to 36"	White	S\$ 829.38

6880130001	WF3R	Requires Model F3 Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3-56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY PENDENT K5.6 (80) THREADS 1" (25MM) R5314</b>			
F2[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 440.18
F2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 440.18
F2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 452.44
F2[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 470.76
F2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 470.76
F2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 482.96
F2[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 501.40
F2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 501.40
F2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 513.55
F2[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 531.89
F2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 531.89
F2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 544.12
F2[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 562.48
F2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 562.48
F2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 574.70
F2[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 593.06
F2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 593.06
F2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 605.26
F2[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 623.53
F2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 623.53
F2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 635.77
F2[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 654.18
F2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 654.18
F2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 666.41
F2[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 684.69
F2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 684.69
F2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 696.94
F2[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 715.37
F2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 715.37
F2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 727.49
F2[TEMP]11[DIM]	33" to 35-3/4"	Brass	S\$ 745.96
F2[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 745.96
F2[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 758.13
F2[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 776.42
F2[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 776.42
F2[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 788.68
F2[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 807.06
F2[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 807.06
F2[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 819.15
F2[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 837.59
F2[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 837.59
F2[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 849.76
F2[TEMP]11[DIM]	45" to 48"	Brass	S\$ 868.14
F2[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 868.14
F2[TEMP]08[DIM]	45" to 48"	White	S\$ 880.39

6880130001	WF3R	Required Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61

**Notes:**  
 \*Approved "A" Dimensions Up to 48" (1219mm)



**F3-56 DRY  
 PENDENT / HB**

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY PENDENT / HB K5.6 (80) THREADS 3/4" (20MM) R5314</b>			
FJ5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 563.47
FJ5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 576.04
FJ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 594.94
FJ5[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 626.40
FJ5[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 657.81
FJ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 670.38
FJ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 689.36
FJ5[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 720.80
FJ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 733.33
FJ5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 752.25
FJ5[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 783.67
FJ5[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 815.16
FJ5[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 846.65
FJ5[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
FJ5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 878.15
FJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 890.74
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**F3-56 DRY  
 PENDENT / HB**

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY PENDENT/ HB K5.6 (80) THREADS 1" (25MM) R5314</b>			
FJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 492.22
FJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 504.77
FJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 523.65
FJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 536.28
FJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 555.12
FJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 567.67
FJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 586.53
FJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 599.12
FJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 618.06
FJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 630.60
FJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 649.55
FJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 662.06
FJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 680.97
FJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 693.55
FJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 712.41
FJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 725.01
FJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 743.87
FJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 756.44
FJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 775.40
FJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 787.97
FJ[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 806.87
FJ[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 819.46
FJ[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 840.21
FJ[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 852.78
FJ[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 871.75
FJ[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 884.25
FJ[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 903.16
FJ[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 915.76
FJ[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 934.58
FJ[TEMP]08[DIM]	45" to 48"	White	S\$ 947.16
<b>MODEL HB REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61

**Notes:**  
**\*Approved "A" Dimensions Up to 48" (1219mm)**





## F3-56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY REC FP PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314</b>			
F65[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 586.45
F65[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 586.45
F65[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 598.99
F65[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
F65[TEMP]21[DIM]	6" to 8-3/4"		S\$ Call
F65[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
F65[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 649.37
F65[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 649.37
F65[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
F65[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 680.76
F65[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 680.76
F65[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 693.35
F65[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
F65[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
F65[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
F65[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 743.79
F65[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 743.79
F65[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 756.28
F65[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F65[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ Call
F65[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
F65[TEMP]11[DIM]	24" to 26-3/4"		S\$ Call
F65[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
F65[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
F65[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
F65[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F65[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F65[TEMP]11[DIM]	30" to 32-3/4"		S\$ Call
F65[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F65[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F65[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 901.11
F65[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 901.11
F65[TEMP]08[DIM]	33" to 36"	White	S\$ 913.71

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3-56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY REC FP PENDENT K5.6 (80) THREADS 1" (25MM) R5314</b>			
F6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 515.17
F6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 515.17
F6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 527.74
F6[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 546.61
F6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 546.61
F6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 559.25
F6[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 578.09
F6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 578.09
F6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 590.64
F6[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 609.51
F6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 609.51
F6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 622.10
F6[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 641.03
F6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 641.03
F6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 653.54
F6[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 672.51
F6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 672.51
F6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 685.03
F6[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 703.93
F6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 703.93
F6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 716.54
F6[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 735.36
F6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 735.36
F6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 747.96
F6[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 766.87
F6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 766.87
F6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 779.42
F6[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 798.35
F6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 798.35
F6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 810.96
F6[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 829.81
F6[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 829.81
F6[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 842.41
F6[TEMP]11[DIM]	36" to 38-3/4"	Brass	S\$ 863.21
F6[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 863.21
F6[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 875.75
F6[TEMP]11[DIM]	39" to 41-3/4"	Brass	S\$ 894.72
F6[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 894.72
F6[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 907.21
F6[TEMP]11[DIM]	42" to 44-3/4"	Brass	S\$ 926.13
F6[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 926.13
F6[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 938.71
F6[TEMP]11[DIM]	45" to 48"		S\$ Call
F6[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 957.55
F6[TEMP]08[DIM]	45" to 48"	White	S\$ 970.11

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3-56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY REC F1 PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314</b>			
F95[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 591.98
F95[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 575.70
F95[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 588.29
F95[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 623.46
F95[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 607.16
F95[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 619.81
F95[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 654.90
F95[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
F95[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
F95[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 686.31
F95[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 670.04
F95[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 682.63
F95[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 717.86
F95[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
F95[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
F95[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 749.32
F95[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 733.05
F95[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 745.58
F95[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 780.76
F95[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 764.48
F95[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
F95[TEMP]11[DIM]	24" to 26-3/4"		S\$ Call
F95[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 795.90
F95[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
F95[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 843.68
F95[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F95[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F95[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 873.69
F95[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F95[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F95[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 906.64
F95[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 890.40
F95[TEMP]08[DIM]	33" to 36"	White	S\$ 902.99

6880070100      WXLO      Requires Model XLO2 Sprinkler Wrench      S\$ 317.77



## F3-56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY REC F1 PENDENT K5.6(80) THREADS 1" (25MM) R5314</b>			
F9[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 520.72
F9[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 504.43
F9[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 517.02
F9[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 552.16
F9[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 535.88
F9[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 548.51
F9[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 583.63
F9[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 567.37
F9[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 579.94
F9[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 615.05
F9[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 598.75
F9[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 611.33
F9[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 646.58
F9[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 630.31
F9[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 642.84
F9[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 678.05
F9[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 661.79
F9[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 674.31
F9[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 709.48
F9[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 693.23
F9[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 705.78
F9[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 740.91
F9[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 724.65
F9[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 737.24
F9[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 772.41
F9[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 756.14
F9[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 768.67
F9[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 803.88
F9[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 787.65
F9[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 800.20
F9[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 835.36
F9[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 819.11
F9[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 831.71
F9[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 868.73
F9[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 852.44
F9[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 865.03
F9[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 900.26
F9[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 883.98
F9[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 896.50
F9[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 931.67
F9[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 915.39
F9[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 928.01
F9[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 963.12
F9[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 946.82
F9[TEMP]08[DIM]	45" to 48"	White	S\$ 959.40

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3-56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5334</b>			
F45[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 555.87
F45[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 555.87
F45[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 568.51
F45[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
F45[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 587.38
F45[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
F45[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
F45[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 618.73
F45[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
F45[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 650.31
F45[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 650.31
F45[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 662.88
F45[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
F45[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 681.75
F45[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
F45[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 713.30
F45[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 713.30
F45[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 725.73
F45[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F45[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 744.60
F45[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
F45[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 776.12
F45[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
F45[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 788.66
F45[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
F45[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F45[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F45[TEMP]11[DIM]	30" to 32-3/4"		S\$ Call
F45[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F45[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F45[TEMP]11[DIM]	33" to 36"	Brass	S\$ 870.50
F45[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 870.50
F45[TEMP]08[DIM]	33" to 36"	White	S\$ 883.16

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



### F3-56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334</b>			
F4[TEMP]11[DIM]	2" to 5-3/4"		S\$ Call
F4[TEMP]21[DIM]	2" to 5-3/4"		S\$ Call
F4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 497.24
F4[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
F4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 516.11
F4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 528.65
F4[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
F4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 547.46
F4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 560.06
F4[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 579.09
F4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 579.09
F4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 591.58
F4[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 610.50
F4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 610.50
F4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 623.18
F4[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 642.00
F4[TEMP]21[DIM]	18" to 20-3/4"		S\$ Call
F4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 654.45
F4[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F4[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
F4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 686.10
F4[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 704.86
F4[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
F4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 717.38
F4[TEMP]11[DIM]	27" to 29-3/4"		S\$ Call
F4[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 748.93
F4[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 767.91
F4[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 780.36
F4[TEMP]11[DIM]	33" to 35-3/4"		S\$ Call
F4[TEMP]21[DIM]	33" to 35-3/4"		S\$ Call
F4[TEMP]08[DIM]	33" to 35-3/4"		S\$ Call
F4[TEMP]11[DIM]	36" to 38-3/4"		S\$ Call
F4[TEMP]21[DIM]	36" to 38-3/4"		S\$ Call
F4[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 843.35
F4[TEMP]11[DIM]	39" to 41-3/4"		S\$ Call
F4[TEMP]21[DIM]	39" to 41-3/4"		S\$ Call
F4[TEMP]08[DIM]	39" to 41-3/4"		S\$ Call
F4[TEMP]11[DIM]	42" to 44-3/4"		S\$ Call
F4[TEMP]21[DIM]	42" to 44-3/4"		S\$ Call
F4[TEMP]08[DIM]	42" to 44-3/4"		S\$ Call
F4[TEMP]11[DIM]	45" to 48"		S\$ Call
F4[TEMP]21[DIM]	45" to 48"		S\$ Call
F4[TEMP]08[DIM]	45" to 48"	White	S\$ 937.77

6880130001	WF3R	Required Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3-56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY HORIZONTAL / HB K5.6 (80) THREADS 3/4" (20MM) R5334</b>			
FK5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 594.94
FK5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 607.56
FK5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 626.40
FK5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 638.95
FK5[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
FK5[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
FK5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 689.36
FK5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 701.84
FK5[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
FK5[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
FK5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 752.25
FK5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 764.83
FK5[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
FK5[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
FK5[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
FK5[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
FK5[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
FK5[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
FK5[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
FK5[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
FK5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 909.50
FK5[TEMP]08[DIM]	33" to 36"	White	S\$ 922.17
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3-56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) R5334</b>			
FK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 523.65
FK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 536.28
FK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 555.12
FK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 567.67
FK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 586.53
FK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 599.12
FK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 618.06
FK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 630.60
FK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 649.55
FK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 662.06
FK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 680.97
FK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 693.55
FK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 712.41
FK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 725.01
FK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 743.87
FK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 756.44
FK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 775.40
FK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 806.87
FK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 819.46
FK[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 869.77
FK[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 882.34
FK[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 901.17
FK[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 932.77
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001	WF3R	Required Model F3R Sprinkler Wrench	S\$ 320.12
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61





## F3-56 DRY REC FP HS

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY REC FP HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5334</b>			
F55[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 617.90
F55[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 617.90
F55[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 630.51
F55[TEMP]11[DIM]	6" to 8-3/4"		S\$ Call
F55[TEMP]21[DIM]	6" to 8-3/4"		S\$ Call
F55[TEMP]08[DIM]	6" to 8-3/4"		S\$ Call
F55[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
F55[TEMP]21[DIM]	9" to 11-3/4"		S\$ Call
F55[TEMP]08[DIM]	9" to 11-3/4"		S\$ Call
F55[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 712.32
F55[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 712.32
F55[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 724.81
F55[TEMP]11[DIM]	15" to 17-3/4"		S\$ Call
F55[TEMP]21[DIM]	15" to 17-3/4"		S\$ Call
F55[TEMP]08[DIM]	15" to 17-3/4"		S\$ Call
F55[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 775.20
F55[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 775.20
F55[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 787.79
F55[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F55[TEMP]21[DIM]	21" to 23-3/4"		S\$ Call
F55[TEMP]08[DIM]	21" to 23-3/4"		S\$ Call
F55[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ Call
F55[TEMP]21[DIM]	24" to 26-3/4"		S\$ Call
F55[TEMP]08[DIM]	24" to 26-3/4"		S\$ Call
F55[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ Call
F55[TEMP]21[DIM]	27" to 29-3/4"		S\$ Call
F55[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F55[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ Call
F55[TEMP]21[DIM]	30" to 32-3/4"		S\$ Call
F55[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F55[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 932.46
F55[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 932.46
F55[TEMP]08[DIM]	33" to 36"	White	S\$ 945.14

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3-56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY REC FP HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334</b>			
F5[TEMP]11[DIM]	3-1/2" to 5-3/4"		S\$ Call
F5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 546.61
F5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 559.25
F5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 578.09
F5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 578.09
F5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 590.64
F5[TEMP]11[DIM]	9" to 11-3/4"		S\$ Call
F5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 609.51
F5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 622.10
F5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 641.03
F5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 641.03
F5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 653.54
F5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 672.51
F5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 672.51
F5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 685.03
F5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 703.93
F5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 703.93
F5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 716.54
F5[TEMP]11[DIM]	21" to 23-3/4"		S\$ Call
F5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 735.36
F5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 747.96
F5[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 766.87
F5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 766.87
F5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 779.42
F5[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ Call
F5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 798.35
F5[TEMP]08[DIM]	27" to 29-3/4"		S\$ Call
F5[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ Call
F5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 829.81
F5[TEMP]08[DIM]	30" to 32-3/4"		S\$ Call
F5[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 861.18
F5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 861.18
F5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 873.87
F5[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 892.73
F5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 892.73
F5[TEMP]08[DIM]	36" to 38-3/4"		S\$ Call
F5[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 924.15
F5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 924.15
F5[TEMP]08[DIM]	39" to 41-3/4"		S\$ Call
F5[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 955.74
F5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 955.74
F5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 968.31
F5[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 987.19
F5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 987.19
F5[TEMP]08[DIM]	45" to 48"		S\$ Call

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3-56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY REC F1 HORIZONTAL K5.6 (80) 3/4" (20MM) R5334</b>			
F05[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 623.46
F05[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 607.16
F05[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 619.81
F05[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 654.90
F05[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 638.65
F05[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 651.20
F05[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 686.31
F05[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 670.04
F05[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 682.63
F05[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 717.86
F05[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 701.59
F05[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 714.09
F05[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 749.32
F05[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 733.05
F05[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 745.58
F05[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 780.76
F05[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 764.48
F05[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 777.06
F05[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 812.19
F05[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 795.90
F05[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 808.51
F05[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 843.68
F05[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 827.39
F05[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 839.96
F05[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 875.18
F05[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 858.90
F05[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 871.48
F05[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 906.64
F05[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 890.40
F05[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 902.99
F05[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 938.02
F05[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 921.74
F05[TEMP]08[DIM]	33" to 36"	White	S\$ 934.40

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3-56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

### Notes:

In white applications, sprinkler can remain chrome.

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY REC F1 HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334</b>			
F0[TEMP]11[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 492.22
F0[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 535.88
F0[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 548.51
F0[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 583.63
F0[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 567.37
F0[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 579.94
F0[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 615.05
F0[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 598.75
F0[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 611.33
F0[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 646.58
F0[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 630.31
F0[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 642.84
F0[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 678.05
F0[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 661.79
F0[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 674.31
F0[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 709.48
F0[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 693.23
F0[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 705.78
F0[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 740.91
F0[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 724.65
F0[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 737.24
F0[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 772.41
F0[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 756.14
F0[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 768.67
F0[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 803.88
F0[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 787.65
F0[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 800.20
F0[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 835.36
F0[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 819.11
F0[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 831.71
F0[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 866.72
F0[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 850.47
F0[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 863.10
F0[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 898.26
F0[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 882.01
F0[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 894.58
F0[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 929.69
F0[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 913.43
F0[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 926.11
F0[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 961.28
F0[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 945.00
F0[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 957.58
F0[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 992.74
F0[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 976.46
F0[TEMP]08[DIM]	45" to 48"	White	S\$ 989.04

6880070100	WXLO	Requires XL02 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



## F3-56 CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-56 CONCEALED K5.6 (80) THREADS 3/4" (20MM) R5314</b>			
FG5[TEMP]17[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 731.54
FG5[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 763.08
FG5[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 794.41
FG5[TEMP]17[DIM]	12" to 14-3/4"	Chrome	S\$ 825.91
FG5[TEMP]17[DIM]	15" to 17-3/4"	Chrome	S\$ 857.40
FG5[TEMP]17[DIM]	18" to 20-3/4"	Chrome	S\$ 888.89
FG5[TEMP]17[DIM]	21" to 23-3/4"	Chrome	S\$ 920.29
FG5[TEMP]17[DIM]	24" to 26-3/4"	Chrome	S\$ 952.35
FG5[TEMP]17[DIM]	27" to 29-3/4"	Chrome	S\$ 1,014.63
FG5[TEMP]17[DIM]	30" to 32-3/4"	Chrome	S\$ 1,077.58
FG5[TEMP]17[DIM]	33" to 36"	Chrome	S\$ 1,140.51
<b>MODEL CCP CONICAL CONCEALED COVER PLATES</b>			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White S\$ 63.00
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 161.66
6887161618	CCP1W76	165°F 74°C	Flat White S\$ 63.00

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61



**F3-56 DRY CONCEALED**

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Part Number	Size	Finish	List Price
<b>MODEL F3-56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) R5314</b>			
FG[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 660.26
FG[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 691.78
FG[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 723.13
FG[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 754.65
FG[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 786.15
FG[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 817.61
FG[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 849.05
FG[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 881.07
FG[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 943.35
FG[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 1,006.30
FG[TEMP]17[DIM]	33" to 35-3/4"	Brass	S\$ 1,069.24
FG[TEMP]17[DIM]	36" to 38-3/4"	Brass	S\$ 1,100.72
FG[TEMP]17[DIM]	39" to 41-3/4"	Brass	S\$ 1,132.16
FG[TEMP]17[DIM]	42" to 44-3/4"	Brass	S\$ 1,163.74
FG[TEMP]17[DIM]	45" to 48"	Brass	S\$ 1,195.11
<b>MODEL CCP CONICAL CONCEALED COVER PLATES</b>			
6887161321	CCP0C76	135°F 57°C Brass	S\$ 161.66
6887161318	CCP0W76	135°F 57°C Flat White	S\$ 63.00
6887161621	CCP1C76	165°F 74°C Brass	S\$ 161.66
6887161618	CCP1W76	165°F 74°C Flat White	S\$ 63.00

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 317.77
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 64.61

**Notes:**

Sprinklers and coverplates sold and packaged separately



## F3-80 DRY PENDENT

- K-Factor = 8.0 (115)
- SIN RA6012
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-80 DRY PENDENT K8.0 (115) THREADS 1" (25MM) RA6012</b>			
P2[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 555.92
P2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 555.92
P2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 570.17
P2[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 593.94
P2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 593.94
P2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 610.56
P2[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 631.95
P2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 631.95
P2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 648.58
P2[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 669.98
P2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 669.98
P2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 686.59
P2[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 710.34
P2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 710.34
P2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 724.59
P2[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 748.35
P2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 748.35
P2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 762.58
P2[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 786.37
P2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 786.37
P2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 802.98
P2[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 824.36
P2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 824.36
P2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 841.01
P2[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 862.39
P2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 862.39
P2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 879.05
P2[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 902.77
P2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 902.77
P2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 917.01
P2[TEMP]11[DIM]	33" to 36"	Brass	S\$ 940.81
P2[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 940.81
P2[TEMP]08[DIM]	33" to 36"	White	S\$ 955.04

6880130001      WF3R      Requires Model F3 Sprinkler Wrench      S\$ 320.12



**F3-80 DRY  
 PENDENT / HB**

- K-Factor = 8.0 (115)
- SIN RA6012
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-80 DRY PENDENT / HB K8.0 (115) THREADS 1" (25MM) RA6012</b>			
PJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 665.21
PJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 681.83
PJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 707.94
PJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 724.59
PJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 750.72
PJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 767.34
PJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 793.47
PJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 810.12
PJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 836.27
PJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 852.89
PJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 876.64
PJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 895.64
PJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 919.38
PJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 936.03
PJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 962.18
PJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 978.78
PJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,004.93
PJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,021.58
PJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,047.71
PJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,064.33
PJ[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,090.49
PJ[TEMP]08[DIM]	33" to 36"	White	S\$ 1,109.44
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001    WF3R    Requires Model F3 Sprinkler Wrench    S\$ 320.12





## F3-80 DRY REC FP PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-80 DRY REC FP PENDENT K8.0 (115) THREADS 1" (25MM) RA6012</b>			
P6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 664.42
P6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 664.42
P6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 681.06
P6[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 704.81
P6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 704.81
P6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 721.42
P6[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 745.16
P6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 745.16
P6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 761.81
P6[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 785.55
P6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 785.55
P6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 802.21
P6[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 828.36
P6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 828.36
P6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 842.60
P6[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 868.73
P6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 868.73
P6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 885.36
P6[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 909.10
P6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 909.10
P6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 925.73
P6[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 949.51
P6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 949.51
P6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 966.13
P6[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 989.89
P6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 989.89
P6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,006.51
P6[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 1,032.66
P6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,032.66
P6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,046.91
P6[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 1,073.05
P6[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,073.05
P6[TEMP]08[DIM]	33" to 36"	White	S\$ 1,089.66

6880070100      WXLO      Requires Model XL02 Sprinkler Wrench      S\$      317.77



### F3-80 DRY HSW

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-80 DRY HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6032</b>			
P4[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 555.92
P4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 555.92
P4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 570.17
P4[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 593.94
P4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 593.94
P4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 610.56
P4[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 631.95
P4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 631.95
P4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 648.58
P4[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 669.98
P4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 669.98
P4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 686.59
P4[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 710.34
P4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 710.34
P4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 724.59
P4[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 748.35
P4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 748.35
P4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 762.58
P4[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 786.37
P4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 786.37
P4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 802.98
P4[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 824.36
P4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 824.36
P4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 841.01
P4[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 862.39
P4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 862.39
P4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 879.05
P4[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 902.77
P4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 902.77
P4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 917.01
P4[TEMP]11[DIM]	33" to 36"	Brass	S\$ 940.81
P4[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 940.81
P4[TEMP]08[DIM]	33" to 36"	White	S\$ 955.04

6880130001      WF3R      Requires Model F3 Sprinkler Wrench      S\$ 320.12



## F3-80 DRY HSW / HB

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-80 DRY HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA6032</b>			
PK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 665.21
PK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 681.83
PK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 707.94
PK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 724.59
PK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 750.72
PK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 767.34
PK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 793.47
PK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 810.12
PK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 836.27
PK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 852.89
PK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 876.64
PK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 895.64
PK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 919.38
PK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 936.03
PK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 962.18
PK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 978.78
PK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,004.93
PK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,021.58
PK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,047.71
PK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,064.33
PK[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,090.49
PK[TEMP]08[DIM]	33" to 36"	White	S\$ 1,109.44
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 3.81
6999994881	SKIRTW	White	S\$ 3.63

6880130001    WF3R    Requires Model F3 Sprinkler Wrench    S\$    320.12



## F3-80 DRY REC FP HSW

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
<b>MODEL F3-80 DRY REC FP HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6032</b>			
P5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 664.42
P5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 664.42
P5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 681.06
P5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 704.81
P5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 704.81
P5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 721.42
P5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 745.16
P5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 745.16
P5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 761.81
P5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 785.55
P5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 785.55
P5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 802.21
P5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 828.36
P5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 828.36
P5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 842.60
P5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 868.73
P5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 868.73
P5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 885.36
P5[TEMP]11[DIM]	21" to 23-3/4"	Brass	S\$ 909.10
P5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 909.10
P5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 925.73
P5[TEMP]11[DIM]	24" to 26-3/4"	Brass	S\$ 949.51
P5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 949.51
P5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 966.13
P5[TEMP]11[DIM]	27" to 29-3/4"	Brass	S\$ 989.89
P5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 989.89
P5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,006.51
P5[TEMP]11[DIM]	30" to 32-3/4"	Brass	S\$ 1,032.66
P5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,032.66
P5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,046.91
P5[TEMP]11[DIM]	33" to 36"	Brass	S\$ 1,073.05
P5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,073.05
P5[TEMP]08[DIM]	33" to 36"	White	S\$ 1,089.66

6880070100      WXLO      Requires Model XL02 Sprinkler Wrench      S\$      317.77



**F3-80 DRY CONCEALED**

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

Part Number	Size	Finish	List Price
<b>MODEL F3-80 DRY CONCEALED K8.0 (115) THREADS 1" (25MM) RA6012</b>			
PG[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 860.02
PG[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 900.40
PG[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 940.81
PG[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 981.17
PG[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 1,023.94
PG[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 1,064.33
PG[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 1,104.71
PG[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 1,147.47
PG[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 1,228.26
PG[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 1,309.01
PG[TEMP]17[DIM]	33" to 36"	Brass	S\$ 1,389.78
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 161.66
6887161318	CCP0W76	135°F 57°C	Flat White S\$ 63.00
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 161.66
6887161618	CCP1W76	165°F 74°C	Flat White S\$ 63.00

6880070100 WXLO Requires Model XLO2 Sprinkler Wrench S\$ 317.77

**Notes:**

Sprinklers and coverplates sold and packaged separately



Description	Part Number	Short Code	List Price
<b>MODEL TNL280 PENDENT K28 (400) THREADS 1" (25MM)</b>			
TNL280,PENDENT,OPN,1NPT,ENT/BLACK	DB00446591	TNL280	S\$653.19
<b>MODEL TNL280 PENDENT K28 (400) IS07-1RI THREADS - INTERNATIONAL ONLY</b>			
TNL280,PENDENT,OPN,1BSPT,ENT/BLACK	DB00446593	TNL280M	S\$653.19
WRENCH,W5,HL-22,N25,N252,TNL280,P22/25	6880050105	WW5	S\$242.47

**TNL280 SPRAY  
NOZZLE**

- K-Factor = 28 (400)
- Pendent, Open Nozzle
- See Bulletin 099
- cULus Corrosion Resistant Nozzle
- Designed primary for use in tunnel fire protection.

**Features**



## B & FM SPRAY NOZZLES

- Window Model B
  - 1/4" K-Factor = 1.81 (26)
  - 5/16" K-Factor = 2.57 (37)
  - 3/8" K-Factor = 3.45 (50)
- **B Nozzles = SIN R041X**
- Window Model FM
  - 3/4" K-Factor = 14.4 (207)
  - 5/8" K-Factor = 10.0 (144)
  - 1/2" K-Factor = 6.6 (95)
- **FM Nozzles = SIN R041X**
- See Bulletin 103

Description	Part Number	Short Code	List Price
<b>MODEL B WINDOW SPRAY NOZZLE K1.81 (26) THREADS 1/2" (15MM) R041X</b>			
1/4" Bronze	4500111685	B4B	S\$ 100.45
5/16" Bronze	4500112085	B5B	S\$ 100.45
3/8" Bronze	4500112485	B3B	S\$ 100.45
<b>MODEL FM WINDOW SPRAY NOZZLE K6.6 (95) THREADS 1/2" (15MM) R041X</b>			
1/2" (15mm) Bronze	4500113286	FMWB	S\$ 115.18
<b>MODEL FM WINDOW SPRAY NOZZLE THREADS 5/8", 3/4" R041X</b>			
5/8" Bronze	4500114086	FMW5B	S\$ 119.90
3/4" Bronze	4500114886	FMW4B	S\$ 119.90

Description	Part Number	Short Code	List Price
<b>MODEL FM SPRAY NOZZLE K9.8 (141) THREADS 1/2" (15MM) R042X</b>			
1/2" Bronze	4500113287	FMCB	S\$ 175.28
<b>MODEL FM SPRAY NOZZLE K6.5 (94) THREADS 3/4" (20MM) R042X</b>			
5/8" Bronze	4500114087	FMC5B	S\$ 199.57
3/4" Bronze	4500114887	FMC4B	S\$ 199.57
<b>Requires Model W2 Sprinkler Wrench</b>			
	6880050100	WW2	S\$ 203.86



## FM SPRAY NOZZLES

- Cornice Type
  - 5/8" K-Factor = 9.8 (141)
  - 1/2" K-Factor = 6.5 (94)
- **SIN R042X**
- See Bulletin 103



### HV SPRAY NOZZLES

- High Velocity Nozzles
- Bulletin 105



### PLD

- Upright or Pendent
- Pilot Line Detector
- Bulletin 180

Description	Part Number	Short Code	List Price
<b>MODEL HV-AS WITH STRAINER</b>			
Discharge Angle: 75° K-Factor: 1.54(22) Finish: Bronze	6999994620	HVAS75B	S\$802.70
Discharge Angle: 75° K-Factor: 1.54(22) Finish: Chrome	6999994621		S\$802.70
Discharge Angle: 80° K-Factor: 1.26 (18) Finish: Bronze	6999994624	HVAS80B	S\$802.70
Discharge Angle: 80° K-Factor: 1.26 (18) Finish: Chrome	6999994625		S\$802.70
Discharge Angle: 90° K-Factor: 2.24 (32) Finish: Bronze	6999994628	HVAS90B	S\$802.70
Discharge Angle: 90° K-Factor: 2.24 (32) Finish: Chrome	6999994629		S\$802.70
Discharge Angle: 100° K-Factor: 1.82(26) Finish: Bronze	6999994632	HVAS100B	S\$802.70
Discharge Angle: 100° K-Factor: 1.82(26) Finish: Chrome	6999994633		S\$802.70
Discharge Angle: 115° K-Factor: 2.94 (42) Finish: Bronze	6999996279	HVAS115B	S\$802.70
Discharge Angle: 115° K-Factor: 2.94 (42) Finish: Chrome	6999996280	HVAS115C	S\$802.70
Discharge Angle: 120° K-Factor: 1.61(23) Finish: Bronze	6999996281	HVAS120B	S\$802.70
Discharge Angle: 120° K-Factor: 1.61(23) Finish: Chrome	6999996282		S\$802.70

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1-FTR PILOT LINE DETECTOR</b>				
68111401S1	PLD0BN	135°F 57°C	Brass	S\$ 112.71
68111401S3	PLD0CN	135°F 57°C	Chrome	S\$ 120.32
68111401S5	PLD0WN	135°F 57°C	White	S\$ 126.23
68111402S1	PLD1BN	155°F 68°C	Brass	S\$ 112.71
68111402S3	PLD1CN	155°F 68°C	Chrome	S\$ 120.32
68111402S5	PLD1WN	155°F 68°C	White	S\$ 126.23
68111403S1	PLD5BN	175°F 79°C	Brass	S\$ 112.71
68111403S3	PLD5CN	175°F 79°C	Chrome	S\$ 120.32
68111403S5	PLD5WN	175°F 79°C	White	S\$ 126.23
68111404S1	PLD2BN	200°F 93°C	Brass	S\$ 112.71
68111404S3	PLD2CN	200°F 93°C	Chrome	S\$ 120.32
68111404S5	PLD2WN	200°F 93°C	White	S\$ 126.23





**MV SPRAY  
 NOZZLE**

• See Bulletin 106

Description	Part Number	Short Code	List Price
<b>MODEL MV NOZZLES</b>			
MV,NOZZLE,K1.2,80, BRASS	4E01112080		S\$ 155.92
MV,NOZZLE,K1.2,95, BRASS	4E01112095		S\$ 155.92
MV,NOZZLE,K1.2,110, BRASS	4E01112110		S\$ 155.92
MV,NOZZLE,K1.2,125, BRASS	4E01112125		S\$ 155.92
MV,NOZZLE,K1.2,140, BRASS	4E01112140		S\$ 155.92
MV,NOZZLE,K1.2,160, BRASS	4E01112160		S\$ 155.92
MV,NOZZLE,K1.2,180, BRASS	4E01112180		S\$ 155.92
MV,NOZZLE,K1.8,65, BRASS	4E01118065		S\$ 155.92
MV,NOZZLE,K1.8,80, BRASS	4E01118080		S\$ 155.92
MV,NOZZLE,K1.8,95, BRASS	4E01118095		S\$ 155.92
MV,NOZZLE,K1.8,110, BRASS	4E01118110		S\$ 155.92
MV,NOZZLE,K1.8,125, BRASS	4E01118125		S\$ 155.92
MV,NOZZLE,K1.8,140, BRASS	4E01118140		S\$ 155.92
MV,NOZZLE,K1.8,160, BRASS	4E01118160		S\$ 155.92
MV,NOZZLE,K1.8,180, BRASS	4E01118180		S\$ 155.92
MV,NOZZLE,K2.3,65 BRASS	4E01123065		S\$ 155.92
MV,NOZZLE,K2.3,80 BRASS	4E01123080		S\$ 155.92
MV,NOZZLE,K2.3,95 BRASS	4E01123095		S\$ 155.92
MV,NOZZLE,K2.3,110 BRASS	4E01123110		S\$ 155.92
MV,NOZZLE,K2.3,125 BRASS	4E01123125		S\$ 155.92
MV,NOZZLE,K2.3,140 BRASS	4E01123140		S\$ 155.92
MV,NOZZLE,K2.3,160 BRASS	4E01123160		S\$ 155.92
MV,NOZZLE,K2.3,180 BRASS	4E01123180		S\$ 155.92
MV,NOZZLE,K3.0,65 BRASS	4E01130065		S\$ 155.92
MV,NOZZLE,K3.0,80 BRASS	4E01130080		S\$ 155.92
MV,NOZZLE,K3.0,95 BRASS	4E01130095		S\$ 155.92
MV,NOZZLE,K3.0,110 BRASS	4E01130110		S\$ 155.92
MV,NOZZLE,K3.0,125 BRASS	4E01130125		S\$ 155.92
MV,NOZZLE,K3.0,140 BRASS	4E01130140		S\$ 155.92
MV,NOZZLE,K3.0,160 BRASS	4E01130160		S\$ 155.92
MV,NOZZLE,K3.0,180 BRASS	4E01130180		S\$ 155.92
MV,NOZZLE,K4.1,65 BRASS	4E01141065		S\$ 155.92
MV,NOZZLE,K4.1,80 BRASS	4E01141080		S\$ 155.92
MV,NOZZLE,K4.1,95 BRASS	4E01141095		S\$ 155.92
MV,NOZZLE,K4.1,110 BRASS	4E01141110		S\$ 155.92



**MV SPRAY  
NOZZLE**

- See Bulletin 106

Description	Part Number	Short Code	List Price
<b>MODEL MV NOZZLES</b>			
MV,NOZZLE,K4.1,125 BRASS	4E01141125		S\$ 155.92
MV,NOZZLE,K4.1,140 BRASS	4E01141140		S\$ 155.92
MV,NOZZLE,K4.1,160 BRASS	4E01141160		S\$ 155.92
MV,NOZZLE,K4.1,180 BRASS	4E01141180		S\$ 155.92
MV,NOZZLE,K5.6,65 BRASS	4E01156065		S\$ 155.92
MV,NOZZLE,K5.6,95, BRASS	4E01156095		S\$ 155.92
MV,NOZZLE,K5.6,110, BRASS	4E01156110		S\$ 155.92
MV,NOZZLE,K5.6,125, BRASS	4E01156125		S\$ 155.92
MV,NOZZLE,K5.6,140, BRASS	4E01156140		S\$ 155.92
MV,NOZZLE,K5.6,160, BRASS	4E01156160		S\$ 155.92
MV,NOZZLE,K5.6,180, BRASS	4E01156180		S\$ 155.92
MV,NOZZLE,K7.2,65, BRASS	4E01172065		S\$ 155.92
MV,NOZZLE,K7.2,80, BRASS	4E01172080		S\$ 155.92
MV,NOZZLE,K7.2,95, BRASS	4E01172095		S\$ 155.92
MV,NOZZLE,K7.2,110, BRASS	4E01172110		S\$ 155.92
MV,NOZZLE,K7.2,125, BRASS	4E01172125		S\$ 155.92
MV,NOZZLE,K7.2,140, BRASS	4E01172140		S\$ 155.92
MV,NOZZLE,K7.2,160, BRASS	4E01172160		S\$ 155.92
MV,NOZZLE,K7.2,180, BRASS	4E01172180		S\$ 155.92



**MV SPRAY  
 NOZZLE**

• See Bulletin 106

Description	Part Number	Short Code	List Price
<b>MODEL MV NOZZLES</b>			
MV,NOZZLE,K1.2,65 ENT	4E04312065		S\$ 519.72
MV,NOZZLE,K1.2,80 ENT	4E04312080		S\$ 519.72
MV,NOZZLE,K1.2,95 ENT	4E04312095		S\$ 519.72
MV,NOZZLE,K1.2,110 ENT	4E04312110		S\$ 519.72
MV,NOZZLE,K1.2,125 ENT	4E04312125		S\$ 519.72
MV,NOZZLE,K1.2,140 ENT	4E04312140		S\$ 519.72
MV,NOZZLE,K1.2,160 ENT	4E04312160		S\$ 519.72
MV,NOZZLE,K1.2,180 ENT	4E04312180		S\$ 519.72
MV,NOZZLE,K1.8,65 ENT	4E04318065		S\$ 519.72
MV,NOZZLE,K1.8,80 ENT	4E04318080		S\$ 519.72
MV,NOZZLE,K1.8,95 ENT	4E04318095		S\$ 519.72
MV,NOZZLE,K1.8,110 ENT	4E04318110		S\$ 519.72
MV,NOZZLE,K1.8,125 ENT	4E04318125		S\$ 519.72
MV,NOZZLE,K1.8,140 ENT	4E04318140		S\$ 519.72
MV,NOZZLE,K1.8,160 ENT	4E04318160		S\$ 519.72
MV,NOZZLE,K1.8,180 ENT	4E04318180		S\$ 519.72
MV,NOZZLE,K2.3,65 ENT	4E04323065		S\$ 519.72
MV,NOZZLE,K2.3,80 ENT	4E04323080		S\$ 519.72
MV,NOZZLE,K2.3,95 ENT	4E04323095		S\$ 519.72
MV,NOZZLE,K2.3,110 ENT	4E04323110		S\$ 519.72
MV,NOZZLE,K2.3,125 ENT	4E04323125		S\$ 519.72
MV,NOZZLE,K2.3,140 ENT	4E04323140		S\$ 519.72
MV,NOZZLE,K2.3,160 ENT	4E04323160		S\$ 519.72
MV,NOZZLE,K2.3,180 ENT	4E04323180		S\$ 519.72
MV,NOZZLE,K3.0,65 ENT	4E04330065		S\$ 680.26
MV,NOZZLE,K3.0,80 ENT	4E04330080		S\$ 680.26
MV,NOZZLE,K3.0,95 ENT	4E04330095		S\$ 680.26
MV,NOZZLE,K3.0,110 ENT	4E04330110		S\$ 680.26
MV,NOZZLE,K3.0,125 ENT	4E04330125		S\$ 680.26
MV,NOZZLE,K3.0,140 ENT	4E04330140		S\$ 680.26
MV,NOZZLE,K3.0,160 ENT	4E04330160		S\$ 680.26
MV,NOZZLE,K3.0,180 ENT	4E04330180		S\$ 680.26
MV,NOZZLE,K4.1,65 ENT	4E04341065		S\$ 519.72
MV,NOZZLE,K4.1,80 ENT	4E04341080		S\$ 519.72
MV,NOZZLE,K4.1,95 ENT	4E04341095		S\$ 519.72
MV,NOZZLE,K4.1,110 ENT	4E04341110		S\$ 519.72



**MV SPRAY NOZZLE**

• See Bulletin 106



**BLOW-OFF CAP PLUG**

• See Bulletin 106

Description	Part Number	Short Code	List Price
<b>MODEL MV NOZZLES</b>			
MV,NOZZLE,K4.1,125,ENT	4E04341125		S\$ 519.72
MV,NOZZLE,K4.1,140,ENT	4E04341140		S\$ 519.72
MV,NOZZLE,K4.1,160,ENT	4E04341160		S\$ 519.72
MV,NOZZLE,K4.1,180,ENT	4E04341180		S\$ 519.72
MV,NOZZLE,K5.6,65,ENT	4E04356065		S\$ 680.26
MV,NOZZLE,K5.6,80,ENT	4E04356080		S\$ 680.26
MV,NOZZLE,K5.6,95,ENT	4E04356095		S\$ 680.26
MV,NOZZLE,K5.6,110,ENT	4E04356110		S\$ 680.26
MV,NOZZLE,K5.6,125,ENT	4E04356125		S\$ 680.26
MV,NOZZLE,K5.6,140,ENT	4E04356140		S\$ 680.26
MV,NOZZLE,K5.6,160,ENT	4E04356160		S\$ 680.26
MV,NOZZLE,K5.6,180,ENT	4E04356180		S\$ 680.26
MV,NOZZLE,K7.2,65,ENT	4E04372065		S\$ 680.26
MV,NOZZLE,K7.2,80,ENT	4E04372080		S\$ 680.26
MV,NOZZLE,K7.2,95,ENT	4E04372095		S\$ 680.26
MV,NOZZLE,K7.2,110,ENT	4E04372110		S\$ 680.26
MV,NOZZLE,K7.2,125,ENT	4E04372125		S\$ 680.26
MV,NOZZLE,K7.2,140,ENT	4E04372140		S\$ 680.26
MV,NOZZLE,K7.2,160,ENT	4E04372160		S\$ 680.26
MV,NOZZLE,K7.2,180,ENT	4E04372180		S\$ 680.26
<b>BLOW-OFF CAP PLUG</b>			
CAP,PLUG,K1.2,MV	89121043		S\$ 20.80
CAP,PLUG,K1.8,MV	89121044		S\$ 20.80
CAP,PLUG,K2.3,MV	89121045		S\$ 20.80
CAP,PLUG,K3.0,MV	89121046		S\$ 20.80
CAP,PLUG,K4.1,MV	89121047		S\$ 20.80
CAP,PLUG,K5.6,MV	89121048		S\$ 20.80
CAP,PLUG,K7.2,MV	89121049		S\$ 20.80

## ACCESSORIES

### CABINETS

Description	Part Number	Short Code	List Price
<b>A4 EMERGENCY CABINETS FOR LL RESIDENTIAL SPRINKLERS</b>			
3 Capacity	6999991473	3CAB	S\$ 203.10
6 Capacity	6999991470	6CAB	S\$ 203.10
6 Capacity (Large)	6999991472	6LCAB	S\$ 363.88
12 Capacity	6999991471	12CAB	S\$ 252.00
<b>A3 EMERGENCY CABINETS FOR RECESSED, CONCEALED LL RESIDENTIAL SPRINKLERS</b>			
12 Capacity	6803200000	A312CAB	S\$ 942.07

### ESCUTCHEONS

Part Number	Short Code	Temperature	Finish	List Price
<b>ONE PIECE TYPE - MODEL B 1/2"</b>				
6800110000	BB	165°F	Bright Brass	S\$ 8.34
6800150000	BC	165°F	Chrome	S\$ 5.72
6800120000	BW	165°F	White	S\$ 6.45
<b>ONE PIECE TYPE - MODEL B 3/4"</b>				
6800080000	BLB	165°F	Bright Brass	S\$ 8.79
6800070000	BLC	165°F	Chrome	S\$ 6.16
6800090000	BLW	165°F	White	S\$ 6.16
<b>ONE PIECE TYPE - MODEL C 1/2"</b>				
6800340000	CBB	165°F	Bright Brass	S\$ 63.51
6800350000	CC	165°F	Chrome	S\$ 6.11
6800380000	CW	165°F	White	S\$ 6.11
<b>TWO PIECE TYPE - MODEL HB 1/2"</b>				
6800210000	HBB	165°F	Brass	S\$ 14.53
6800270000	HBC	165°F	Chrome	S\$ 13.08
6800200000	HBW	165°F	White	S\$ 13.55
<b>TWO PIECE TYPE - MODEL HB 3/4"</b>				
6800220000	HBLB	165°F	Brass	S\$ 14.98
6800240000	HBLC	165°F	Chrome	S\$ 13.55
6800250000	HBLW	165°F	White	S\$ 14.53
<b>FLUSH ESCUTCHEONS - MODEL B</b>				
		165°F		S\$ Call
		165°F		S\$ Call
		165°F		S\$ Call



**ESCUTCHEONS**

Description	Part Number	Short Code	List Price
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>			
1/2" Chrome	6801412100	FPC	S\$ 38.90
1/2" White	6801417200	FPW	S\$ 38.90
3/4" Chrome	6801402100	FPLC	S\$ 38.90
3/4" White	6801407200	FPLW	S\$ 38.90
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>			
1/2" Brass	6800630001	GF1B	S\$ 37.41
1/2" Chrome	6800600001	GF1C	S\$ 20.17
1/2" White	6800640001	GF1W	S\$ 20.17
3/4" Brass	6801030000	GF1LB	S\$ 37.41
3/4" Chrome	6801000000	GF1LC	S\$ 20.17
3/4" White	6801040000	GF1LW	S\$ 20.17
<b>ESCUTCHEON ONLY</b>			
Brass	6800430000	BZESCF1	S\$ 28.54
Chrome Bright	6800400000	CBESCF1	S\$ 12.14
White	6800440000	WHESCF1	S\$ 12.14
<b>COLLAR ONLY</b>			
1/2" Brass	6800530000	B2COLLAR12	S\$ 22.34
1/2" Chrome Bright	6800500000	CBCOLLAR12	S\$ 18.33
1/2" White	6800540000	WHCOLLAR12	S\$ 18.33
3/4" Brass	6800560004	B2COLLAR34	S\$ Call
3/4" Chrome Bright	6800560001	CBCOLLAR34	S\$ 18.33
3/4" White	6800551003	WHCOLLAR34	S\$ 18.33
<b>ESCUTCHEON EXTENDER RING</b>			
Chrome	6814002100	EERC	S\$ 25.93
White	6814001500	EERW	S\$ 27.64
<b>F1 OR F2</b>			
4-1/2" Chrome	6814002100	EERC	S\$ 25.93
4-1/2" White	6814001500	EERW	S\$ 27.64
5-1/2" Chrome	6814042100	EERC5	S\$ 25.93
5-1/2" White	6814041500		S\$ 27.64
<b>FP / G4 / RFC43 / F4FR / CCP / SWC / DH80 / DH56</b>			
4-1/2" Chrome	6814022100	G4ERC	S\$ 25.93
4-1/2" White	6814021800		S\$ 27.64
5-1/2" Chrome	6814032100	G4ERC5	S\$ 25.93
5-1/2" White	6814031800	G4ERW5	S\$ 27.64

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>			
1/2" Brass	6800830000	GF2B	S\$ 37.41
1/2" Chrome	6800800000	GF2C	S\$ 20.17
1/2" White	6800840000	GF2W	S\$ 20.17
3/4" Brass	6800880004	GF2LB	S\$ 37.41
3/4" Chrome	6800880001	GF2LC	S\$ 20.17
3/4" White	6800880005	GF2LW	S\$ 20.17
<b>ESCUTCHEON ONLY</b>			
Brass	6800730000	BZESCF2	S\$ 28.35
Chrome			S\$ Call
White	6800740000	WHESCF2	S\$ 18.27
<b>COLLAR ONLY</b>			
1/2" Brass	6800530000	B2COLLAR12	S\$ 22.34
1/2" Chrome	6800500000	CBCOLLAR12	S\$ 18.33
1/2" White	6800540000	WHCOLLAR12	S\$ 18.33
3/4" Brass	6800560004	B2COLLAR34	S\$ Call
3/4" Chrome	6800560001	CBCOLLAR34	S\$ 18.33
3/4" White	6800551003	WHCOLLAR34	S\$ 18.33

**G/F1 for use with SP & HSW Sprinklers**  
**G/F2 for use with SP & HSW Sprinklers**  
**G/F2 for use with SP & HSW Sprinklers**



**MP LL  
 Multipurpose  
 Residential Riser**

• See Bulletin 426

**Accessories**

Description	Part Number	Short Code	List Price
<b>MODEL MPLL MULTIPURPOSE RESIDENTIAL RISER</b>			
Model MP LL 1" (30mm)	6501200125	1MPLL	S\$ 2,005.07
<b>RISER ACCESSORIES</b>			
Optional Support Bracket Kit	6899190001	RRB	S\$ 195.53

Description	Part Number	Short Code	List Price
<b>PRESSURE GAUGES</b>			
WATER	98248001	WATER	S\$ 196.48
AIR	98248000	AIR	S\$ 210.09
Air (0-60 oz/in <sup>2</sup> )	98248002	AIRO	S\$ 744.14
<b>INSPECTORS TEST CONNECTIONS</b>			
Sight Test Type (Model B)	6851010000	ISC	S\$ 841.85
Blind Test Type (Model A)	6851020000	IBC	S\$ 280.62
<b>AUTOMATIC BALL DRIPS</b>			
1/2" NPT (Female)	78653500	5ABD	S\$ 466.34
3/4" NPT (Female)	78653700	75ABD	S\$ 532.85
<b>MECHANICAL BALL DRIPS</b>			
1/2" NPT (Female)	78653100	5MBD	S\$ 832.46
<b>STRAINER</b>			
3/4" NPT (Female)	78650200	34ST	S\$ 489.25
<b>MISCELLANEOUS</b>			
Model C Sight Drain 2" NPT (Female)	6863000000	2ISC	S\$ 913.16
Model B Drum Drip Only 3/4" NPT (Female)	71010448		S\$ 534.67
Model A Fill Cup 1/2" NPT (Female)	75000050	5FC	S\$ 252.35
Model A Fill Cup 3/4" NPT (Female)	75000075	75FC	S\$ 285.51
Model A Control Valve Seal Only	6869800000		S\$ 69.75
<b>SIGNS—MODEL A</b>			
Valve Control Sign	6892011000	VCS	S\$ 28.82
<b>SIGNS—MODEL B</b>			
Inspector Test Sign	6892110000	ITS	S\$ 6.65
Open Sprinkler Control Sign	6892030000	OSCS	S\$ 6.65
Open Sprinkler Drain Sign	6892040000	OSDS	S\$ 6.65
Test Valve Sign	6892050000	TVS	S\$ 6.65
Water Motor Line Sign	6892060000	WMLS	S\$ 6.65
Auxiliary Drain Sign	6892070000	ADS	S\$ 6.65
Main Drain Sign	6892080000	MDS	S\$ 6.65
Drain Sign	6892090000	DS	S\$ 6.65
Alarm Test Sign	6892100000	ATS	S\$ 6.65
<b>SIGNS—MODEL C</b>			
Cold Weather Sign	6892010000	CWS	S\$ 16.22
<b>SIGNS—MODEL D</b>			
Fire Alarm Sign	6892020000	FAS	S\$ 28.82
<b>SIGNS—MODEL E</b>			
Hydraulically Calculated System	6892120000	HCS	S\$ 19.30

## ELECTRICAL COMPONENTS



Description	Part Number	Short Code	List Price
<b>MODEL WFDT - WATERFLOW DETECTOR</b>			
1" - 2", w/1" NPT T-Tap Waterflow	7M99003216	TTAPN	S\$ 603.89
<b>ACCESSORIES</b>			
1 & 1-1/2" Waterflow Detector Gasket	6999990717		S\$ 37.74
2 & 3-1/2" Waterflow Detector Gasket	6999990357		S\$ 37.74
4 - 8" Waterflow Detector Gasket	6999990356		S\$ 37.74
Repl. Terminal block			S\$ Call
Repl. Timer	6999992444	TIMER	S\$ 226.46
Waterflow Detector Tamper Switch Kit	6923000000	5467000	S\$ 126.66
Wrench Cover (Key)	6999990769	WFDW	S\$ 41.92
Cover	6999991174		S\$ 60.24
<b>ELECTRIC ALARM BELLS &amp; HORN/STROBE</b>			
6" -- 24 VDC	6611220400	6KMS	S\$ 270.27
8" -- 24 VDC	6611220500	8KMS	S\$ 317.57
10" -- 24VDC	6611220600	10KMS	S\$ 385.14
BRK MA Polarized Sounder -- 24 VDC	6999993325	HORNWBB24	S\$ 337.84
BRK MASS Polarized Sounder Strobe (#P2R)	6990006617	P2RL	S\$ 675.68
P2RHK-120	6990001425	HORNWBB	S\$ 387.84
6" -- 120 VAC	6611221100	6KBS	S\$ 270.27
8" -- 120 VAC	6611221200	8KBS	S\$ 317.57
10" -- 120 VAC	6611221300	10KBS	S\$ 385.14
WBB Weatherproof Back Box	6611660200	WBB	S\$ 189.19



**MODEL F1S5**

- Special Application
- Upright/Pendent
- Glass Bulb Sprinklers
- Special Response (VDS)

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1S5 UPRIGHT THREADS 1/2" (15MM)</b>					
		°F	°C		S\$ Call
		°F	°C		S\$ Call
<b>MODEL F1S5 UPRIGHT THREADS 3/4" (20MM)</b>					
KA15113495	F1S5ULB	155°F	68°C	Brass	S\$ 65.31
KA15213495	F1S5ULC	155°F	68°C	Chrome	S\$ 78.54
<b>MODEL F1S5 PENDENT THREADS 1/2" (15MM)</b>					
		°F	°C		S\$ Call
		°F	°C		S\$ Call
<b>MODEL F1S5 PENDENT THREADS 3/4" (20MM)</b>					
KB15113495	F1S5PLB	155°F	68°C	Brass	S\$ 65.31
KB15213495	F1S5PLC	155°F	68°C	Chrome	S\$ 78.54



## FP PUSH-ON/THREAD-OFF ESCUTCHEONS

Description	Part Number	Short Code	List Price
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>			
1/2" Chrome	6801412100	FPC	S\$ 38.90
1/2" White	6801417200	FPW	S\$ 38.90
1/2" Stainless Steel	6801411000	FPSS	S\$ 178.18
3/4" Chrome	6801402100	FPLC	S\$ 38.90
3/4" White	6801407200	FPLW	S\$ 38.90
3/4" Stainless Steel	6801401000	FPLSS	S\$ 178.18
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>			
1/2" Brass	6800630001	GF1B	S\$ 37.41
1/2" Chrome	6800600001	GF1C	S\$ 20.17
1/2" White	6800640001	GF1W	S\$ 20.17
1/2" Stainless Steel	6800610010	GF1SS	S\$ 118.78
3/4" Brass	6801030000	GF1LB	S\$ 37.41
3/4" Chrome	6801000000	GF1LC	S\$ 20.17
3/4" White	6801040000	GF1LW	S\$ 20.17
3/4" Stainless Steel	6800970010	GF1LSS	S\$ 118.78
<b>MODEL F1 ESCUTCHEON ONLY</b>			
Brass	6800430000	BZESCF1	S\$ 28.54
Chrome Bright	6800400000	CBESCF1	S\$ 12.14
White	6800440000	WHESCF1	S\$ 12.14
<b>MODEL F1/F2 COLLAR ONLY</b>			
1/2" Brass	6800530000	B2COLLAR12	S\$ 22.34
1/2" Chrome Bright	6800500000	CBCOLLAR12	S\$ 18.33
1/2" White	6800540000	WHCOLLAR12	S\$ 18.33
3/4" Brass	6800560004	B2COLLAR34	S\$ Call
3/4" Chrome Bright	6800560001	CBCOLLAR34	S\$ 18.33
3/4" White	6800551003	WHCOLLAR34	S\$ 18.33
<b>ESCUTCHEON EXTENDER RING</b>			
Chrome	6814002100	EERC	S\$ 25.93
White	6814001500	EERW	S\$ 27.64
<b>MODEL F1 OR F2 EXTENDER RINGS</b>			
4-1/2" Chrome	6814002100	EERC	S\$ 25.93
4-1/2" White	6814001500	EERW	S\$ 27.64
5-1/2" Chrome	6814042100	EERC5	S\$ 25.93
5-1/2" White	6814041500	EERW5	S\$ 27.64
<b>FP / G5 / G4 / RFC / CCP / SWC COVERPLATE EXTENDER RINGS</b>			
4-1/2" Chrome	6814022100	G4ERC	S\$ 25.93
4-1/2" White	6814021800	G4ERW	S\$ 27.64
5-1/2" Chrome	6814032100	G4ERC5	S\$ 25.93
5-1/2" White	6814031800	G4ERW5	S\$ 27.64

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>			
1/2" Brass	6800830000	GF2B	S\$ 37.41
1/2" Chrome	6800800000	GF2C	S\$ 20.17
1/2" White	6800840000	GF2W	S\$ 20.17
1/2" Stainless Steel	6800840010	GF2SS	S\$ 118.78
3/4" Brass	6800880004	GF2LB	S\$ 37.41
3/4" Chrome	6800880001	GF2LC	S\$ 20.17
3/4" White	6800880005	GF2LW	S\$ 20.17
3/4" Stainless Steel	6800880110	GF2LSS	S\$ 118.78
<b>ESCUTCHEON ONLY</b>			
Brass	6800730000	BZESCF2	S\$ 28.35
Chrome	6800700000	CBESCF2	S\$ 18.27
White	6800740000	WHESCF2	S\$ 18.27
<b>COLLAR ONLY</b>			
1/2" Brass	6800530000	B2COLLAR12	S\$ 22.34
1/2" Chrome	6800500000	CBCOLLAR12	S\$ 18.33
1/2" White	6800540000	WHCOLLAR12	S\$ 18.33
3/4" Brass	6800560004	B2COLLAR34	S\$ Call
3/4" Chrome	6800560001	CBCOLLAR34	S\$ 18.33
3/4" White	6800551003	WHCOLLAR34	S\$ 18.33

### Notes:

All SS Escutcheons are Type 316 Stainless Steel.  
 Other escutcheon finishes are available upon request.



**B One Piece**



**C One Piece**



**HB Two Piece**

**ESCUTCHEONS (CONT.)**

- Sprinkler Accessories

**F1S ESCUTCHEON**



**F2S ESCUTCHEON**

- See Bulletin 204

Description	Size	Part Number	Short Code	List Price
<b>MODEL B ONE PIECE TYPE 1/2"</b>				
Bronze	1/2"	6800110000	BB	S\$ 8.34
Chrome	1/2"	6800150000	BC	S\$ 5.72
White	1/2"	6800120000	BW	S\$ 6.45
Stainless Steel	1/2"	6800121002	BSS	S\$ 71.30
<b>MODEL B ONE PIECE TYPE 3/4"</b>				
Bronze	3/4"	6800080000	BLB	S\$ 8.79
Chrome	3/4"	6800070000	BLC	S\$ 6.16
White	3/4"	6800090000	BLW	S\$ 6.16
Stainless Steel	3/4"	6800091002	BLSS	S\$ 71.30
<b>MODEL C ONE PIECE TYPE 1/2"</b>				
Bronze	1/2"	6800340000	CBB	S\$ 63.51
Chrome	1/2"	6800350000	CC	S\$ 6.11
White	1/2"	6800380000	CW	S\$ 6.11
<b>MODEL HB TWO PIECE TYPE 1/2"</b>				
Bronze	1/2"	6800210000	HBB	S\$ 14.53
Chrome	1/2"	6800270000	HBC	S\$ 13.08
White	1/2"	6800200000	HBW	S\$ 13.55
<b>MODEL HB TWO PIECE TYPE 3/4"</b>				
Bronze	3/4"	6800220000	HBLB	S\$ 14.98
Chrome	3/4"	6800240000	HBLC	S\$ 13.55
White	3/4"	6800250000	HBLW	S\$ 14.53
<b>TWO PIECE RECESSED — MODEL F1S</b>				
Chrome	1/2" (15mm)	6801752100	F1SC	S\$ 35.88
White	1/2" (15mm)	6801758700	F1SW	S\$ 35.88
Chrome	3/4" (20mm)	6801762100	F1SLC	S\$ 35.88
White	3/4" (20mm)	6801768700	F1SLW	S\$ 35.88
<b>MODEL F2S TWO PIECE RECESSED ESCUTCHEONS</b>				
Chrome	1/2" (15mm)	6801772100	F2SC	S\$ 35.88
White	1/2" (15mm)	6801778700	F2SW	S\$ 35.88
Chrome	3/4" (20mm)	6801782100	F2SLC	S\$ 35.88
White	3/4" (20mm)	6801788700	F2SLW	S\$ 35.88

**NEW**



**SURE-OFF TESTER**

- See Bulletin 277

Description	Part Number	Short Code	List Price
<b>PRESSURE TESTER</b>			
Sure-Off Tester 1"	6501220000	SURE	S\$ 2,866.19
Sure-Off Tester 1 1/4 - 1 1/2"	6501220002	SURE125	S\$ 2,866.19
Sure-Off Tester 2"	6501220003	SURE2	S\$ 2,866.19
Drill & Collar Assembly	6888000011		S\$ 387.46
Guide Bushing, Drill, Reducer	94905000		S\$ 128.36

The simple way to determine if the system you are about to work on has been shut-off and drained!  
 +44.1342.316800  
 www.reliablesprinkler.com

## Sprinkler Accessories

Description	Part Number	Short Code	List Price
<b>SPRINKLER GUARDS &amp; WATER SHIELD/GUARD ASSEMBLY</b>			
C1,GUARD,SU,SP,HORIZONTAL,ZINC,FM ONLY	6802251400	GC1	S\$ 20.63
C1,GUARD,SU,SP,HORIZONTAL,SS,FM ONLY	6802251000	GC1SS	S\$ 206.05
C2,GUARD,DRY PENDENTS,UL/FM	6802201400	GC2	S\$ 28.59
C3,GUARD,SHIELD,UPRIGHT-I,ZINC,UL/FM	6802501400	GC3	S\$ 42.21
C5,GUARD/SHIELD KIT,SP-I,1/2,ZINC,FM	6802611412	GC51	S\$ 59.00
C5,GUARD/SHIELD KIT,SP-I,3/4,ZINC,FM	6802611434	GC53	S\$ 59.00
D1,GUARD,SU/SP/HORIZONTAL,UL/FM ZINC	6802251410	GD1	S\$ 28.30
D3,GUARD/SHIELD KIT,SU-I,ZINC,UL ONLY	6802501410	GD3	S\$ 33.46
D5,GUARD/SHIELD KIT,SP-I,1/2,ZINC,UL	6802631412	GD51	S\$ 64.26
D5,GUARD/SHIELD KIT,SP-I,3/4,ZINC,UL	6802631434	GD53	S\$ 64.26
D4,GUARD/SHIELD KIT,SP-I,1/2,ZINC,UL	6802621412	GD41	S\$ 72.00
D4,GUARD/SHIELD KIT,SP-I,3/4,ZINC	6802621434	GD43	S\$ 72.00
D-7 for use w/ GL112 Upright Intermediate	6802611614	GD7	S\$ 33.46
D-8 for use w/ GL112 & GXLO Pendent	6802251714	GD8	S\$ 28.30
D-9 for use w- GL112 & GXLO Pendent Intermediate	6802621714	GD91	S\$ 64.26
D-6 for use w/ GXLO Upright Intermediate	6802611514	GD6	S\$ 31.77
F-6,GUARD/SHIELD KIT,3/4 NPS,ZINC	68026A1434	GF63	S\$ 68.31
F-1,GUARD,ZINC	6802651400	GF1	S\$ 28.30
F-2,GUARD,ZINC	6802661400	GF2	S\$ 59.77
F-3,GUARD,SHIELD	6802671400	GF3	S\$ 59.77
F-7,GUARD,ZINC	6802701400	GF7	S\$ 59.77
F-8,GUARD/SHIELD KIT,1/2 NPS,ZINC	68026B1412	GF81	S\$ 68.31
F-8,GUARD/SHIELD KIT,3/4 NPS,ZINC	68026B1434	GF83	S\$ 68.31
22 - (guard only) for use w/ HL22 ESFR	6802641422	G22	S\$ 64.04
25 - (guard only) for use w/ N25 ESFR	6802641425	G25	S\$ 64.04
D14,GUARD KIT,ZINC,SP,FM P22/P25	6802622514	GD14	S\$ 64.04
<b>RELIABLE MODEL RHB1 SPARE SPRINKLER STORAGE CABINET</b>			
RASCO,RHB1 HEADBOX 3 COUNT	7M99005006	RHB3	S\$ 122.30
RASCO,RHB1 HEADBOX 6 COUNT	7M99005007	RHB6	S\$ 186.96
RASCO,RHB1 HEADBOX 6 COUNT ESFR	7M99005008	RHB6E	S\$ 227.15
RASCO,RHB1 HEADBOX 12 COUNT	7M99005009	RHB12	S\$ 207.93
RASCO,RHB1 HEADBOX 24 COUNT	7M99005010	RHB24	S\$ 321.50
RASCO,RHB1 HEADBOX 36 COUNT	7M99005011	RHB36	S\$ 445.56
<b>A3 EMERGENCY CABINETS FOR RECESSED, CONCEALED &amp; ZX SPK</b>			
12 Capacity	6803200000	A312CAB	S\$ 942.07

## Sprinkler Accessories

Description	Part Number	Short Code	List Price
<b>MODEL F SERIES SPRINKLER GUARDS &amp; WATER SHIELD/GUARD ASSEMBLY</b>			
F-1,GUARD,ZINC	6802651400	GF1	S\$ 28.30
F-2,GUARD,ZINC	6802661400	GF2	S\$ 59.77
F-3,GUARD,SHIELD	6802671400	GF3	S\$ 59.77
F-4,GUARD,ZINC	6802681400	GF4	S\$ 59.77
F-5,GUARD/SHIELD KIT,1/2 NPS,ZINC	6802691412	GF51	S\$ 68.31
F-6,GUARD/SHIELD KIT,3/4 NPS,ZINC	68026A1434	GF63	S\$ 68.31
F-7,GUARD,ZINC	6802701400	GF7	S\$ 59.77
F-8,GUARD/SHIELD KIT,1/2 NPS,ZINC	68026B1412	GF81	S\$ 68.31
F-8,GUARD/SHIELD KIT,3/4 NPS,ZINC	68026B1434	GF83	S\$ 68.31
<b>MODEL S WATER SHIELDS</b>			
MODEL S-1 SHIELD,3.25,1/2-14NPS, GALV	88709001	S1SHIELD	S\$ 24.49
MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV	88709002	S2SHIELD	S\$ 24.49
MODEL S-3 SHIELD,3.75,3/4-14NPS, GALV	88709003	S3SHIELD	S\$ 24.49
MODEL S-5 SHIELD,4.5,1"NPS,GALV	887G9010	S5SHIELD	S\$ 24.49

**Notes:**

For additional info see Bulletin 208



Description	Part Number	Short Code	List Price
<b>STANDARD WRENCHES</b>			
WRENCH,DS56	6880130002	WDS56	S\$423.71
WRENCH,F3R,DRY	6880130001	WF3R	S\$320.12
WRENCH,H,XLO/GL112,BLUE	6880070000	WH	S\$242.47
WRENCH,J1,SPKR J112,J14,J17,ZINC.	6880090000	WJ1	S\$242.47
WRENCH,W2(PENDENT,UPRIGHT,HSW)	6880050100	WW2	S\$203.86
WRENCH, W8, RFC PLASTIC SERVICE WRENCH	6880050105	WW5	S\$242.47
WRENCH,W13	6880108000	W13	S\$287.19
WRENCH,W14	6880108100	W14	S\$287.19
WRENCH,W15 (USE WITH GUARD)	6880108200	W15	S\$287.19
WRENCH,W16	6880108300	W16	S\$242.47
<b>RECESSED &amp; CONCEALED WRENCHES</b>			
WRENCH,FC,CONCEALED	6880170020	WFC	S\$608.21
WRENCH,G4,CONCEALED,ADJ,SP	6880170000	WG4	S\$602.61
WRENCH,GFR2,RECESSED,CONCEALED,SP	6880060000	WGFR	S\$604.97
WRENCH,G6 HSW SOCKET	6880101010	WG6	S\$602.61
WRENCH,N,RECESSED	6880170030	WN	S\$602.61
WRENCH,RC1 SOCKET,RECESSED	6880100000	WRC	S\$604.97
WRENCH,RJ,J112/J112 REC CHROME	6880170032	WRJ	S\$602.61
WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)	6880100100	WW1	S\$604.97
WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	6880100110	W3	S\$608.21
WRENCH,W4,RECESSED,CONCEALED	6880100120	WW4	S\$604.97
WRENCH,W10,WITH PROTECTIVE CAP,RFC49+	6880105000	W10	S\$608.21
WRENCH,XLO2,REC,CONCEALED SP	6880070100	WXLO	S\$317.77
WRENCH,XL,ZX,PENDENT	6880160000	WZXP	S\$602.61
WRENCH,XL,ZX,HORIZONTAL	6880160010	WZXH	S\$602.61
<b>LIMITED SERVICE WRENCHES</b>			
WRENCH,W8, RFC PLASTIC SERVICE WRENCH	6880103000	W8	S\$377.14
WRENCH,W11,PLASTIC,RFC49+	6880107000	W11	S\$377.14

**Notes:**

Each sprinkler bulletin will show required wrench

**WRENCHES**

- See Bulletin 205

## PRINTED COVERPLATES

• See Bulletin 203



Slate Grey



Warm Maple



Dark Walnut



Silver Birch

**Note: Please see Bulletin 203 for additional finishes**

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G6 PRINTED COVERPLATES</b>				
688721139A		135°F 57°C	Custom Ink	\$ 102.96
688721139B		135°F 57°C	White Wash	\$ 99.25
688721139C		135°F 57°C	Silver Birch	\$ 99.25
688721139D		135°F 57°C	Beige Birch	\$ 99.25
688721139E		135°F 57°C	Weathered Grey	\$ 99.25
688721139F		135°F 57°C	Slate Grey	\$ 99.25
688721139G		135°F 57°C	Golden Pine	\$ 99.25
688721139H		135°F 57°C	Red Oak	\$ 99.25
688721139J		135°F 57°C	Red Cherry	\$ 99.25
688721139K		135°F 57°C	Warm Maple	\$ 99.25
688721139M		135°F 57°C	Dark Walnut	\$ 99.25
688721139N		135°F 57°C	Espresso	\$ 99.25
688721139P		135°F 57°C	Rustic Beige	\$ 99.25
<b>MODEL RFS42 PRINTED COVERPLATES</b>				
688723139A		135°F 57°C	Custom Ink	\$ 103.92
688723139B		135°F 57°C	White Wash	\$ 100.16
688723139C		135°F 57°C	Silver Birch	\$ 100.16
688723139D		135°F 57°C	Beige Birch	\$ 100.16
688723139E		135°F 57°C	Weathered Grey	\$ 100.16
688723139F		135°F 57°C	Slate Grey	\$ 100.16
688723139G		135°F 57°C	Golden Pine	\$ 100.16
688723139H		135°F 57°C	Red Oak	\$ 100.16
688723139J		135°F 57°C	Red Cherry	\$ 100.16
688723139K		135°F 57°C	Warm Maple	\$ 100.16
688723139M		135°F 57°C	Dark Walnut	\$ 100.16
688723139N		135°F 57°C	Espresso	\$ 100.16
688723139P		135°F 57°C	Rustic Beige	\$ 100.16
<b>MODEL G5 PRINTED COVERPLATES</b>				
688727139A		135°F 57°C	Custom Ink	\$ 96.53
688727139B		135°F 57°C	White Wash	\$ 93.05
688727139C		135°F 57°C	Silver Birch	\$ 93.05
688727139D		135°F 57°C	Beige Birch	\$ 93.05
688727139E		135°F 57°C	Weathered Grey	\$ 93.05
688727139F		135°F 57°C	Slate Grey	\$ 93.05
688727139G		135°F 57°C	Golden Pine	\$ 93.05
688727139H		135°F 57°C	Red Oak	\$ 93.05
688727139J		135°F 57°C	Red Cherry	\$ 93.05
688727139K		135°F 57°C	Warm Maple	\$ 93.05
688727139M		135°F 57°C	Dark Walnut	\$ 93.05
688727139N		135°F 57°C	Espresso	\$ 93.05
688727139P		135°F 57°C	Rustic Beige	\$ 93.05
688727169A		165°F 74°C	Custom Ink	\$ 96.53
688727169B		165°F 74°C	White Wash	\$ 93.05
688727169C		165°F 74°C	Silver Birch	\$ 93.05
688727169D		165°F 74°C	Beige Birch	\$ 93.05
688727169E		165°F 74°C	Weathered Grey	\$ 93.05
688727169F		165°F 74°C	Slate Grey	\$ 93.05
688727169G		165°F 74°C	Golden Pine	\$ 93.05
688727169H		165°F 74°C	Red Oak	\$ 93.05
688727169J		165°F 74°C	Red Cherry	\$ 93.05
688727169K		165°F 74°C	Warm Maple	\$ 93.05
688727169M		165°F 74°C	Dark Walnut	\$ 93.05
688727169N		165°F 74°C	Espresso	\$ 93.05
688727169P		165°F 74°C	Rustic Beige	\$ 93.05



**MODEL G1  
 CONCEALED  
 REPLACEMENT  
 COVERPLATES**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G1 CONCEALED COVERPLATES - REQUIRED</b>					
6887001311	CG10B	135°F	57°C	Finished Bronze	S\$ 135.05
6887001321	CG10C	135°F	57°C	Chrome	S\$ 99.12
6887001372	CG10W	135°F	57°C	White	S\$ 99.12
6887001390	CG10SP	135°F	57°C	Special Paint	S\$ 145.30
6887001611	CG11B	165°F	74°C	Finished Bronze	S\$ 140.03
6887001621	CG11C	165°F	74°C	Chrome	S\$ 99.12
6887001672	CG11W	165°F	74°C	White	S\$ 99.12
6887001690	CG11SP	165°F	74°C	Special Paint	S\$ 145.30

6880100000      WRC                      Requires Model RC1 Sprinkler Wrench                      S\$ 604.97

**\*Model G1 Concealed Sprinkler is Obsolete.**  
**\*Please note special paint is subject to a paint set-up charge.**



## Special Services

Description	Add to Invoice Price
Set-Up Charge for orders less than 100 pieces	\$ 200.00
Set-Up Charge for Lead & Wax Over Lead	\$ 283.50

**Special Note:**

For limitations regarding special application finishes, refer to the appropriate technical bulletin.

**Notes:**

Special painted heads and cover plates are subject to a \$200 set-up fee, per color. Color set-up fees are waived once the color unit amount reaches 100+.